### Trumps Over infection Single Handedly




TAK



#### Cefixime ...

- Has the longest half-life period among all oral cephalosporins, the highest activity against basic pathogens of urogenital infection and higher clinical and microbiological efficacy than ciprofloxacin.
- Is significantly less accompanied by the development of ADR's as compared to amoxycillin/clavulanate
- Is a good choice for successful clinical response in community acquired infections such as acute otitis media (AOM), Lower respiratory tract infections (RTI) and urinary tract infections (UTI)
- Shows better pharmacodynamic parameters than other 3rd and 2nd generation cephalosporins like cefpodoxime and cefuorxime

Urinary Tract Infections (UTI)TonsillitisOtitis MediaBronchitisPharyngitisGonorrhoea



#### Cefixime:

- Effective against a wide spectrum of sensitive gram -ve, gram +ve bacterial pathogens including beta-lactamase producing bacteria
  - Globally accepted antibiotic
  - Excellent patient compliance

#### Azithromycin:

- Excellent gram negative antibiotic
  - Longer half life Gastro friendly

#### Lactic Acid Bacillus:

Re-establishes normal GI Flora

- » Skin & soft tissue infections
- » Respiratary tract infections
- » ENT infections » GIT Infections
- » Enteric Fever » Gynecological Infections



#### A comprehensive Hepato corrective / protective / stimulant

### LIVOGRIP Ayurvedic Liver Tonic

Normalizes basic appetite - satiety rhythm

Prevented inflammation of the liver

Hastens recovery period in infective hepatitis

Ensures protection from alcohol-induced hepatic damage

Anorexia

Vial Hepatitis

Alcoholic Liver

Loss of Appetite and Damage

Pre-cirrhoic Conditions

Cirrhosis | Jaundice



LIV

### Treat the infections to

Maintain Good Health





- Provides rapid bacteriological eradication¹
- Empirical treatment for management of enteric fever¹
- Excellent tolerability & safety¹

**Typhoid Fever** 

**Nosocomial Infection** 

**Soft Tissue Infections** 

Intra Abdominal Infection

Lindian Journal of Basic & Applied Medical Research, September 2012; Vol.-1, Issue-4, P. 296-303 (http:///jbamr.com/pdf/296-303.pdf)



Also Available :



#### An Ultimate Extinguisher for burning Acidity

# Amalcap-A

Oxetacaine 10 mg + Aluminium Hydroxide 0.291mg + SUSPENSION
Dried Aluminium Hydroxide 0.380mg + Magnesium Hydroxide 98 mg



- Oxetacaine is an amide anesthetic with prolonged action.
- Aluminium hydroxide binds dietary phosphate. It is of benefit in patients with hyperphosphatemia in renal failure.
- Aluminium hydroxide neutralizes the already released excess gastric acid.
- Combination is very effective for short-term symptomatic relief as the local anesthetic relieves the patient from the swallowing difficulties in post-radiation therapies.
- Magnesium Hydroxide has direct antipeptic action as well as a demulcent effect, protecting the gastrointestinal mucosa and further irritation or erosion


# SYMPTOMATIC RELIEF FROM GERD HEARTBURN RADIATION INDUCED ESOPHAGITIS & CANDIDOSIS COOLS DOWN THE BURNING ACIDITY





# Hepticare-Plus

Pancreatin eq. to Lipase activity 212.50 mg + Eq. to Lipase activity 6000 units + Amylase activity 4500 units + Protease activity 300 units **TABLETS** 



- Provides lipase, protease & amylase for digestion of fats, proteins & carbohydrates
- Ensures effective digestion
   & absorption of nutrients
- Improves nutrient bioavailability

#### INDIGESTION

#### **PANCREATIN INSUFFICIENCY IN:**

- Cystic fibrosis
- Diabetes mellitus
- Chronic pancreatitis



### Efficient Rise in Muscle Mass & Bone Density



- Increases muscle mass and reduces vertebral fracture rate of elderly osteoporotic patients<sup>1</sup>
- Exerts positive effects on BMD and bone pain in patients with established postmenopausal osteoporosis<sup>2</sup>
- Shows increase in hemoglobin and hematocrit levels in elderly patients with anemia<sup>3</sup>
- Safe options for treatment of muscle wasting and weakness<sup>4</sup>

Anemia

Osteoporosis

Muscle Wasting Disease

After Severe Trauma or Surgery

 Corticosteroid Induced Myopathy



1.1 Germrool A Blod Sci Med Sci 2005 May 605;648-53. 2 Martentas. 1993 Nov.17(3):211-9. 3.Gestarr Neptoni Umil. 1990-9(2):67-72. 4,145N August 2006 vol. 17 on. 8 2307-2314.



Efficacy & Safety





- Tazobactam enhances antibacterial spectrum of ceftriaxone against bacteria that are otherwise resistant
- Demonstrates synergistic activity (reduction in minimal inhibitory concentrations [MICs] for the combination versus those of each component) against a variety of organisms

Ceftriaxone 1000, 500.
250mg + Tazobactam 500, 250, 125mg



**Urinary Tract Infections** 

**Bone & Joint Infections** 

Intra-abdominal Infections

Peri-operative Prophylaxis

**Lower Respiratory Tract Infections** 

Skin & Skin Structure Infections



Efficacy & Safety





- Tazobactam enhances antibacterial spectrum of ceftriaxone against bacteria that are otherwise resistant
- Demonstrates synergistic activity (reduction in minimal inhibitory concentrations [MICs] for the combination versus those of each component) against a variety of organisms

Ceftriaxone 1000, 500.
250mg + Tazobactam 500, 250, 125mg



**Urinary Tract Infections** 

**Bone & Joint Infections** 

Intra-abdominal Infections

Peri-operative Prophylaxis

**Lower Respiratory Tract Infections** 

Skin & Skin Structure Infections



Top-level
Bactericidal Activity in
High Zone of Danger

ACTZONE 1000mg + Sulbactam 500mg

- Effective and safe alternative to clindamycin plus gentamicin in treatment of intra-abdominal infections<sup>1</sup>
- Useful adjunct to surgical intervention for intra-abdominal infections<sup>2</sup>
- Higher success rates (92.9%) than ceftazidime-amikacin-metronidazole (80.0%)<sup>2</sup>
- Effective and safe in children with moderate and severe respiratory infections<sup>3</sup>

| Septicaemia | Respiratory Tract Infections |
| Urinary Tract Infections | Intra-abdominal Infections |
| Skin And Soft Tissue Infections |

#### When Cold & Fever give Sleep-less Nights



# Aftercold DS

Paracetamol 250mg + Phenylephrine 5mg + Chlorpheniramine Maleate 2mg SYRUP

#### **CHLORPHENIRAMINE MALEATE: Anti-allergic**

 Effective relief of indoor and outdoor upper respiratory allergy symptoms

#### PARACETAMOL: Analgesic and Anti-pyretic

 Controls pain and fever associated with respiratory allergies or infection

#### **PHENYLEPHRINE: Decongestant**

Helps open up blocked nose

**Upper Respiratory Allergy Symptoms:** 

Aftercold
Paracetamol 125mg + Phenylephrine 2.5mg +
Chlorpheniramine Maleate 1mg SYRUP

Common Cold | Cough
Nasal & Throat Itching
Body-ache | Head-Ache
Fever | Blocked Nose



#### Sets Breathing Free From Cough and Cold

### AFTERCOLD-N

Nimesulide 100 mg + Paracetamol 325 mg+ Phenylephrine 10 mg + Caffeine 25 mg

**TABLETS** 

#### NIMESULIDE

Selective COX, inhibitor with potent analgesic, antipyretic and anti inflammatory activity Possesses rapid onset of analgesic effect

#### PARACETAMOL

Potent analgesic and antipyretic agent

#### PHENYLEPHRINE HCL

Potent nasal decongestant & trusted Bronchodilator

#### CAFFEINE

Central nervous system stimulant

#### **NASAL CONGESTION**

COLD & FEVER | SEASONAL FLU

**HEADACHE & BODY ACHE** 

SEASONAL ALLERGIC RHINITIS




#### AFTERCOLD-A

Aceclofenac 100mg+Paracetamol 325mg+ Cetirizine Hydrochloride 10m Phenylephrine Hydrochloride 5mg+ Caffeine 25mg TABLE

#### AFTERCOLD-PLUS

Paracetamol 500mg + Levocetrizine 5 mg + Phenylpherine 10 mg TABLET



For relief from... Seasonal allergy & congestion...

### AFTERCOLD PLUS

Levocetirizine 5mg +Paracetamol 500mg+ Phenylephrine 10mg

**TABLETS** 

#### Levocetirizine ...

- Non-sedating antihistaminic, Selective peripheral acting H1 blocker
- Effective for symptom relief including nasal congestion in adolescent & adult (PAR) sensitised to house dust mites

#### Phenylephrine ...

Assists to clear respiratory airways for smooth breathing

#### Paracetamol ...

Time tested & safe analgesic/antipyretic

Allergic Rhinitis
Bronchial Asthma
Bronchospasm
Clear Respiratory Airways
Common Cold




Phenylephrine 5mg+ Levocetrizine 5mg



ETS



Expel out Deep Seated Viscid Mucus




AFTERCOLD-A
Acediofenac 100mg + Paracetamol 325mg • Celtrizine Hydrochloride 10m
Phenylephnine Hydrochloride 5mg • Califeine 25mg
TABLE

Enable complete elimination of

Cough and Cold with





#### **Paracetamol**

Effectively reduces pain & fever

#### Phenylephrine

The powerful nasal decongestant

Sinus/ Nasal Congestion

Cold, Allergic & Hay Fever

Seasonal Flu

**Upper Respiratory Allergies** 

#### Diphenydramine Hcl

Diphenydramine is an antihistamine used in the treatment of allergies & relieve cold and cough caused by minor throat & airway irritation

#### Caffeine

Relieve drowsiness & improve alertness

AFE

### Get Control over Running Nose & High Fever

# Aftercold Paracetamol + Phenylephrine Hydrochloride SUSPENSION Levocetirizine Dihydrochloride 5mg + TABLETS Paracetamol 325mg + Phynlephrine 5mg

#### PARACETAMOL:

- Provides relief from fever in cold & flu
- Provides relief from pain and sore throat


#### PHENYLEPHRINE:

- Potent vasoconstriction, reduces severity & duration of nasal congestion
- Relieves nasal congestion to ease breathing

- Common Cold & Cough
- Congestion Associated With Sinusitis
- Rhinitis Accompanied By Fever & Pain



### Enhance the RESISTANCE POWER



AUT

# Betercal

Calcitriol 0.25mcg + Calcium Carbonate 500mg + Zinc 7.5mg
SOFT GEL CAPSULES

Calcitriol: Decreases bone turnover markers and brings significant improvement in muscle strength<sup>1</sup>

Calcium Carbonate: Effective in retarding bone loss in postmenopausal women<sup>2</sup>

Zinc: Stimulates bone formation, bone mineralization and preserves bone mass<sup>3</sup>

DRUG INDUCED OSTEOPOROSIS

Clin Interv Aging. 2014; 9: 515–526. 2.Am J Clin Nutr May 2005, vol. 81 no. 5 12325-12395
 3.The J.of Trace elements in Exp. Med. 11: 119-135 (1998)



Abdominal pain disturbs the quality of life of your patients...

## AMALCAP-O

Magaldrate 400 mg + Simethicone 20 mg + Syrup

Oxetacaine 10 mg

#### Magaldrate

 Repidly reacts with acid where it is poorly absorbed thereby provides sustained antacid effect

#### Simethicone

 A surfactant that relieves associated indigestion flatulence & reflux

#### Oxetacaine

 Oxetacaine is a potent local anesthetic. It is administered orally for the relief of pain associated with peptic ulcer disease or esophagitis.

### **Indications:**

Gastritis

Dyspepsia

GERD

Hyperacidity

Overcomes Spasms During Uncomfortable Days



Guard the Stomach against Acid Reflux

 Provides desired relief of symptoms of GERD¹

- Improves the quality of life of patients suffering from GERD¹
- Remarkably reduces the symptoms of GERD<sup>2</sup>
- Very well tolerated combination<sup>1</sup>



Gastroesophageal Reflux Disease
Non-ulcer Dyspepsia | NSAID-induced Dyspepsia
Bloating/ Fullness/ Belching



ASR



Guard the Stomach against Acid Reflux

 Provides desired relief of symptoms of GERD¹


- Improves the quality of life of patients suffering from GERD¹
- Remarkably reduces the symptoms of GERD<sup>2</sup>
- Very well tolerated combination<sup>1</sup>



Gastroesophageal Reflux Disease
Non-ulcer Dyspepsia | NSAID-induced Dyspepsia
Bloating/ Fullness/ Belching



ASR



### malgard-DSR CAPSULES Domperidone 30mg (SR)

- Provides desired relief of symptoms of
- Improves the quality of life of patients suffering from GERD1
- Remarkably reduces the symptoms of GERD<sup>2</sup>
- Very well tolerated combination<sup>1</sup>

**Gastroesophageal Reflux Disease** Non-ulcer Dyspepsia | NSAID-induced Dyspepsia **Bloating/Fullness/Belching** 



Magnify the Relief in Reflux Disorders



LSR



#### LEVOSULPIRIDE

- \* Accelerates gastric emptying
- \* Better than domperidone and metoclopramide<sup>2</sup>

#### RABEPRAZOLE:

- \* Rapid and effective in relieving heartburn<sup>3</sup>
- Also improves regurgitation and belching<sup>3</sup>

NON-EROSIVE REFLUX DISEASE GASTROESOPHAGEAL REFLUX DISEASE **FUNCTIONAL DYSPEPSIA** 









2 Ref J Controprehend, 1990 Aut Aug 2800 S1 F-28 1 Expert Opto Charg Sef 2009 Art B13/19/26

Magnify the Relief in Reflux Disorders



LSR



#### LEVOSULPIRIDE

- \* Accelerates gastric emptying
- \* Better than domperidone and metoclopramide<sup>2</sup>

#### RABEPRAZOLE:

- \* Rapid and effective in relieving heartburn<sup>3</sup>
- Also improves regurgitation and belching<sup>3</sup>

NON-EROSIVE REFLUX DISEASE GASTROESOPHAGEAL REFLUX DISEASE **FUNCTIONAL DYSPEPSIA** 









2 Ref J Controprehend, 1990 Aut Aug 2800 S1 F-28 1 Expert Opto Charg Sef 2009 Art B13/19/26



- Clavulanic acid synergistically expands amoxicillin's spectrum of activity
- Combination is highly active against beta-lactamase producing H. influenzae and M. catarrhalis¹
- First-line antibiotic drug for severe infections<sup>2</sup>

Amoxycillin 500mg + Clavulanic Acid 125mg



- ENT Infections
- Respiratory Tract Infections
- Genito-urinary Tract Infections
- Dental Infections
- Bone And Joint Infections
- Skin And Soft Tissue Infections

Drugs 2000;63(3):311-40. Z.Med Pregl. 2011 Mar Aprol4(3-4):178-62.

# Power to Defeat Infection





- Most widely used antibacterial agent
- Active against clinically important beta-lactamases
- Overall higher efficacy rates than azithromycin<sup>1</sup>

#### **Intra-Abdominal Infections**

Tonsillitis, Sinusitis, Otitis Media

**Acute Exacerbation of Chronic Bronchitis, Pneumonia** 

Boils, Abscesses, Cellulitis, Wound Infections, Animal Bites



# Power to Defeat Infection





- Most widely used antibacterial agent
- Active against clinically important beta-lactamases
- Overall higher efficacy rates than azithromycin<sup>1</sup>


#### **Intra-Abdominal Infections**

Tonsillitis, Sinusitis, Otitis Media

**Acute Exacerbation of Chronic Bronchitis, Pneumonia** 

Boils, Abscesses, Cellulitis, Wound Infections, Animal Bites





ALB

## **Autobact LB**

Amoxycillin 500mg + TABLETS
Clavulanic Acid 125mg + Lactic Acid Bacillus 60 Million Spores

#### Amoxicillin + Clavulanic Acid:

- More efficiently eradicates beta-lactamase-producing strains & S.pneumoniae strains¹
- Excellent clinical activity in pharyngotonsillitis<sup>2</sup>
- Promising activity against pathogens that cause bone infections<sup>3</sup>

#### **Lactic Acid Bacillus:**

 Improves GI tolerance of antibiotics thus reduces antibiotic associated diarrhoea<sup>4</sup> **UPPER RESPIRATORY TRACT INFECTIONS** 

LOWER RESPIRATORY TRACT INFECTIONS

SKIN AND SOFT TISSUE INFECTIONS


**BONE AND JOINT INFECTIONS** 

**INTRA-ABDOMINAL SEPSIS** 

**DENTAL INFECTIONS** 

1.Clin Pharmacokinet, 2005;44(11):1097-115. 2.Clin Ther. 2006;Jan;28(1):99-109. 3.Antonicrob Agents Chemother, 2009 Jun; \$3(8):2168-257. 4.Allins Fluers. & Thera., Vol.15(2), 2001, 163-169.

### Enhance the RESISTANCE POWER



BET

# Betercal

Calcitriol 0.25mcg + Calcium Carbonate 500mg + Zinc 7.5mg SOFT GEL CAPSULES

Calcitriol: Decreases bone turnover markers and brings significant improvement in muscle strength<sup>1</sup>

Calcium Carbonate: Effective in retarding bone loss in postmenopausal women<sup>2</sup>

Zinc: Stimulates bone formation, bone mineralization and preserves bone mass<sup>3</sup>

SENILE OSTEOPOROSIS

POST-MENOPAUSAL OSTEOPOROSIS

**DRUG INDUCED OSTEOPOROSIS** 

1. Clin letters Aging, 2014; 9:515-526. 2.Am. J Clin Nutr May 2005, vol. 81 no. 5 12325-12395 3. The J. of Trace elements in Exp. Mod. 11: 119-126 (1996)





Calcium Citrate Maleate 425mg + Calcitriol 0.25mcg+ Boron 1.5mg + Methylcobalamin 750mcg + Foli c Acid 400mcg +Vitamin K2-7 45mcg SOFTGEL CAPSUELS

SENILE OSTEOPOROSIS

POST-MENOPAUSAL OSTEOPOROSIS

DRUG INDUCED OSTEOPOROSIS

Calcitriol: Stimulates bone formation & reduces the level of bone loss1

Calcium: Increases bone mineral density thus effective in preventing osteoporotic fractures in postmenopausal women<sup>2,3</sup>

Zinc: Increases bone mineral density, particularly in the spine and whole body<sup>4</sup>

Magnesium: Helpful to maintain bone integrity<sup>6</sup>

Methylcobalamin + Folic Acid: Maintains bone health; reduces risk of fracture & improves BMD<sup>6</sup>

Vitamin K2-7: Prevents bone loss, increases bone-building process & reduces rates of fractures<sup>7,8</sup>

1. Chateoperos Int. 2010 Jul 21(7): 11,33-1149 2,8MJ 2013;3513-4169
3. Their Clin Roik Manag. 2008 Aug. 4(4): 827-836 4. Am J Clin Roik: 2013 Oct; 98(4): 960-971
5 Nutrismin. 2013 Aug. 5(8): 3102-3033 6.5 Nutr Metals. 2013;2313: 486/36 7.Elin Calcium, 2005 Apr;15(4):605-10
8. Alberts Mark Blow, 2005 Mar;18(1):24-35





Calcium Citrate Malate + SOFT GEL CAPSULES
Calcitriol + Vitamin K2-7 + Folic Acid + Methylcobalamin + Boron


- More readily available to the body than calcium carbonate
- Efficaciously treat postmenopausal osteoporosis & corticosteroid-induced osteoporosis
- Inhibits occurrence of new bone fractures and maintains BMD in patients with osteoporosis
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy/ Lactation
- Drug Induced Osteoporosis
- Post Menopausal Osteoporosis



Coral Grains Containing Calcium Carbonate 225 mg + Folic Acid 1.5 m Vit, 86 3.0 mg + Methylcobalamin 1500 mcg + Vit. D3 200 I.U. SOFT GEL CAPSULES

### Enhance the RESISTANCE POWER

against Falls &





# Betercal

Calcitriol 0.25mcg + Calcium Carbonate 500mg + Zinc 7.5mg
SOFT GEL CAPSULES

Calcitriol: Decreases bone turnover markers and brings significant improvement in muscle strength<sup>1</sup>

Calcium Carbonate: Effective in retarding bone loss in postmenopausal women<sup>2</sup>

Zinc: Stimulates bone formation, bone mineralization and preserves bone mass<sup>3</sup>

SENILE OSTEOPOROSIS

POST-MENOPAUSAL OSTEOPOROSIS

**DRUG INDUCED OSTEOPOROSIS** 

Clin Interv Aging, 2014; 9: 515-526. 2 Am J Clin Nutr May 2005, vol. 81 no. 5 12325-12395
 The Just Trace elements in Exp. Med. 11: 119-125 (1998)

### HIGHEST BIOAVAILABLE FOR FASTER MINERALISATION OF BONES





SAFE CALCIUM TO MAKE STRONG BONES TO STAND ON

#### **CALCIUM CITRATE**

Promotes bone mineral density.

Minimizes bone loss in old age & women following menopause.

#### VITAMIN D3

Enhances the calcium absorption

#### **CALCIUM ASPARTATE**

Increases bone mineral density significantly while calcium citrate plus vitamin d may help slow down bone loss at the hip.

#### **CALCIUM OROTATE**

Exhibits vitamin d3 independent Calcium absorption.

**POST MENOPAUSAL WOMEN** 

**OSTEOPOROSIS** 

**LOW BACK PAIN** 

**FRACTURE** 

**OSTOPENIA** 

**PSORIASIS** 

**POST PARTUM** 

**PREGNANCY & LACTATION** 

Pair-Up the

Compliance & Competency with...

# Cedobactcv

Cefpodoxime 200mg + Potassium Clavulanate 125mg Cefpodoxime 50mg + Potassium Clavulanate 31.25mg TABLETS DRY SYRUP

#### Cefpodoxime

 Potent antibacterial activity against Gram-positive / Gram-negative bacteria; high stability in presence of beta-lactamases

#### Potassium Clavulanate

 Protects cefpodoxime against destruction caused by beta lactamase enzyme

#### **Effects of Combination**

 Synergistically active against bacterial infections caused by beta lactam resistant pathogens









Acute Otitis Media | Pharyngitis / Tonsillitis | Acute Maxillary Sinusitis |
| Community-acquired Pneumonia | UTIs |
| Acute Bacterial Exacerbation Of Chronic Bronchitis |
| Acute, Uncomplicated Urethral / Cervical Gonorrhoea | SSSIs

CCV

# For Early Switch from INFECTION to Cure





- More potent in vitro activity than amoxi-clav against beta-lactamase producing bacteria
- Equally good coverage for S. pneumoniae, H. influenza & M. catarrhalis as of ceftriaxone<sup>2</sup>

#### **ENT INFECTIONS**

URINARY TRACT INFECTIONS

SKIN AND SOFT TISSUE INFECTIONS

UPPER AND LOWER RESPIRATORY TRACT INFECTIONS

AS A SWITCH THERAPY AFTER PARENTERAL CEPHALOSPORINS



# FOR SOFT ONES





A broad spectrum cephalosporin antibiotic.

Stable to beta lactamase degradation1.

Provides an effective alternative for the treatment of typhoid fever in children even in case of multidrug-resistant S.typhi<sup>2</sup>.

Ensures better safety profile & excellent tolerability.

Cefpodoxime Proxetil 50mg DRY SYRUP




Pneumonia
Acute Sinusitis

**Chronic Bronchitis** 

Acute Otitis Media
Pharyngitis & Tonsilitis

Typhoid Fever



 Fadinashree Dr D. Y. Palli Institute of Plannaceutical Sciences and Research, Propri. Purp 411 518, India 2: WHO (1996). The World Health Report. Report of the Director General WHO.

... Sustained infection free childhood

# FOR SOFT ONES





A broad spectrum cephalosporin antibiotic.

Stable to beta lactamase degradation1.

Provides an effective alternative for the treatment of typhoid fever in children even in case of multidrug-resistant S.typhi<sup>2</sup>.

Ensures better safety profile & excellent tolerability.

Cefpodoxime Proxetil 50mg DRY SYRUP




Pneumonia
Acute Sinusitis

**Chronic Bronchitis** 

Acute Otitis Media
Pharyngitis & Tonsilitis

Typhoid Fever



 Fadinashree Dr D. Y. Palli Institute of Plannaceutical Sciences and Research, Propri. Purp 411 518, India 2: WHO (1996). The World Health Report. Report of the Director General WHO.

... Sustained infection free childhood

Compliance & Competency with...

# Cedobactev

Cefpodoxime 100mg + Potassium Clavulanate 125mg Cefpodoxime 50mg + Potassium Clavulanate 31.25mg TABLETS DRY SYRUP

#### Cefpodoxime

 Potent antibacterial activity against Gram-positive / Gram-negative bacteria; high stability in presence of beta-lactamases

#### **Potassium Clavulanate**

 Protects cefpodoxime against destruction caused by beta lactamase enzyme

#### **Effects of Combination**

 Synergistically active against bacterial infections caused by beta lactam resistant pathogens



Acute Otitis Media Pharyngitis / Tonsillitis Acute Maxillary Sinusitis
Community-acquired Pneumonia UTIs
Acute Bacterial Exacerbation Of Chronic Bronchitis
Acute, Uncomplicated Urethral / Cervical Gonorrhoea SSSIs









# Cedobact DS

Cefpodoxime Proxetil 100mg


**DRY SYRUP** 

A broad spectrum cephalosporin antibiotic.

Stable to beta lactamase degradation'.

Provides an effective alternative for the treatment of typhoid fever in children even in case of multidrug-resistant S.typhi<sup>2</sup>.

Ensures better safety profile & excellent tolerability.



Pneumonia

**Acute Otitis Media** 

**Acute Sinusitis** 


**Pharyngitis & Tonsilitis** 

**Chronic Bronchitis** 

**Typhoid Fever** 

... Sustained infection free childhood

 Padmashree Dr D, Y. Patil Institute of Pharmaceutical Sciences and Research, Pimpri, Pune 411 018, India 2. WHO (1996), The World Health Report, Report of the Director General WHO. AUT



- Broad spectrum antibacterial agent¹
- Favourable pharmacokinetic profile permits convenient twice-daily administration<sup>1</sup>
- Effective and well tolerated treatment in patients with various infections<sup>1</sup>

Pharyngitis/ Tonsillitis Uncomplicated Urinary Tract Infections

Acute Bacterial Otitis Media Uncomplicated Gonorrhea

Acute Bacterial Maxillary Sinusitis

Acute Bacterial Exacerbations of Chronic Bronchitis

Uncomplicated Skin And Skin-structure Infections



#### **TABLETS**

MONTELUKAST: Effective & well-tolerated preventative treatment for allergic rhinitis<sup>1</sup>

**LEVOCETRIZINE:** Maintains relief of key symptoms of allergic rhinitis and improves patients' QoL<sup>2</sup>

**AMBROXOL:** Well established safety and efficacy in treatment of respiratory tract allergies

Allergic Rhinitis [Seasonal]

Prophylaxis In Seasonal Allergic Rhinitis

Symptoms Of Perennial Allergic Rhinitis

### Fight against the Allergens with...





& Feel Easy with...

Cetloc

Levocetirizine 2.5 mg + Montelukast 4 mg
SUSPENSION

Cetloc Kid

Cetloc AX

Montelukast 10mg +
Levocetirizine 10mg + Ambroxol 75mg 58



#### LEVOCETIRIZINE

 Shows an improvement in symptom control for seasonal allergic rhinitis

#### MONTELUKAST

 Safe & well tolerated treatment in allergic rhinitis

#### BENEFIT OF COMBINATION

- Shows greatest reduction in nasal symptoms
- More effective than monotherapy in patient with persistent allergic rhinitis

Allergic Rhinitis [Seasonal]

Prophylaxis in Seasonal Allergic Rhinitis

Symptoms of Perennial Allergic Rhinitis

CET



& Feel Easy with...

Cetloc

Levocetirizine 2.5 mg + Montelukast 4 mg
SUSPENSION

Cetloc Kid

Cetloc AX

Montelukast 10mg +
Levocetirizine 10mg + Ambroxol 75mg 58



#### LEVOCETIRIZINE

 Shows an improvement in symptom control for seasonal allergic rhinitis

#### MONTELUKAST

 Safe & well tolerated treatment in allergic rhinitis

#### BENEFIT OF COMBINATION

- Shows greatest reduction in nasal symptoms
- More effective than monotherapy in patient with persistent allergic rhinitis

Allergic Rhinitis [Seasonal]

Prophylaxis in Seasonal Allergic Rhinitis

Symptoms of Perennial Allergic Rhinitis

CET

### Keep the Ventilatory Function allergy-free

### 

#### **LEVOCETIRIZINE**

- Reduces rhinorrhea, nasal/eye itching & sneezing<sup>1</sup>
- Increases nasal patency & reduces inflammation<sup>1</sup>

#### **MONTELUKAST**

- Leukotriene receptor type I inhibitor
- Decreases nasal congestion and reduces sleep impairment<sup>2</sup>



**RELIEF OF SYMPTOMS OF ALLERGIC RHINITIS** 

PROPHYLAXIS IN SEASONAL ALLERGIC RHINITIS

SYMPTOMS OF PERENNIAL ALLERGIC RHINITIS

Cetloc Kid

Levocetirizine 2.5mg + Montelukast 4mg

TABLETS



LOCK the Allergens & Feel Easy with...

CEF



#### LEVOCETIRIZINE

 Shows an improvement in symptom control for seasonal allergic rhinitis

#### MONTELUKAST

 Safe & well tolerated treatment in allergic rhinitis

#### BENEFIT OF COMBINATION

- Shows greatest reduction in nasal symptoms
- More effective than monotherapy in patient with persistent allergic rhinitis

Allergic Rhinitis [Seasonal]

**Prophylaxis in Seasonal Allergic Rhinitis** 

Symptoms of Perennial Allergic Rhinitis

Cetloc

Levocetirizine 2.5 mg + Montelukast 4 mg

Cetloc Kid Cetloc AX

Levocetirizine 10mg + Ambroxol 75mg SR

### **Treat the Dysfunction** for Normal Ovarian Functions



## Clearcyst Plus

D-Chiro-Inositol 13.8mg + Myo-Inositol 550mg + N-Acetyl cysyteine 600mg + Vitamin D3 1000 I.U.

**TABLETS** 


D-chiro-inositol +
Myo-Inositol - Effective in
improving endocrine and
metabolic parameters in young
obese PCOS affected women<sup>1</sup>

N-Acetylcysteine - Safe and well-tolerated adjuvant to clomiphene for induction of ovulation & improves ovulation and pregnancy rates<sup>2</sup>

Vitamin D3 - Plays
physiologic role in reproduction
including ovarian follicular
development and luteinization
via altering anti-müllerian
hormone (AMH) signalling,
follicle stimulating hormone
sensitivity and progesterone<sup>3</sup>

POLYCYSTIC OVARY SYNDROME (PCOS)

1. Int. J Endocresol. 2016; 2016; 3254083. 2.J Obstet Gynaecol Res. 2012 Sep.38(6:1162-6.



# Myo-Inositol 1000mg + N-Acetyl Cysteine 300mg TABLETS + Folic Acid 1.5mg

MYO-INOSITOL - Improves regularity of menstrual cycle and endocrine and metabolic parameters in women with PCOS<sup>1</sup>

N-ACETYL CYSTEINE - Significant improvement in pregnancy and ovulation rate<sup>2</sup>

FOLIC ACID - Lowers plasma homocysteine levels and improved serum total antioxidant capacity

BENEFIT OF COMBINATION - Improves ovarian function in PCOS patients3

#### POLYCYSTIC OVARY SYNDROME (PCOS)



# Myo-Inositol 1000 mg + N-Acetyl Cysteine 300 mg TABLETS

Myo-Inositol1000mg + N-Acetyl Cysteine 300mg + Folic Acid 1.5mg

metabolic parameters in women with PCOS<sup>1</sup>

N-ACETYL CYSTEINE - Significant improvement in pregnancy and ovulation rate<sup>2</sup>

FOLIC ACID - Lowers plasma homocysteine levels and improved serum total antioxidant capacity

BENEFIT OF COMBINATION - Improves ovarian function in PCOS patients<sup>3</sup>

 Mitmorry Ginerol. 2015 Aug. 5.7(4):121-5.
 J. Obstet Gymori Syr. 2015. 817849.
 J. Obstetrins and Synocology International, Wilams. 2014. 12014. Article ID 181820, 5 pages (MSQs)/Invest British Loopings and Logic 2014;141820).

POLYCYSTIC OVARY SYNDROME (PCOS)



# For Vaginal infections of Mixed Bacterial & Fungal Origin...

# Clindamycin Phosphate 100mg + Clotrimazole 100mg VAGINAL SOFTGEL CAPSULES

#### CLINDAMYCIN

- Shows lower rate of clinical failure than triple sulfonamide cream
- A More effective than Hydrogen peroxide douche

#### CLOTRIMAZOLE

- Most active against Candida spp., Trichophyton spp. and Microsporum spp.
- Successful in patients who had failed to respond to other antifungal agents such as nystatin and amphotericin 8

Infective Leucorrhoea

**Vaginal Candidiasis** 

**Bacterial Vaginosis** 

**Trichomonasis** 

**Non-specific Vaginitis** 

1.Cochrane Database Syst Rev. 2009 Jul 8;(3):CD006055.

## When Skin Disorders get Infected with

Bacteria
& Fungus...





- CLOBETASOL: Potent steroid; reduces inflammation and relieves itching
- NEOMYCIN: Aminoglycoside antibiotic; treats bacteria that infect inflamed skin
- MICONAZOLE: Imidazole antifungal; inhibits most of the pathogenic fungi

STEROID RESPONSIVE DERMATOSES WITH SECONDARY INFECTIONS including:

**IMPETIGO** 

ECZEMATOID DERMATITIS

INTERTRIGO

**CHRONIC DERMATITIS** 

TINEA INFECTIONS

CLO





Mixed and complicated fungal, protozoal & Bacterial infection

Mild to moderate Vaginitis

Candidiasis and trichomonas infection

**Pruritis Vulvae** 

Inflammatory Dermatoses

**Genito - Urinary Infection** 

#### Itraconazole

- Broad spectrum antifungal with fungistratic action
- Much more selective than Ketoconazole

#### Ofloxacin

- A broad spectrum fluoroguinolone group of antibiotics
- Inhibits the DNA gyrase enzyme (topoisomerase IV) and thus inhibits bacterial cell division

#### Ornidazole

- An antiamoebic agent which belongs Nitraimidazole group of antibiotics
- Effective in amoeba and trichomonas infections

#### CLP

#### Clobetasol

- A synthetic active topical corticosteroid
- Exhibits anti-inflammatory, antipruritic & vasoconstrictive properties
- · Reduces redness and itching of the skin.

Control the Stomach Cramp & Poor Digestion



#### **Activated Dimethicone**

Relieves symptoms of infant colic and gas

#### Dill Oil

Carminative helps in digestion

#### Fennel Oil

Relieves spasms

#### Benefit of combination

Enhances digestion & relieves stomach cramps

\* Flatulence

\* Gripping pain

\* Infantile Colic

CON

Live Healthy & Be Fine with...





Coenzyme Q-10-100 mg + Lycopene 10% -4000mcg+ Omega 3 Fatty Acid EPA - 90mg + DHA - 60mg + Selenium Dioxide 70mcg

#### CO ENZYME Q 10

Effective in improving sperm kinetic features in patients with idiopathic asthenozoospermia

#### LYCOPENE

Promising results in alleviating male infertility, lipid peroxidation and decreases DNA damage?


#### MULTIVITAMINS

Improve micronutrient status to levels associated with reduced risk for several chronic diseases

HIGH OXIDATIVE STRESS | CARDIOVASCULAR DISEASE

PREVENTION OF CANCER | MALE / FEMALE INFERTILITY







#### CO ENZYME Q 10

Effective in improving sperm kinetic features in patients with idiopathic asthenozoospermia!

#### LYCOPENE

Promising results in alleviating male infertility, lipid peroxidation and decreases DNA damage<sup>2</sup>

#### MULTIVITAMINS

Improve micronutrient status to levels associated with reduced risk for several chronic diseases!

HIGH OXIDATIVE STRESS | CARDIOVASCULAR DISEASE

PREVENTION OF CANCER | MALE / FEMALE INFERTILITY

### Crestofine-20

Rosuvastatin 20mg

**Tablets** 

- Decreases LDL-L, increases HDL-C, & improves other blood lipid parameters than ATV80
- Effectively modifies lipids in patients with hypercholesterolemia & a high coronary heart disease risk
- Improves both hepatic steatosis & hepatic injury & fibrosis via improved peroxisomal I-oxidation high fat high cholesterol model
- Significantly lower rate of failure to achieve, LDL-C reduction goal than stimulvastatin, paravastatin, fluvastatin or lovastatin.

Dyslipidemia

Hypercholesterolemia

Hypertriglyeridemia




Right move to treat heart complications ....





- Anti-inflammatory and immunosuppressive effects are used in treating various diseases¹
- Rapidly and effectively suppresses disease activity<sup>2</sup>
- Improves pulmonary function and produces clinical improvement in management of acute moderate asthma<sup>3</sup>
- Lacks several unwanted side effects on mineral and carbohydrate metabolism unlike prednisone<sup>4</sup>





ASTHMA | ULCERATIVE COLITIS

RHEUMATOID ARTHRITIS

SEVERE ALLERGY OR INFLAMMATION

INFLAMMATORY SKIN CONDITIONS


STEROID RESPONSIVE CONDITIONS

DDZ



- Anti-inflammatory and immunosuppressive effects are used in treating various diseases¹
- Rapidly and effectively suppresses disease activity<sup>2</sup>
- Improves pulmonary function and produces clinical improvement in management of acute moderate asthma<sup>3</sup>
- Lacks several unwanted side effects on mineral and carbohydrate metabolism unlike prednisone<sup>4</sup>





ASTHMA | ULCERATIVE COLITIS

RHEUMATOID ARTHRITIS

SEVERE ALLERGY OR INFLAMMATION

INFLAMMATORY SKIN CONDITIONS

STEROID RESPONSIVE CONDITIONS

DDZ



PREVENT THE
UNCONTROLLED
Emesis & Maintain
Happiness

#### DOXYLAMINE + PYRIDOXINE


 First-line therapy for the treatment of NVP symptoms in women<sup>1</sup>

- Shows 70% decrease in nausea and vomiting¹
- Safe & effective for treating NVP<sup>1</sup>

#### **FOLIC ACID**

- Requires for normal growth and cell reproduction & prevents NTDs





#### DOXYLAMINE + PYRIDOXINE

- First-line therapy for the treatment of NVP symptoms in women¹
- Shows 70% decrease in nausea and vomiting<sup>1</sup>
- Safe & effective for treating NVP<sup>1</sup>

#### **FOLIC ACID**

Requires for normal growth and cell reproduction & prevents NTDs

MORNING SICKNESS
 HYPEREMESIS GRAVIDARUM

#### Get the Power to win over CRITICAL Infections

## Doxynow-LB

Doxycycline 100 mg + Lactic acid bacillus Capsule

#### The ideal Switchover from I.V. to Oral Therapy

#### **Highest in Convenience**

Long half life (3-4 hours) Absorpition unaffected by food intake Convenient "Once a Day" dosage

#### Doxycyline

Suppress & kills harmful bacterial growth promising therapeutic option in the treatment of rosacea

#### Lactobacillus

Restores the balance of good bacteria in the intestine

#### **Highest in Potency**

No inactivation by beta-lactamase unlike Cefuroxime & Cefactor Oral potency matching parenteral Cefotaxime & Ceftriaxone More potent than Co-Amoxiclav

#### Indications:

Community Acquired Preumonia Skin & Soft Tissue Infections
Chronic Bronchitis Acute Otitis Media Typhoid Fever
Urinary Tract infections



A Reflection of Your concern....



#### Drotaverine:

- · Safe & well tolerated drug
- A non-anticholinergic antispasmodic
- Smooth Muscle relaxant properteis
- Provides effective pain relief in colicky pain with no serious side effects.

#### Aceclofenac:

- A non-steroidal anti-inflammatory drug.
- Aceclofenac releives pain & inflammation
- · Better GI tolerability than Diclofenac

G.I. Spasm | Billiary Colics

Dysmenorrhoea | Smooth Muscle spasm

Renal Clics | Post MTP



#### When smooth muscle spasm becomes scary



**Potent** Synergistic Effects for Achieving Relief in Spasmodic Pain

# Dreloset Drotaverine 80mg+Mefenamic Acid 250mg TABLETS

#### Drotaverine

- Potent spasmolytic, causes relaxation of smooth muscles associated with spasm
- · Devoid of any anti cholinergic side effects

#### Mefenamic Acid

- Represents a rational therapy for treatment of primary dysmenorrhea
- Provides good level of pain relief in (48%) patients with moderate to severe postoperative pain

Dysmenorrhoea | Post Surgical Uterine Spasm Gastro-intestinal / Renal Colic / Biliary Colic Uterine Irritability and Pain Associated with:

- -IUCD Insertion | -Dilatation and Curettage
- -Pelvic Inflammatory Disease

### **DRELOSET-A**

Drotaverine 80mg+ Aceclofenac 100 mg Tablets





#### IN ALLERGIC RHINITIS

Controls both late and early phase allergy More effective than monotherapy

#### IN ALLERGIC RHINITIS & CONCOMITANT ASTHMA

Improves asthma symptoms scores and pulmonary function

#### INDICATIONS

- Allergic Asthma Perennial/Seasonal Respiratory Allergic Conditions
- Idiopathic Urticaria Allergic Rhinitis with Concomitant Asthma
- Allergic Reactions
   As a prophylaxis & in Chronic Asthma
- Contact Dermatitis



#### **EBASTINE**

- Rapid onset of action to relieve symptoms of allergic rhinitis<sup>1</sup>
- Significantly more effective than placebo at relieving symptoms of chronic idiopathic urticaria<sup>1</sup>

#### MONTELUKAST

- Provides significant relief from symptoms of seasonal allergic rhinitis<sup>2</sup>
- Shows favourable safety profile and well-tolerated<sup>3</sup>

#### ALLERGIC RHNITIS | CHRONIC URTICARIA

Allergy. 2008 Dec;63 Suppl 89:1-20.
 Curr Med Res Opin. 2004 Oct;20(10):1549-58.
 Expert Rev Clin Immunol. 2009 Nov;5(6):639-58.





Allergy Control
Soft, Strong &
Every Long

EBA

- 84% of patients considered treatment good in seasonal allergic rhinitis
- . Single dose inhibits histamine-induced wheal and flare
- Decreases serum eosinophilcationic protein levels in patients with asthma
- Ebastine have advantages over cetrizine 10mg, in terms of a reduced time to achieve maximal efficacy and a superior level of efficacy in patients with more severe symptoms
- Ebastine 10 or 20 mg (79 to 85%) is more effective than loratadine 10mg (65 to 66%) for the treatment of PAR (Perennial allergic rhinitis

Seasonal Allergicrhinitis



Indicated in:

Perennial Allergic Rhinitis

**Allergicrhinitis** 

Idiopathic chronic urticaria

Chronic Urticaria

Live Allergy Free Life

### Channelize the Hormonal Functions for Healthy life



# EndőCAP

Saraca Asoca 125mg + Symplocos Racemosa 125mg +
Teachyspermum Ammi 50mg + Mesua Ferrea 50mg + Putranjiva
Roxburghii 25mg + Asparagus Racemosus 40mg + Cyperus
Rotunus 30mg + Nardostachys Jatamansi 25mg + Terminalia
Chebula 25mg + Asphaltum Punjabinum 25mg

- Regularizes endogenous hormonal secretion
- Relieves the symptoms of dysfunctional uterine bleeding
- Stimulates the immune system and helps in increasing the level of hemoglobin in the blood
- Corrects cyclic rhythm and controls menorrhagia & metrorrhagia


**Premenstrual Syndrome** 

Dysmenorrhea

**Irregular Menstrual Bleeding** 

**Dysfunctional Uterine Bleeding** 

### Enhance the Craving for Food in Poor Eaters



Cyproheptadine 2mg + Tricholine Citrate 275mg SYRUI Cyproheptadine + Tricholine Citrate DROPS

- Helps overcome decreased appetite<sup>1</sup>
- Maintains efficacy over a long period of time<sup>1</sup>
- Safe and effective way to promote weight gain<sup>2</sup>
- Effective appetite stimulant in people with anorexia<sup>2</sup>

**Weight Loss** 

**Loss of Appetite** 

Anorexia Nervosa

**Drug Induced Weight Loss** 

Anemia, Liver or Digestive Disorder

1.Pediatr Pulmonol. 2005 Sep;40(3):251-6.

2.-J Pediatr Hematol Oncol. 2008 November; 30(11): 791797.

# Enhance the Craving for Food in Poor Eaters



- Helps overcome decreased appetite<sup>1</sup>
- Maintains efficacy over a long period of time<sup>1</sup>
- Safe and effective way to promote weight gain<sup>2</sup>
- Effective appetite stimulant in people with anorexia<sup>2</sup>



**Weight Loss** 

Anorexia Nervosa

**Loss of Appetite** 

**Drug Induced Weight Loss** 

Anemia, Liver or Digestive Disorder

ENZ

Digest the Heavy

Meals Fast with...

# Enzinor

Pepsin (1:3000) 10mg + Fungal Diastase 50mg (Alpha Amylase 1:1200) **SYRUP** 

Increases digestion of carbohydrate and proteins

Aids proper nutrition to adults & children

Relieves gastric discomfort, flatulence and indigestion

Decreases sense of fullness that may be present after heavy meals



INDIGESTION

STOMACH FULLNESS

LOSS OF APPETITE DUE TO CHRONIC ILLNESS

INDIGESTION AFTER OPERATIONS OR SURGERY

FOR PREVENTION OF MALABSORPTION OF FOOD

Also Available:

Enzinor

Fungal Diastase 33.33mg +

Pepsin 5mg + B-Complex DROPS

ENR



- Prolongs pregnancy in women at risk of abortion or premature delivery
- Demonstrates a positive outcome in 92% of cases¹
- Beneficial effect in 92.5% cases of risk of abortion<sup>1</sup>
- Maintains beneficial effect in 89.5% cases of risk of premature delivery

Abolish the Risk of Preterm Delivery...

Premature Labor and Miscarriage

**Risk of Abortion** 





Domperidone 30mg (Sustained Release)

DOWNSIZE the Problem



#### **ESOMEPRAZOLE**

- Demonstrates better esophagitis healing rate in patients with GERD than omeprazole¹
- More effective than omeprazole, lansoprazole, and pantoprazole for the rapid relief of heartburn symptoms and acid reflux symptoms in patients with reflux esophagitis<sup>2</sup>

#### DOMPERIDONE

- Provides an excellent safety profile for long-term administration<sup>3</sup>
- Has potential to negate dopaminergic effect and thereby prevents subsequent GI symptoms<sup>3</sup>

## GASTROESOPHAGEAL REFLUX DISEASE NON-EROSIVE REFLUX DISEASE

**FUNCTIONAL DYSPEPSIA** 

CAPSULES



## ETORCUT

#### Atorvastatin 10 mg Tablets


#### **Atorvastatin**

- Atorvastatin Oral Tablet is used to improve cholesterol levels and decrease your risk for heart attack and stroke. It's used together with diet, weight loss, and exercise.
- Atorvastatin helps to prevent cholesterol from building up in your arteries. Clogged arteries can block blood flow to your heart and brain.
- Atorvastatin may be used as part of a combination therapy. This means you may need to take it with other medications. These may include bile acid resins and other cholesterol-lowering medications.

#### **Indications**

- Prophylaxis of ischaemic events
- Acute coronary syndrome
- Hypertention





- A Potent antioxidant, modulates immunity, prevents from recurrent infections
- Defends against free radicals and the increased lipid peroxidation
- Essential for the immune system, bone growth, night vision & cellular growth
- Improves muscle function, reduces risk of diabetes & hypertension<sup>1</sup>
- Inhibits cholesterol biosynthesis<sup>2</sup>;Lowers risk of CVD<sup>3</sup>
- Helps prevent glucose intolerance<sup>4</sup>

CARDIOVASCULAR DISORDERS (CAD, Endothelial Dysfunction, Hypertension)

PSYCHIATRIC DISORDERS (Neurodegeneration, Depressive Disorders)

CHRONIC FATIGUE, DEBILITY, CONVALESCENCE, GERIATRICS

DIABETES / OBESITY / DYSLIPIDEMIA / OSTEOPOROSIS



Top Class Safety During

Gestational Period...

Fairgest 200 SR
TABLETS Natural Micronized Progesterone 200mg (SR)

- Micronization causes reduced particle size, resulting in better absorption than natural progesterone<sup>1</sup>
- Established long-term protection of the endometrium<sup>2</sup>
- Exerts widespread clinical potential as a component of postmenopausal hormone replacement therapy<sup>3</sup>
- Well tolerable treatment option<sup>2</sup>

**LUTEAL SUPPORT DURING ART** 

**LUTEAL PHASE DEFECTS** 

THREATENED / RECURRENT ABORTION

PRETERM DELIVERY

PUERPERAL DEPRESSION

**SECONDARY AMENORRHEA** 





Clin Ther. 2001 Jul;23(7):1099-115
 Clin Ther. 1999 Jan;21(1):41-60; discussion 1-2
 Fertil Steril. 1999 Sep;72(3):389-97.

# Best Support for Fair Gestational Period

# Fairgest 200 Natural Micronized Progesterone 200mg Residence State Soft GEL CAPSULES

- Potent, multi-faceted endocrine agent with an expanding therapeutic profile
- Results in maintenance of pregnancy<sup>1</sup>
- Reduces menstrual problems during hormone replacement therapy in post-menopausal women<sup>2</sup>
- Better alternative than medroxyprogesterone acetate in terms of efficacy and safety<sup>3</sup>
- Premenstrual Syndrome
- Preterm Delivery
- Threatened Abortion
- Luteal Support During:
  - Assisted Reproductive Techniques
  - Luteal Phase Defects



# Fairgest 200 SR

Natural Micronized Progesterone 200mg (SR)

TABLETS/ SOFTGEL CAPSULES

- Potent, multi-faceted endocrine agent with an expanding therapeutic profile
- Results in maintenance of pregnancy<sup>1</sup>
- Reduces menstrual problems during hormone replacement therapy in post-menopausal women<sup>2</sup>
- Better alternative than medroxyprogesterone acetate in terms of efficacy and safety<sup>3</sup>
  - Premenstrual Syndrome
  - Preterm Delivery
  - Threatened Abortion
  - Luteal Support During:
    - Assisted Reproductive Techniques
    - Luteal Phase Defects

Fairgest 200

Fairgest m SR

## **Best Support for** Fair Gestational Period



FAL

# Non invasive bacteria diarrhoea Does't Need An Antiprotozoal



## **Indications**

- · Reduces the development of drug-resistant bacteria
  - · Effective against all important enteric pathogens
- Ensures effective relief in the treatment of irritable bowel syndrome with diarrhea (IBS-D) in adults

# FAXINGO

Rifaximin 400 mg Tablets

### Rifaximin

- Rifaximin should not be used if you have a fever or bloody diarrhea. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections. It will not work for viral infections (such as common cold. Flu). Using any antibiotic when it is not needed can cause it to not work for future infections.
- Rifaximin is also used to treat irritable bowel syndrome with diarrhea.
- It is also used to prevent a brain problem caused by liver disease (hepatic encephalopathy). It may help you think more clearly.



When allergy keeps an eye on to you ...

# FENAWOK-M

Fexofenadine 120mg + Montelukast 10mg TABLET

- Complete control of allergic symptoms without sedation
- More effective than monotherapy in allergic rhinitis¹
- Improves quality of life of patients with persistent allergic rhinitis<sup>2</sup>

SYMPTOMS OF ALLERGIC RHINITIS (SEASONAL AND PERENNIAL)

1. Ann Allergy Asthma Immunol. 2006 Nov;97(5):664-71. 2.J Investig Allergol Clin Immunol. 2008;18(5):343-8.



## RICH SOURCE OF IRON



| PREGNANCY & LACTATION | | IRON DEFICIENCY ANAEMIA | | GENERAL WEAKNESS | | OSTEOPOROSIS |

# Ferotwo-XT

Ferrous Ascrobate 100mg + Vitamin D3-200lU + Cyanocobalamin 2mcg + Folic Acid 1.5mg + Zinc Sulphate 22.5mg Tablets

#### **Ferrous Ascrobate**

 Possess superior absorption (52%) compared to Ferrous Sulphate<sup>1</sup>

#### Folic Acid + Vit.D3

- Prevents development of neuropathy; reduces tingling
- Produces healthy red blood cells and prevents megalobastic anaemia

#### Zinc

Increase haemoglobin levels more than with Iron alone

### Cyanocobalamin

Needed to maintain the health of nerves, skin & blood cells.

FXT

Overcome Anaemic Conditions with Power of...

# Ferrous Bisglycinate 60mg + Folic Acid20mg + Zinc Bisglycinate 15mg + Mecobalmin 500mcg

### **Ferrous Bisglycinate**

More effective than ferrous sulphate in treatment of anaemia during pregnancy<sup>1</sup>

### Folic Acid

Helps erythroblasts for proliferation thus maintains erythropoiesis<sup>2</sup>

### Zinc Bis Glycinate

More bioavailable form of Zinc compared to zinc gluconate3

#### Mecobalamin

Helps in treating conditions like megaloblastic anaemia



IRON DEFICIENCY ANAEMIA
MEGALOBLASTIC ANAEMIA





- Increases haemoglobin levels
- Excellent gastro-intestinal tolerability
- Successfully treats iron deficiency anaemia
- Prevents neural tube defects & pregnancy complications

IRON DEFICIENCY ANEMIA

ACUTE / CHRONIC BLOOD LOSS

POST-SURGICAL BLOOD LOSS

PREGNANCY AND LACTATION

ANEMIA ASSOCIATED WITH INFECTIONS









#### **HIGH EFFICACY**

Similar efficacy to oral diclofenac in osteoarthritis

#### SUPERIOR TOLERABILITY

No gastrointestinal adverse events like conventional oral NSAIDs

#### **FAST ACTION**

Deep penetration action provides fast pain relief

LOW BACK PAIN
 JOINT PAINS
 ACUTE MUSCULOSKELETAL PAIN
 KNEE OSTEOARTHRITIS
 FROZEN SHOULDERS
 SPRAIN AND STRAIN

SPORTS INJURIES

1 Postgred Med. 2010 Nov. 122(6) 96-106



#### FLP

## Advance Formula for Maintain Joint Health



### Osteoarthritis

**Chronic Inflammatory Arthritis** 

Senile Chondral Degeneration

# Flexiday Plus

Glucosamine Sulphate Potassium Chloride 750mg+ Collagen 150mg+ Chondroitin Sulphate Sodium 50mg +
Ginger Extract 40mg+ Vit C 30mg + Vit E 10mg + Folic Acid 200mcg +Vit D3 10mcg +Vit B12-1mcg+
Iron 5mg +Zinc 5mg +Manganese 2mg +Copper 0.5mg +Selenium 40mcg

TABLETS

### Collagen Peptide

 Potential therapeutic agent as nutritional supplements for management of Osteoarthritis

### **Chondriotin Sulphate**

 Improves function in patients with symptomatic OA and shows good safety profile.

### Glucosamine

 Exhibits excellent safety profile in treatment of osteoarthritis, reduces destruction of cartilage.

#### Vitamins & Minerals

 Stimulates collagen production and scavenges free radicals.



Sodium Carboxymethylcellulose Ip 0.5% EYE DROPS


### Carboxymethyl Cellulose

- Carboxymethyl Cellulose (CMC) has visco elasticity and retensive property.
- Increases the stability of pre corneal tear film and the protects the eye surface against environmental aggression.
- · Keep eyes moist and lubricated.
- These may be caused by your eye not producing enough tears to keep the eye moist.
- Provide soothing relief from the symptoms of dry eyes, such as soreness, irritation or a gritty sensation.

 It is Preservative-free and can be used by people who wear rigid or gas permeable contact lenses, or who are sensitive to preservatives.

#### INDICATIONS

Sore Eyes | Dry Eye | Inflammation
Eyes injuries | Computer Vision Syndrome
Giant papillary conjunctivitis
Acute anterior uveitis





FLE

#### Ginseng

 Maintains optimal anti-oxidative status against chronic disease states and aging¹

#### Vitamins

• Improve both innate and adaptive immune responses

#### Minerals

Increase physical work capacity by countering fatigue

Fatigue / Lethargy | Aging
Anorexia / Stress | Weak Immunity



### Ginseng

 Maintains optimal anti-oxidative status against chronic disease states and aging¹

#### Vitamins

• Improve both innate and adaptive immune responses

### Minerals

Increase physical work capacity by countering fatigue

Fatigue / Lethargy | Aging

Anorexia / Stress | Weak Immunity



Vit.A 2500IU+ Vit D3-200IU + Vit.B1-1mg + Vit.B2-1.5mg + Vit.B6-1mg+ Vit.B12-1mcg+ Vit.C-50mg + Vit.E-5mg + Calcium Pantothenate 5mg + Niacinamide 10mg + Folic Acid 0.15mg + Ferrous Fumarate 30mg + Magnesium 3mg + Copper 0.5mg + Manganese 0.5mg + Zinc 10mg + Calcium 75mg + Phosphorous 58mg + Iodine 0.1mg + Potassium 0.2mg + Ginseng 42.5mg

# OFFER BEST EMESIS CONTROL DURING

**Acid Reflux Disorders** 





GIO

### **PANTOPRAZOLE**

- Effective and safe treatment for severe acid-peptic disease<sup>1</sup>
- Well tolerated<sup>2</sup>

### **ONDANSETRON**

Highly potent antiemetic drug<sup>3</sup>

CHRONIC/ ACUTE GASTRITIS

**NSAIDS INDUCED GASTRITIS** 

VOMITING ASSOCIATED WITH ACID PEPTIC DISORDERS

Givpep-40
Pantoprazole 40mg TABLETS/INJECTION

LDig Liver Dis. 2005 Jun. 17, 1210-22. 2 Allowed Pharmacol Ther. 2012 Add Stuff ST-47.
EPsecker Child Health. 2013 Mar. 16(3): 177-179.

# Give the Relief for Sustained Time

Givpep-DSR

Pantoprazole 40mg + Domperidone 30mg (SR) CAPSULES

- Reduces symptoms in patients having Non-Erosive GERD¹
- Completely cures of 72.34% patients with erosive GERD¹
- Effective & safe combination with high symptom reduction rates<sup>1</sup>
- Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease<sup>1</sup>

GASTROESOPHAGEAL REFLUX DISEASE

**NON-EROSIVE GERD** 

**NSAIDS INDUCED GASTRITIS** 

CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA

NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS



GSR

Givpep-D

Pantoprazole 40mg + Domperidone 10mg

Givpep-40

The Improof South of Communicatings 2005 Whome & Number 2, Mayor September 2005 A 2/1999

# Give the Relief for Sustained Time

Givpep-DSR

Pantoprazole 40mg + Domperidone 30mg (SR) CAPSULES

- Reduces symptoms in patients having Non-Erosive GERD¹
- Completely cures of 72.34% patients with erosive GERD¹
- Effective & safe combination with high symptom reduction rates<sup>1</sup>
- Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease<sup>1</sup>

GASTROESOPHAGEAL REFLUX DISEASE

**NON-EROSIVE GERD** 

**NSAIDS INDUCED GASTRITIS** 

CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA

NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS



GSR

Givpep-D

Pantoprazole 40mg + Domperidone 10mg

Givpep-40

The Improof South of Communicatings 2005 Whome & Number 2, Mayor September 2005 A 2/1999

# Give the Relief for





- . Completely cures of 72.34% patients with erosive GERD<sup>1</sup>
- · Effective & safe combination with high symptom reduction rates1

 Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease



**NON-EROSIVE GERD** 

**NSAIDS INDUCED GASTRITIS** 

CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA

NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS





## Give the Relief for Sustained Time

# Givpep-DSR

Pantoprazole 40mg + Domperidone 30mg (SR) CAPSULES

 Reduces symptoms in patients having Non-Erosive GERD<sup>1</sup>

- Completely cures of 72.34% patients with erosive GERD¹
- Effective & safe combination with high symptom reduction rates<sup>1</sup>
- Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease<sup>1</sup>



**NON-EROSIVE GERD** 

**NSAIDS INDUCED GASTRITIS** 


CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA

NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS





Givpep-40



**PANTOPRAZOLE** 

 Effective and safe treatment for severe acid-peptic disease<sup>1</sup>

Well tolerated<sup>2</sup>

#### **ONDANSETRON**

Highly potent antiemetic drug<sup>3</sup>

CHRONIC/ ACUTE GASTRITIS

NSAIDS INDUCED GASTRITIS

VOMITING ASSOCIATED WITH ACID PEPTIC DISORDERS

Givpep-40
Pantoprazole 40mg TABLETS/INJECTION

1.Dig User Do. 2005 Jan 37(1):10-22. 2.Aliment Pharmacol Ther. 2012 Jul 30(1):37-47. 3.Psecketr Child Health, 2011 Mar; 16(3):177-179.

DSR PEO

# Refill the Deficient Stock

# Givrose

Iron Sucrose

5m 1/2.5ml Injection


- Replenishes tissue iron stores, reverses iron depletion and iron-deficient erythropoiesis, and corrects or prevents iron deficiency anaemia Indian J Nephrol 1997; 7: 91-96
- Can be safely administered to haemodialysis patients intolerant to other IV iron products
   Nephron Clin Pract 2003; 96:c63-c66
- Can be administered without a test dose
- In four US Clinical trials in hemodialysis-dependent chronic kidney disease patients, a total of 130 patients who were intolerant to other IV iron products (109 intolerant to iron dextran alone, 6 intolerant to Ferric Gluconate alone, 15 intolerant to both) were successfully treated with Iron Sucrose

Nephron Clin Pract 2003; 96:c63-c66

Iron Deficiency Anaemia

Iron Deficiency Anaemia in Chronic Haemodialysis

Fills up the Blood Cell to Maximum Level





Chlorhexidine Gluconate Solution 0.2% w/v + Sodium Benzoate 0.02 % w/v **MOUTH WASH** 

Exerts prolonged bactericidal effect for several hours

Reduces halitosis-producing bacteria on the tongue

Reduces the rate of Ventilator-associated pneumonia (VAP)2

HALITOSIS

**GINGIVITIS** 

**ORAL HYGIENE** 

DENTAL PLAQUE POST-ORAL SURGERY

When STICKY SPUTUM & CONGESTION Jams the Respiratory Tract



Drop Down the Allergic Cough with...



IFC

DRY COUGH | ALLERGIC COUGH | POST-OPERATIVE COUGH
NIGHT-TIME COUGH | SMOKERS COUGH

Open-Up

the congested Chest





Acute Rtis | Bronchitis | Bronchial Asthma | Copd Exacerbations

Emphysema | Bronchospasm | Mucous Plugging




# traconazole 100/200mg CAPSULES

- Broad-spectrum antifungal effect<sup>1</sup>
- Provides high activity against dermatophytes, yeasts and molds
- Highly effective therapy for nonmeningeal, nonlife-threatening blastomycosis and histoplasmosis<sup>2</sup>

 Shows cure rate of 76.9% in patients with recurrent form of vulvovaginal candidosis¹

BLASTOMYCOSIS
HISTOPLASMOSIS
ASPERGILLOSIS
CANDIDOSIS
SPOROTRICHOSIS
ONYCHOMYCOSIS



## Yield Better Cure Rate with...


# tranorm

Itraconazole 100/200mg

CAPSULES

- Broad-spectrum antifungal effect<sup>1</sup>
- Provides high activity against dermatophytes, yeasts and molds
- Highly effective therapy for nonmeningeal, nonlife-threatening blastomycosis and histoplasmosis<sup>2</sup>

 Shows cure rate of 76.9% in patients with recurrent form of vulvovaginal candidosis<sup>1</sup>





# KT-NOW


Ketorolac Tromethamine 10 mg Dispersible Tablets

### The pain Specialist ....

- Ketorolac is an approved drug for the management of moderately to severe acute pain that requires analgesia at the opioid level
- . Onset of action: 30 min, C-Max: 20-60 min, bioavailbility: 80-100%
- · No CNS side effect (Non Sedative, No Anti Anxiety effect)
- Ketorolac administrations immediately before peridontal surgery was effective for alleviating the operative painful sequelae

- In postoperative oral surgery pain Ketorolac10 mg has superior analgesic effect than Acetaminophen & Ketorolac 20 mg was superior to Acetaminophen - Codine combination
- Ketorolac is as safe as Ketoprofen & Diclofenac for the treatment of pain after major surgery

Indications: Moderate to Severe acute pain (<=5 days) that requires analgesia at opioid level



## Beneficial in:

**GERD** 

**EROSIVE ESOPHAGITIS** 

ZOLLINGER ELLISON SYNDROME

## Correct Symtoms of GERD

for Better Growth

# Lansogen

Lansoprazole 15 mg Dispersible Tablets

# Lansoprazole

- Lansoprazole reduces the amount of acid your stomach makes. It's used for indigestion, heartburn, acid reflux and gastroesophageal-reflux disease
- Lansoprazole is well tolerated in neonates and infants<1year of age & above with Gastro Esophageal Reflux Disease (GERD)associated symtoms.
- Lansoprazole is significantly better than treatment of infants with an extensively hydrolyzed formula.
- Lansoprazole provide faster symptom relief & are effective in healing erosive esophagitis in patients unresponsive to H2RAs.
- (GERD) Lansoprazole is also taken to prevent and treat stomach ulcers.

Strawberry Flavour

# Well balance..... for everyone

# Letdoex 96

Green Tea Extract + Ginkgo Biloba + Ginseng + Grape Seed Extract + Garlic Extract + Guggul + Ginger Root Extract + Glycrrhiza Glaba + Lycopene + Omega 3 Fatty Acid + Amino Acid + L - Carnitine L - Tartrate + Multivitamin + Multimineral SOFTGEL CAPSULES




GREEN TEA EXTRACT: Effective in preventing oxidative stress and neurological problems'

GINKGO BILOBA EXTRACT: Possesses antioxidant and vasoactive properties<sup>2</sup>

GRAPE SEED EXTRACT: Significant preventive effect against HFD-induced obesity, and hence used as an anti-obesity agent<sup>3</sup>

GINSENG EXTRACT: Maintains homeostasis of immune system and enhances resistance to illness<sup>4</sup>
GARLIC EXTRACT: Recognized as agent for prevention and treatment of cardiovascular diseases<sup>5</sup>

Diabetes / Obesity / Dyslipidemia
Cardiovascular / CNS Disorders Chronic Fatigue,
Debility, Convalescence, Geriatrics
Auto-Immune Disorders: RA, Osteoporosis



The Excellent choice of Potency and efficacy against Gram + ve infections



- Linezolid is used to treat infections, including pneumonia and infections of the skin.
- Linezolid is in a class of antibacterials called oxazolidinones.
- It works by stopping the growth of bacteria.
- Linezolid is an antibiotic that fights bacteria in the body.
- Linezolid is also an MAO (monoamine oxidase) inhibitor.
- Linezolid is used to treat different types of bacterial infections, such as pneumonia, skin infections, and infections that are resistant to other antibiotics.

Tops in efficacy, top in result



## A comprehensive Hepato corrective / protective / stimulant

# LIVOGRIP Ayurvedic Liver Tonic

Normalizes basic appetite - satiety rhythm

Prevented inflammation of the liver

Hastens recovery period in infective hepatitis

Ensures protection from alcohol-induced hepatic damage

Anorexia

Vial Hepatitis

Alcoholic Liver

Loss of Appetite and Damage

Pre-cirrhoic Conditions

Cirrhosis | Jaundice



LIV



# Lufinom

Luliconazole 1.0% w/w

Cream

- Luliconazole is used to treat skin infections such as athlete's foot, jock itch, and ringworm. Luliconazole is an azole antifungal that works by preventing the growth of the fungus.
- Potent antifungal activity against dermatophytes & favourable activity against Candida albicans, Malassezia spp. & Aspergillus furnigatus
- Shows more potent activity than lanoconazole
- Shows improvement in clinical symptoms of interdigital & plantar tinea
- · Greater reservoir property in stratum corneum than terbinafine

TINEA PEDIS | TINEA CRURIS
TINEA CORPORIS | CUTANEOUS CANDIDIASIS





# Maximum Protection to Damaged Nerves



# Maxicarb

Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg + Folic Acid 1.5mg + Pyridoxine 3mg + Vitamin D3-1000IU CAPSULE

# Maxicarb Forte Mecobalamin 2500 mcg + Folic Acid 0.7 mg + INJECTION Niacinamide 12 mg + Vit-C 150 mg

Maxicarb Plus
Mecobalamin 1500 mcg + INJECTION
Pyridoxine 100 mg + Niacinamide 100 mg

Maxicarb
Methylcobalamin 1500mcg INJECTION

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

Alpha Lipoic Acid: Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

Vitamin D3: Decreases pain and paraesthesia in diabetic patients with symptomatic peripheral neuropathy

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA

MAX



# Maximum Protection to Damaged Nerves



# Maxicarb

Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg + Folic Acid 1.5mg + Pyridoxine 3mg + Vitamin D3-1000IU CAPSULE

# Maxicarb Forte Mecobalamin 2500 mcg + Folic Acid 0.7 mg + INJECTION Niacinamide 12 mg + Vit-C 150 mg

Maxicarb Plus
Mecobalamin 1500 mcg + INJECTION
Pyridoxine 100 mg + Niacinamide 100 mg

Maxicarb
Methylcobalamin 1500mcg INJECTION

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

Alpha Lipoic Acid: Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

Vitamin D3: Decreases pain and paraesthesia in diabetic patients with symptomatic peripheral neuropathy

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA

MAX

## Maximize the diminishing Nerve Activity


# **Maxicarb** Forte

Mecobalamin 2500 mcg + Folic Acid 0.7 mg + Niacinamide 12 mg + Vit-C 150 mg

- Methylcobalamin delays the onset of diabetic peripheral neuropathy via up-regulation of neural IGF-1 gene expression<sup>1</sup>.
- Promotes neurite outgrowth by activating Akt in neurons<sup>2</sup>
- Deficiency of folic acid in the body causes nerve damage & numbness of limbs (Peripheral Neuropathy)
- Niacinamide is very important for DNA repair and phosphorylation process and most needed in organs with high energy requirement like the brain and nerve.







Indicated In:

**Diabetic Neuropathy** 

**Alcoholic Neuorpathy** 

**Peripheral Neuropathy** 

Megaloblastic Anaemia caused by Vitamin B12 Deficiency

Rejuvenates Nerves from Neruopathy

## Right Support When It is Needed The Most

# Maxicarb-L

L-Methylfolate 1 mg + Methylcobalamin 1500 mcg + Pyridoxal 0.5 mg Tablets

### L-Methyl Folate

 L-Methyl Folate is a form of a B vitamin used to treat depression, megalblastic anemia and renal and hepatic Impairment.


### Methylcobalamin

 Methylcobalamin is used to treat vitamin B12 defeciency.
 Vitamin B12 is Important for the brain and nerves, and for the production of red blood cells Methylcobalamin is sometimes used in people with pernicious anemia, diabetes and other conditions.

### Pyridoxal-5-Phosphate

 L-Methylfolate/Pyridoxal 5- Phosphate/Methylcobalamin is used as medical food for the clinical dietary management of endothelial dysfunction associated with diabetic peripheral neuropathy.





Folic Acid 1.5mg + Pyridoxine 3mg + Vitamin D3-1000IU

Methylcobalamin 1500 mcg + Alpha Lipoic acid 100 mg + Pyridoxine

Hydrochloride 3 mg + Folic Acid 1.5 mg

SOFTGEL CAPSULES

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

Alpha Lipoic Acid: Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

Vitamin D3: Decreases pain and paraesthesia in diabetic patients with symptomatic peripheral neuropathy

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA









# Maximum Protection to Damaged Nerves



# Maxicarb

Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg +
Folic Acid 1.5mg + Pyridoxine 3mg

SOFTGEL CAPSULES

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

Alpha Lipoic Acid: Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

Pyridoxine: Pyridoxine has anti-seizure & neuroprotective action Enhance proper metabolism of proteins & carbohydrate

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA

Maxicarb Forte
Mecobalamin 2500 mcg + Folic Acid 0.7 mg + INJECTION
Niacinamide 12 mg + Vit-C 150 mg

Maxicarb Plus
Mecobalamin 1500 mcg + INJECTION
Pyridoxine 100 mg + Niacinamide 100 mg

MAX



# Attain clarity of vision

# MAXIWOK-D

Moxifloxacin Hcl 0.5%w/v + Dexamethasone 0.1% w/v(5ml) Eye Drops

### Moxifloxacin:

- Eradicates ocular pathogenic bacteria by bactericidal action.
- Offers greater efficacy against resistant bacteria than conventional antibiotics.

#### Dexamethasone:

- Synthetic topical corticosteroid.
- Inhibits synthesis of inflammatory mediators-Prostaglandins.
- Relieves the symptoms of inflammation: redness, soreness & swelling.
- A highly potent & long acting corticosteroid.
- Seven times greater anti-inflammatory potency than prednisolone.

- BACTERIAL CONJUNCTIVITIS
  - BACTERIAL KERATITIS
    - BLEPHARITIS
- POST-SURGICAL INFLAMMATION







#### When eyes care becomes need

## Maxiwok-KT

Moxifloxacin 0.5% + Ketorolac Tromethamine 0.5% Eye Drops

#### Moxifloxacin

- » Having greater efficacy for both Gram+ve and -ve microorganisms
- » USA FDA approved to treat severe bacterial infections
- » Penetrates in the aqueous humor better than Gatifloxacin

#### Ketorolac

- » Relieve eye swelling and pain after cataract surgery
- » Blocks the harmones that produces inflammation and pain

Post-Operative Inflammation

Conjunctivitis

Keratitis

Cornea Ulcer

Surgical Eye Infection

Choose the right one





MAXIWOK-D

#### Treats Ocular Inflammation with Risk of Infections

## Maxiwok-P

Moxifloxacin HCl 0.5% + Prednisolone 5ml (Eye/Ear Drops)



#### MOXIFLOXACIN:

- Synthetic Broad-spectrum antibacterial agent of 4th generation fluoroquinolone
- Inhibits bacterial topoisomerase II (DNA Gyrase) and topoisomerase IV (Inhibition is bactericidal)

#### PREDNISOLONE:

- Synthetic corticosteroid with glucocorticcid effect
- Effective immunocupprecsant
- Provides anti-inflammatory and anti-allergic action

Blepharitis
Bacerial Keratitis
Post-surgical inflammation
Bacerial Conjunctivitis







#### **Triple Power to Pull Down** Inflammation & Pain

Plus Aceclofenac 100mg + Paracetamol 325mg + Trypsin:Chymotrypsin 50000 A.U.

**TABLETS** 





Aceclofenac - Provides effective analgesia in treatment of painful inflammatory diseases1

Paracetamol - Provides balanced postoperative analgesia<sup>2</sup>

Trypsin:Chymotrypsin -Decreases inflammatory cytokines3

FRACTURES/ DISLOCATION **POST-OPERATIVE PAIN** TRAUMATIC WOUND INJURIES

1.Expert Opin Pharmacother. 2004 Jun;516:1347-57. 2.Evid Based Num 2004/7.64 doi:10.1136/ebs.7.3.84 1.Burns. 2001 Nov;27/71:709-16.

#### **Triple Power to Pull Down**

Inflammation & Pain

## Mortrip-Plus

Aceclofenac 100mg + Paracetamol 325mg + Trypsin:Chymotrypsin 50000 A.U. **TABLETS** 



Aceclofenac - Provides effective analgesia in treatment of painful inflammatory diseases<sup>1</sup>

Paracetamol - Provides balanced postoperative analgesia<sup>2</sup>

Trypsin:Chymotrypsin
Decreases inflammatory
cytokines<sup>3</sup>

POST-OPERATIVE PAIN
TRAUMATIC WOUND INJURIES





GINSENG: Up-regulates antioxidant enzyme activity

GRAPE SEED EXTRACT: Reduces both LDL cholesterol & total cholesterol

GREEN TEA EXTRACT: Increases antioxidant status, boosts metabolism

GINKGO BILOBA: Neuroprotective, cardioprotective, stress alleviating effects

GARLIC EXTRACT: Reduces cholesterol levels & blood pressure

CARDIOVASCULAR DISORDERS (CAD, Endothelial Dysfunction, Hypertension)

PSYCHIATRIC DISORDERS (Neurodegeneration, Depressive Disorders)

CHRONIC FATIGUE, DEBILITY, CONVALESCENCE, GERIATRICS

AUTO-IMMUNE DISORDERS (RA), OSTEOPOROSIS | DIABETES / OBESITY / DYSLIPIDEMIA

POST MENOPAUSAL DISORDERS | SKIN DISORDERS

MG5



Elcosapertaenoic Acid (EPA)90 mg + Docosa hexaenoic Acid (DHA) 60 mg + Green Tea Extract 10 mg + Ginseng Extract 42.5 mg + Garlic Extract 0.4 mg + Ginseng Biotac Extract 15 mg + Grape Seed Extract 10 mg + Lactic Acid Bacillus 500 Lacs + Natural Mixed Carotenoids(10%) 11.33 mg + Vitamin 03 :200 IU + Wheat Germ 00 :25 mg + Menadione Sodium Bioulphate (Vt. K) 10 mcg + Benfotiamine 1.5 mg + Vitamin 86 1 mg + Vitamin 812 1 mcg + Niacinamide 20 mg + Calcium Ascorbate 45 mg + Folic Acid 150 mcg Biotin 100 mcg + Choline Bitartrate 25 mg + Lutein 250 mcg + Piperine 5 mg + Diabasic Calcium Phosphate 20 mg + Ferrous Furnarate 30mg + Zinc Oxide 15 mg + Magnesium Omide 150 mcg + Magnesium Oxide 30mg + Magnese Sulphate 1.5 mg + Chromium Picolinate 65mcg + Sodium Molybdate 25mcg + Sodium Selenite 20mcg + Potassium Chloride 4mg + Sodium Borate 150mcg Colloidal Silicon Dioxide 2mg

GINSENG: Up-regulates antioxidant enzyme activity

GRAPE SEED EXTRACT: Reduces both LDL cholesterol & total cholesterol

GREEN TEA EXTRACT: Increases antioxidant status, boosts metabolism

GINKGO BILOBA: Neuroprotective, cardioprotective, stress alleviating effects

GARLIC EXTRACT: Reduces cholesterol levels & blood pressure

CARDIOVASCULAR DISORDERS (CAD, Endothelial Dysfunction, Hypertension)

PSYCHIATRIC DISORDERS (Neurodegeneration, Depressive Disorders)

CHRONIC FATIGUE, DEBILITY, CONVALESCENCE, GERIATRICS

AUTO-IMMUNE DISORDERS (RA), OSTEOPOROSIS DIABETES / OBESITY / DYSLIPIDEMIA

POST MENOPAUSAL DISORDERS | SKIN DISORDERS

MAX



Right Support

at Cellular Level

- Maintains optimum level of nutrients in the blood
- Strengthens immune system; helps fight against infections
- Helps to heal injuries fast; protects against free radicals
- Improves feelings of general day-to-day well-being<sup>1</sup>

LETHARGY AND FATIGUE

COMPROMISED IMMUNITY

PROLONGED ILLNESS

CONVALESCENCE










### Accelerate the Physical and Mental Growth



- Raises the energy levels of the body
- Maintains an optimum level of nutrients in the blood
- Strengthens the immune system and helps fight against infections
- Helps to heal injuries fast and protects the body against free radicals

**Poor Appetite** 

Mal-absorption

Poor Eating Habits

**Retarded Growth** 

....



## Multipac

Multi Minerals + Multi Vitamins + Antioxidants SYRUP

- Maintains optimum level of nutrients in the blood
- Strengthens immune system; helps fight against infections
- Helps to heal injuries fast; protects against free radicals
- Improves feelings of general day-to-day well-being<sup>1</sup>

LETHARGY AND FATIGUE

COMPROMISED IMMUNITY

PROLONGED ILLNESS

CONVALESCENCE

## Mycopene soft GEL CAPSULES

Lycopene 8%-7500 mcg + Adenosylcobalamin 250mcg + Vit. A 2500 IU + Vit. C -50mg + Vit. E-10 IU + Sodium Selenite 25mcg + Zinc Sulphate 27.45mg

### Establish Fitness Forever with...

MYC

#### LYCOPENE

 Possesses strong antioxidantproperties prevents; degenerative diseases¹

#### ADENOSYLCOBALAMIN

Plays vital role in synthesis of heamoglobin

#### MULTIVITAMINS

 Useful in improving alertness and reducing negative mood symptoms<sup>2</sup>

#### MULTIMINERALS

Replenishe important nutrients lost due to drugs, alcohol & diseases



Lycopene + Multivitamin + Minerals

SYRUP



- MALE / FEMALE INFERTILITY
- PROSTATE CANCER PREVENTION
- CARDIOVASCULAR COMPLICATIONS
- DIABETES / DYSLIPIDEMIA/ OBESITY

1 Recent Results Cancer Res. 2014;202:109-14. 2.Hum Psychopharmacol. 2011 Dec;26(8):560-7.

## Mycopene soft GEL CAPSULES

Lycopene 8%-7500 mcg + Adenosylcobalamin 250mcg + Vit. A 2500 IU + Vit. C -50mg + Vit. E-10 IU + Sodium Selenite 25mcg + Zinc Sulphate 27.45mg

### Establish Fitness Forever with...

MYC

#### LYCOPENE

 Possesses strong antioxidantproperties prevents; degenerative diseases¹

#### ADENOSYLCOBALAMIN

Plays vital role in synthesis of heamoglobin

#### MULTIVITAMINS

 Useful in improving alertness and reducing negative mood symptoms<sup>2</sup>

#### MULTIMINERALS

Replenishe important nutrients lost due to drugs, alcohol & diseases



Lycopene + Multivitamin + Minerals

SYRUP



- MALE / FEMALE INFERTILITY
- PROSTATE CANCER PREVENTION
- CARDIOVASCULAR COMPLICATIONS
- DIABETES / DYSLIPIDEMIA/ OBESITY

1 Recent Results Cancer Res. 2014;202:109-14. 2.Hum Psychopharmacol. 2011 Dec;26(8):560-7.

Congestion...



## Nasowipe

Xylometazoline 0.1% + Benzlkonium Chloride sodium 0.02% wasal Solution

- > Potentially clears allergens & mucus, improves the mucociliary function of nasal mucosa & opens nasal passages¹
- > Reduces inflammatory mediators (histamine, PGD2 & leukotriene) & allergens in nasal secretions<sup>2</sup>
- > Enhances nasal mucosa ability to resist the effects of infectious agents, inflammatory mediators & irritants<sup>3</sup>
- > Improves symptoms, quality of life & mucociliary clearance time in allergic rhinitis<sup>4</sup>

# NASAL CONGESTION / RUNNY NOSE NASAL IRRITATION & ALLERGIES DRY NASAL PASSAGE UPPER AIRWAY COUGH SYNDROME



### Put off THE BURNING SENSATION WITH





#### PREGABALIN

- Efficacious and safe treatment for the neuropathic pain¹
- Demonstrates pain relief & decreases sleep interference<sup>2</sup>

#### NORTRIPTYLINE

- Most effective treatment in many neuropathic pain states<sup>3</sup>
- Provides relief in both constant burning and deep pains, as well as throbbing, and sharp stinging pains<sup>3</sup>

PERIPHERAL NEUROPATHY
DIABETIC NEUROPATHY
DRUG INDUCED NEUROPATHY
POSTHERPETIC NEURALGIA

## Treat Neuropathy with Efficacy plus Safety...



Pregabalin 75mg + Methylcobalamin 750mcg + Alpha Lipoic Acid 100mg + CAPSULES Pyridoxine 3mg + Folic Acid 1.5mg

#### **Neuralgia Associated With**

Peripheral Neuropathy
Drug Induced Neuropathy
Diabetic Neuropathy

#### Pregabalin + Methylcobalamin + Alpha Lipoic Acid

- Provides pain relief and reduces sleep interference
- Addition of methylcobalamin and ALA to pregabalin improves nerve function!
   Pyridoxine
- Fulfils need of dietary pyridoxine thus reduce risk of developing neuropathy
   Folic Acid
- Reduces pain, numbness and tingling during neuropathy





When Damaged
Nerves Make
EVERY STEP PAINFUL

## Naxigab-PM

Pregabalin 75mg (SR) + Methylcobalamin 1500mcg CAPSULES

#### **PREGABALIN**

- Reduces pain in neuropathy
- Controls anxiety and improves sleep<sup>1</sup>

#### **METHYLCOBALAMIN**

- Reduces neuropathic symptom
- Promotes nerve regeneration and remyelination

Peripheral Neuropathy
Diabetic Neuropathy
Post-Herpetic Neuralgia
Post-Surgical Neuralgia
Drug-induced Nerve Damage

Post-Traumatic Neuropathic Pain

STORE

T.Clin Ther. 2010 Dec:32/14/2370-85.



#### Don't Let migraine Disrupt your life



#### Provides immediate relief from pain

- · Naproxen & Domperidone is used to prevent Migraine.
- Naproxen is a non-steroidal anti-inflammatory drug (NSAID) which works by blocking the release of certain chemical messengers that cause pain due to migraine.
- Domperidone is a prokinetic which works on the region in the brain that controls vomiting associated with migraine.
- It also increases the movement of the stomach and intestines, allowing food to move more easily through the stomach.

| Migraine | Rheumatoid Arthritis | Osteoarthritis | | Menstrual Cramps | Acute Gout | Primary Dysmenorrhea |





Nimesulide + Paracetamol

Let the Efficacy Team-Up with Safety

NIM

#### NIMESULIDE

- Effective and well-tolerated agent for use in general practices to treat acute low back pain¹
- Faster onset (<15 minutes) and stronger effect than ibuprofen<sup>2</sup>

#### **PARACETAMOL**

- Efficacious in pain relief with ani-pyretic activity
- Low incidence of adverse effects profile<sup>3</sup>

**FEVER** 


BACKACHE

HEADACHE

MUSCULAR ACHE

**TOOTH EXTRACTION** 

PRIMARY DYSMENORRHEA



1.Spine (Phila Fa 1976), 2000 Jun 15.25(12):1579-85. 2 Curr Ther Res Clin Exp. May 2005; 66(3): 172-160. Edit J Anaestin. 2003 Feb;88(2):199-214.

#### The Powerful Muscle Relaxant



Noblinac-SP

Aceclofenac 100mg + Paracetamol Serratiopeptidase 15mg

Noblinac-T

Aceclofenac 100mg + Paracetamol 325 mg + Chlorzoxazone 250mg

Tablets

NMR

ACECLOFENAC - Statistically superior to diclofenac in efficacy in treatment of osteoarthritis<sup>1</sup>

PARACETAMOL - Safe and effective in most patients<sup>2</sup>

CHLORZOXAZONE - Power packed muscle relaxant | ACUTE MUSCLE SPASM |
LOW BACK PAIN |
| MUSCLE SPASM ASSOCIATED
WITH SPONDYLOSIS|
| MUSCULAR CRAMP |

|TRAUMATIC INJURY|

**EFFECTS OF COMBINATION** - Combination with extra factor - muscle relaxant & provides enhanced analgesic, anti-inflammatory & antipyretic action



Makes the Noble Job of Relieving Pain, Easier

Noblinac-S


Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg

#### SERRATIOPEPTIDASE

- Anti-inflammatory, anti-edemic and fibrinolytic
- Reduces localized inflammation rapidly<sup>1</sup>

#### **ACECLOFENAC & PARACETAMOL**

- Synergistic efficacy in severe pain<sup>2</sup>
- Rapid pain relief than monotherapy<sup>3</sup>
- Tooth Extraction
- Sports Injuries
- Sprains/Fractures
- Trauma/Surgery
- Post Operative Edema
- · Flare Up of OA/RA/Gout
- · Post Partum Haematomas









## Redefine Pain Management In Little Ones





#### ACECLOFENAC:

- Widely used to treat acute and chronic pain
- Demonstrates improved gastrointestinal tolerability compared to conventional NSAIDs<sup>1</sup>

#### PARACETAMOL:

- Gives very effective analgesia in dentistry
- Safe and effective in most paitents<sup>2</sup>

#### PAIN & FEVER

**DENTAL PAIN** 

**POST-OPEATIVE PAIN** 

**SOFT TISSUE INFLAMMATION** 

**INFLAMMATION OF EAR, NOSE, THROAT** 

## NSAID use can create GI complications Presenting Built-in Gastroprotective Pain Killer





- Designed to help control the pain and inflammation ostearthritis and rheumatoid Arthritis
- Ensures fewer incidences of dyspepsia compared with Aceclofenac alone
- Offers Power of Aceclofenac for the relief of signs and symptoms of osteoarthritis and rheumatoid arthritis
- Offers protective knowing that gastroprotective medicine (Rabeprazole) in built into every dose

Osteoarthritis / Gout Rheumatoid Arthritis Post Surgical Pain
Chronic Painful Conditions

NOR

Makes the Noble Job of Relieving Pain, Easier

Noblinac-S


Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg

#### SERRATIOPEPTIDASE

- Anti-inflammatory, anti-edemic and fibrinolytic
- Reduces localized inflammation rapidly<sup>1</sup>

#### **ACECLOFENAC & PARACETAMOL**

- Synergistic efficacy in severe pain<sup>2</sup>
- Rapid pain relief than monotherapy<sup>3</sup>
- Tooth Extraction
- Sports Injuries
- Sprains/Fractures
- Trauma/Surgery
- Post Operative Edema
- · Flare Up of OA/RA/Gout
- · Post Partum Haematomas









When

### Palafal Spasa

Grips the Skeletal Muscles



Noblinac-Aceclofenac 100 mg+Thiocolchicoside 4 mg **TABLETS** 

**ACECLOFENAC** 

#### Compared to Diclofenac Shows:

- Superior efficacy<sup>2</sup>
- Better intestinal safety<sup>3</sup>

#### THIOCOLCHICOSIDE:

#### Compared to Tizanidine Shows':

- Better efficacy; Speedy recovery
- · No sedation; Better quality of life

LOW BACK PAIN

SKELETAL MUSCLE SPASM

NOT

SPONDYLOSIS | SPRAIN & STRAIN

Noblinac-P

#### A tasty way to Increase overall performance



Malnutrition

**Elderly people** 

Pregnancy

Convalescence

**Growing Children** 

**Lactating Mother** 

### **Nutrafast DHA**

Protein Hydrolysate 20%-125mg+Calcium 96mg+Docosa Hexaenoic Acid 10%-25mg+Gamma Linolenic Acid 10%-18mcg +Pyridoxine HCI1.5mg+Vit. D3-200IU+Cyanocobalamin1mcg+Niacinamide 25mg+Folic Acid 300mcg+Zinc 5mg+ Iron 15mg +Manganese Sulphate1mg+Magnesium Oxide 2mg+Cupric Sulphate 1.25mg+Chromium 12.5mcg+Selenium Dioxide Monolydrate 29mcg + Potassium Chloride 2.5mg + Sodium Chloride 16.5 mg+lodine 100 mcg

#### **Great Taste - Loaded with Nutrition**

#### Protein:

Help in the important physiocologial function boost the overall metabolism and immunity of the body fill gaps in protein requirement.

NDH

#### DHA:

Support the normal development of the brain, eyes & nerves proven benefit for the human heart reduce BP decreases the heart rate

Promotes growth & development

**Essential for optimum brain function** 


Provides essential and non-essential amino acids

**Enhances immunity** 

Strengthens host defense mechanism & shortens

Convalescence

Ultra Filtero protein powder with DHA Vitamins Minerals Carbohydrates





## NutraFast

Each 30 gm Contains: Protein Hydrolysate 20% 5 gm + Calcium 225 mg + Phosphorus 174 mg + Vitamin (B6 0.5 mg + B12 1 mcg + D3 100 l.U.) + Niacinamide 15 mg + Calcium D-Pantothenate 5 mg + Folic Acid 0.3 mg +

Zinc 5 mg + Iron 7.5 mg

#### PROTEIN POWDER

- Helps to support micronutrients & protein needs post exercise
- Rich source of essential and non essential amino acids
- Supports well being with improved immune response
- Plays a leading role in body's growth and maintenance

#### **Physical Fatigue And Lethargy**


**After Prolonged Illness** 

**As Protein Supplement** 

**Compromized Immunity** 

In Geriatrics & Convalescence

**Pregnancy & Lactation** 





## NutraFast

Each 30 gm Contains: Protein Hydrolysate 20% 5 gm + Calcium 225 mg + Phosphorus 174 mg + Vitamin (B6 0.5 mg + B12 1 mcg + D3 100 I.U.) + Niacinamide 15 mg + Calcium D-Pantothenate 5 mg + Folic Acid 0.3 mg + Zinc 5 mg + Iron 7.5 mg

#### PROTEIN POWDER

- Helps to support micronutrients & protein needs post exercise
- Rich source of essential and non essential amino acids
- Supports well being with improved immune response
- Plays a leading role in body's growth and maintenance

**Physical Fatigue And Lethargy** 

**After Prolonged Illness** 

**As Protein Supplement** 

Compromized Immunity

In Geriatrics & Convalescence

Each 30 gm Contains: Protein Hydrolysate 20% 5 gm + Calcium 225 mg + Phosphorus 174 mg + Vitamin (B6 0.5 mg + B12 1 mcg + D3 100 l.U.) + Niacinamide 15 mg + Calcium D-Pantothenate 5 mg + Folic Acid 0.3 mg + Zinc 5 mg + Iron 7.5 mg

#### PROTEIN POWDER

### Hasten

the Supply of **Required Nutrients** 

- Helps to support micronutrients & protein needs post exercise
- Rich source of essential and non essential amino acids
- Supports well being with improved immune response
- Plays a leading role in body's growth and maintenance

**Physical Fatigue And Lethargy** 

After Prolonged Illness

**As Protein Supplement** 

**Compromized Immunity** 

In Geriatrics & Convalescence

**Pregnancy & Lactation** 



NUT

#### Smooth Muscle relaxant with Anti-infective Advantage

## Oflarge UTI

Ofloxacin 200mg + Flavoxate Hydrochloride 200mg Tablets


#### Flavoxate Hydrochloride:

- · Flavone derivative with smooth muscle relaxing activity
- Increases bladder volume capacity & reduces micturition pressure
- Effective treatment for urgency/incotinence of various causes¹
- Valid therapeutic efficacy and excellent tolerability

#### Ofloxacin

- · Effective in eliminating intestinal Infections
- Offers 90% clinical cure rate against travelers diarrhoea
- Possess good penetration in most tissues
- Exhibits good activity against aerobic gram positive & negative bacteria<sup>2</sup>

Cystitis
Prostatitis
Urethritis
Urethrocystitis
RTI
Bone & Joint Infections
G.I. Infections
Gynaecological infections





### Finish-Off the Vicious Pathogens...



OFL

Exhibits good activity against aerobic gram positive & negative bacteria<sup>1</sup>

Excellent oral absorption & long half-life than other quinolones<sup>2</sup>

Potent activity against M. tuberculosis thus used in MDR-TB treatment<sup>3</sup>

Shows good clinical efficacy & tolerability in the treatment of respiratory and urinary tract infections4

Acute Bacterial Exacerbations Of Chronic Bronchitis
Community-acquired Pneumonia
Skin & Skin Structure Infections / Urethral & Cervical Gonorrhea
Mixed Infections Of Urethra & Cervix
PID / Cystitis / Prostatitis / Complicated UTIs

Indian J Pharm Sci. 2008 Int-Aug. 7(14): FIS-557. 2.Retinionizal Agent: Red Chematherago, Seb. 1991, p. 184-18.
 J. Rettnismin Agents Chemather. 2011 Doi: 59(10): 6071-6079. 4 Infection. 1906; 14 Suppl 4:5000-2.

#### The Time Tested Anti-Diarrhoeal

## Oflarge-M

Ofloxacin 100 Mg + Metronidazole 200 Mg + Lactic Acid Bacillus 60 Million Spores Suspension

#### Ofloxacin

 Good option for use in mixed microbial infection of aerobic bacteria, anaerobic bacteria and pathogenic protozoans

 Signicantly improves compliance since with simpler dose administration

#### Metronidazole:

Eliminates completely Amoeba & Giardiasis

#### **Lactic Acid Bacillus**

 Replenish intestinal micro flora to maintain ecosystem Prevents episodes diarrhoea- induced by antibiotics

Diarrhoea & Dysentery caused by protozoa, bacteria & mixed infection

Amoebiasis & Giardiasis





Stop the Excess Water Loss

during Mixed GI Infections

Racecadotril 15mg + Ofloxacin 50mg /5ml



#### Racecadotril

- Reduces hypersecretion of water and electrolytes into intestinal lumen<sup>1</sup>
- Better tolerated than loperamide<sup>1</sup>

#### Ofloxacin

- Good option for use in mixed microbial infection of aerobic bacteria, anaerobic bacteria and pathogenic protozoans
- Signicantly improves compliance since with simpler dose administration

#### Dysentery

Mixed GI Infections

**Bacterial Diarrhoea** 

**Hypersecretory Diarrhoea** 





## Treat Diarrhea & Normalize the Gut Flora

Oflargeoz

Ofloxacin 200 mg + Ornidazole 500mg

**TABLETS** 

- + Lactic Acid Bacillus 120 million Spores
- + Saccharomyces Boulardii 2 Million Spores

#### OFLOXACIN + ORNIDAZOLE

 Covers both aerobic and anaerobic bacteria along with protozoans¹

### **Oflarge**

OZ+

Ofloxacin 200mg + Ornidazole 500mg TABLETS

#### **LACTIC ACID BACILLUS**

Alleviates bacterial/viral induced diarrhoea<sup>2</sup>

### **Oflarge**

Racecadotril 15mg + Officeacin 50mg + Ornidazole 125mg SUSPENSION

#### SACCHAROMYCES BOULARDII

 Shows significant reduction in the risk of traveler's diarrhea<sup>3</sup>




INFECTIOUS DIARRHOEA

DYSENTERY

TRAVELER'S DIARRHEA

MIXED GI INFECTIONS

Thends in Medical Research, 2009, 4(2): 30-34.
 Eur J Clin Nutr. 1999 May; 53(5):339-50.
 Therap Adv Gastroenterol. 2012 Mar; 5(2): 111-125.






#### OMEPRAZOLE + DOMPERIDONE

- Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach.
- Omeprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn

GASTROESOPHAGEAL REFLUX DISEASE PEPTIC ULCER DISEASE NAUSEA & VOMITING | DYSPEPSIA





- Wide spectrum of activity against Gram-negative bacteria
- Safe and efficacious in patients with systemic infections¹
- Least susceptible to degradation by bacterial enzymes<sup>2</sup>
- Well tolerated treatment

**Burns And Post Operative Infections** Respiratory Tract Infections **Skin And Soft Tissue Infections Bones And Joints Infections Intra-abdominal Infections Recurrent Urinary Tract Infections** 

## Orgitru-F In FEMALE

Tocopheryl Acetate 25mg + Thiamine Mononitrate 5mg + Riboflavin 2.5mg + Folic Acid 1.5mg + Pyridoxine HO 5mg + Niacinamid 25mg + Ingyltol 100mg + L-Arginine 100mg + Co-enzyme Q10- 10mg + Para Aminoberusle Acid 25mg + Cyanocobalamin 500mg + Zinc Sulphate 10mg + Ferrous Furnarote 27.67mg + Copper Sulphate 1.5mg + Magnesium Hid 25mg + Potassium Indide 50mcg + Magnesium Sulphate 1.5mg + Chromium Pirolinate 35mcg + Cholecaldiferol 2001U + Retinol 2500 IU + Ascorbic Acid 75mg + Grape Seed Extract 50mg + Lycopne 2.5mg

### In FEMALE Infertility

CONTROLS ROS, INCREASES TOTAL ANTIOXIDANT CAPACITY
AND IMPROVES REPRODUCTIVE FUNCTIONING AT 3 CRUCIAL LEVELS:

#### OVARY

IMPROVES OVARAIN RESPONSE
Lycopene helps in follicular development and oocyte maturation
Zinc helps in regulation of menstrual cycle

#### **FALLOPIAN TUBE**

PREVENTS ROS-INDUCED TUBAL DAMAGE

Selenium promotes oocyte fertilization

Astaxanthin protects against oxidative DNA damage by reducing 8-OHdG Levels

#### UTERUS

#### IMPROVES IMPLANTATION

L-arginine improves blood flow to ovaries uterus and genitals

Folic acid, Vitamin B, and Vitamin B, prevent hyperhomocysteinemia complications

orgitru-M

Lycoepen 2500mcg + L-Carnitine 340mg + Co-Enzyme Q10 50mg +

Zinc Ascorbate 5mg + Astaxanthin 8 mg

## In Idiopathic MALE Infertility

SPERM PRODUCTION & COUNT

L-Carnitine

Acetyl-L-Carnitine

Folic acid

Vit B12 & Zinc

CoQ 10

SPERM PROTECTION

CoQ 10

Acetyl-L-Carnitine

Lycopene | Selenium

Zinc

**SPERM MOTILITY** 

**Tablets** 

CoQ 10 | Fructose

L-Carnitine + Acetyl-L-Carnitine

Citric Acid | Selenium

#### **ADVANTAGES OF ORGITRU-M**

IMPROVEMENTS IN SPERM MOTILITY, COUNT & MORPHOLOGY

REDUCTION IN PUFA IN SPERM MEMBRANE


SUPPRESSION OF ROS PRODUCTION

REDUCTION IN SPERM DNA FRAGMENTATION

IMPROVEMENTS IN SPERM VIABILITY

IMPROVEMENTS IN OOCYTE FERTILIZATION RATE

IMPROVEMENT IN PREGNANCY RATE





### L-arginine


 Stimulates release of growth hormone, insulin, and other substances in the body

### Lycopene

 Potent antioxidant; prevents several degenerative diseases1

### Multivitamin

- Improve resistance to infection
- Decrease risk of age-related disorders



- Male / Female Infertility
- Pre-eclampsia And IUGR
- Prostate Cancer Prevention
- Cardiovascular Complications
- Diabetes / Dyslipidemia/ Obesity





## STOP EXCESSIVE BLEEDING

### THE EFFECTIVE BLOOD MANAGEMENT

### ETHAMSYLATE:

 Haemostatic drug, work by increasing capillary endothelial resistance and promoting platelet adhesion

### TRANEXAMIC ACID:

- Prevents breakdown of clot 0
   Preserves the fibrin matrix and increases the tensile strength of the clot
- · Helps stabilizing the clot
- Reduces menstrual blood loss by 40-50%

### Menorrhagia


**Urinary Tract Surgery** 

**Bleeding Associated with Pregnancy** 


**Orthopaedic Surgery** 











### Coral Calcium

- Contains over seventy trace minerals, which assist in effectiveness and absorption<sup>1</sup>
- Supports bone formation and helps in case of osteoporosis<sup>2</sup>

### Folic acid + Methylcobalamin

 Reduce high plasma total Hcy level<sup>3</sup>; thus reduces risk of fractures

### Multivitamin

Play important physiological roles in promoting bone health

SENILE OSTEOPOROSIS | DRUG INDUCED OSTEOPOROSIS
POST-MENOPAUSAL OSTEOPOROSIS
PREGNANCY/ LACTATION | PREVENTION OF OSTEOPENIA




- Increases serum 25(OH)D levels in vitamin D deficiency
- Reduces fractures in men and women aged over 65 years<sup>2</sup>
- Improves insulin secretion & insulin sensitivity, controls blood sugar<sup>3</sup>
- Supresses PTH & renin, reduces arrhythmias & blood pressure<sup>3</sup>

### VITAMIN D DEFICIENCIES DURING •

Osteopenia / Osteoporosis | Diabetes / Dyslipidemia / Obesity Hypertension / Cardiovascular Complications Malabsorption States or Liver Diseases





Fulfil the need of Vitamin D3 & Correct Metabolic Problems




- Increases serum 25(OH)D levels in vitamin D deficiency
- Reduces fractures in men and women aged over 65 years<sup>2</sup>
- Improves insulin secretion & insulin sensitivity, controls blood sugar<sup>3</sup>
- Supresses PTH & renin, reduces arrhythmias & blood pressure<sup>3</sup>

### VITAMIN D DEFICIENCIES DURING •

Osteopenia / Osteoporosis | Diabetes / Dyslipidemia / Obesity Hypertension / Cardiovascular Complications Malabsorption States or Liver Diseases





Fulfil the need of Vitamin D3 & Correct Metabolic Problems



VITAMIN D DEFICIENCIES DURING

Osteopenia / Osteoporosis

| Diabetes / Dyslipidemia / Obesity

Hypertension / Cardiovascular Complications

**Malabsorption States or Liver Diseases** 

\*Ostanu-D3
Cholecalciferol 60000 LU.

Od3

- Increases serum 25(OH)D levels in vitamin D deficiency<sup>1</sup>
- Reduces fractures in men and women aged over 65 years<sup>2</sup>
- Improves insulin secretion & insulin sensitivity, controls blood sugar<sup>3</sup>
- Supresses PTH & renin, reduces arrhythmias & blood pressure<sup>3</sup>









Helps to establish normal serum 25-OH-D levels in infants<sup>1</sup>


Essential to establish adequate vitamin D status and prevents rickets in infancy<sup>1</sup>

Important role in calcium absorption and maintains bone health in the pediatric population<sup>2</sup>

Protects against autoimmune disease and plays an essential role in innate immunity<sup>2</sup>

RICKETS • VITAMIN D DEFICIENCY
FOR HEALTHY BONES, TEETH AND OVERALL GROWTH

1.Int J Pediatr Endocrinol. 2011; 2011(1): 4.
2.J Pediatr Pharmacol Ther. 2013 Oct-Dec; 18(4): 277–291.



Heal the Porous Bones with Triple Power...

## OSTANU - FRAC

Calcium 500 mg + Cissus Quadrangularis 500 mg +
Vitamin K27 45mcg TABLETS

### Cissus Quadrangularis

 Reduces pain, swelling, fracture mobility & accelerates healing of fracture bones<sup>1</sup>

### Calcium Citrate Maleate

- Decreases bone fracture risk in the elderly<sup>2</sup>
- Shows highest fractional absorption than other forms of calcium<sup>3</sup>

### Vitamin K2-7

Improves bone mass & quality, decreases bone fractures rates<sup>4</sup>

Osteomalacia / Osteopenia | Fractures
Drug Induced Osteoporosis
Senile Osteoporosis
Post Menopausal Osteoporosis



Ayu. 2015 Apr-Jun; 36(2): 169-73

Adv Food Nutr. Res. 2008; 54:219-346

Alternative Medicine Review, Volume 4, Number 2, Pg74-85, 1999.

Dr. Meeta Singh, Basic & Applied Aspects, pp.1-24




### During Osteopenia & Osteoporosis...

- Enhances bone mass accrual
- Ensures bone formation and bone mineralization

### **During Pregnancy & Lactation...**

- Reduces the risk of pre-eclampsia
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy / Lactation
- Drug Induced Osteoporosis
- Post-menopausal Osteoporosis











- Increases serum 25(OH)D levels in vitamin D deficiency
- Reduces fractures in men and women aged over 65 years<sup>2</sup>
- Improves insulin secretion & insulin sensitivity, controls blood sugar<sup>3</sup>
- Supresses PTH & renin, reduces arrhythmias & blood pressure<sup>3</sup>

### VITAMIN D DEFICIENCIES DURING


Osteopenia / Osteoporosis | Diabetes / Dyslipidemia / Obesity

Hypertension / Cardiovascular Complications

Malabsorption States or Liver Diseases



# **Heal** the Porous Bones with Triple Power...



- 1. April 2015 Apr.-Jun; 36(2): 169-73.
- Z. Adv Food Nutr. Res. 2008; 54:219-346
- Alternative Medicine Review, Volume 4, Number 2, Pg74-85, 1999
- 4. Dr. Meeta Singh, Basic & Applied Aspects, pp.1-24.

## OSTANU - FRAC

Calcium 500 mg + Cissus Quadrangularis 500 mg +
Vitamin K27 45mcg TABLETS

### Cissus Quadrangularis

 Reduces pain, swelling, fracture mobility & accelerates healing of fracture bones

### Calcium Citrate Maleate

- Decreases bone fracture risk in the elderly<sup>2</sup>
- Shows highest fractional absorption than other forms of calcium<sup>3</sup>

### Vitamin K2-7

Improves bone mass & quality, decreases bone fractures rates

Osteomalacia / Osteopenia | Fractures
Drug Induced Osteoporosis
Senile Osteoporosis
Post Menopausal Osteoporosis

OST









Calcium Citrate 1000mg + TABLETS
Vitamin D3 200 I.U. + Zinc 4mg + Magnesium 100mg

### During Osteopenia & Osteoporosis...

- Enhances bone mass accrual
- Ensures bone formation and bone mineralization

### During Pregnancy & Lactation...

- Reduces the risk of pre-eclampsia
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy / Lactation
- Drug Induced Osteoporosis
- Post-menopausal Osteoporosis







Calcium Citrate 1000mg + TABLETS
Vitamin D3 200 I.U. + Zinc 4mg + Magnesium 100mg

### During Osteopenia & Osteoporosis...

- Enhances bone mass accrual
- Ensures bone formation and bone mineralization

### During Pregnancy & Lactation...

- Reduces the risk of pre-eclampsia
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy / Lactation
- Drug Induced Osteoporosis
- Post-menopausal Osteoporosis



### A Precious Gift **To Mother**, Needs Utmost Care

# OSTANU-XT

Calcium Carbonate 1250 mg + eq.to Calcium 500 mg + Vitamin D3 2000 iu + Methylcobalamin 1500 mcg + L-methylfolate calcium 1 mg + Pyridoxal -5 phosphate 0.5 mg TABLETS

Calcium Carbonate: Improves BMD & bone turnover markers, reduces fracture risk

Vitamin D3: Increases bone mineral density, particularly in the spine and whole body

L-Methylfolate: L-Methylfolate (DEPLIN), is indicated for the distinct nutritional requirements of individuals who have suboptimal L-Methylfolate levels in the CSF, plasma, and / or red blood cells and have major depressive disorders, with particular emphasis as adjunctive support for patient taking Primarily biologically active isomer of folic acid and the primary form of folate in circulation

- · Prevents preterm labour and reduces the risk of infectious disease
- · Reduce their risk of having a child with a birth defect of the brain or spinal cord
- Essential for maintaining helathy brain chemistry and is responsible for the normal production
  of the neurotransmitters seratonin, melatonin and norepinephrine.


METHYLCOBALAMIN: Acts as neuroprotective, promotes myelination in neurons

Exerts repairing effects on injured tissues and normalizes nerve conduction
 PYRIDXINOE -5 PHOSPHATE: Pyridoxine -5 Phosphate (P-5-P) is the active form of the essential vitamin B6, Pyridoxine, reduces nausea & vomiting

PREVENTS FOETAL BIRTH DEFECTS
PREVENTS NEURAL TUBE DEFECTS
PREVENTS CONGENITAL MALFORMATION

RBC FORMATION PRETERM LABOUR PRE ECLAMPSIA





- Inhibits cholesterol biosynthesis thus lowers risk of CVD
- Reduces triglyceride levels, blood pressure, platelet aggregation, arrhythmia, and atherogenesis
- Decreases production of reactive oxygen species
- Antihypertensive action, lowers blood pressure in dyslipidaemic patients

CARDIOVASCULAR DISORDERS
DIABETES / OBESITY / DYSLIPIDEMIA
CHRONIC FATIGUE, DEBILITY
CONVALESCENCE, GERIATRICS

### Better than Plain Folic Acid in

### Supporting Healthy Pregnancy



Eicosapentaenoic Acid 90mg + Docosahexaenoic Acid 60mg + Methylcobalamin 1500mcg + Pyridoxine HCl 6mg + Folic Acid 5mg

### SOFTGEL CAPSULES

### EPA + DHA

- Critical building blocks of fetal brain and retina
- Play a role in determining the length of gestation and in preventing perinatal depression

### **FOLIC ACID**

- Reduces neonatal mortality from NTDs<sup>2</sup>
- Prevents recurrence of NTDs by 70%<sup>2</sup>


### METHYLCOBALAMIN + PYRIDOXINE + FOLIC ACID

 Assists in reduction of homocysteine (risk factor for pregnancy complications)



### Bring-in Relief in a Convenient Way





- Better cure rates & better gastrointestinal tolerance than amoxiclav<sup>1</sup>
- Decreases the incidence of exacerbations of COPD<sup>2</sup>
- Excellent patient compliance with 3-day once daily dosing
- Genital Ulcer Disease
- Urethritis/Cervicitis
- Acute Bacterial Sinusitis
- Community-Acquired Pneumonia
- Skin and Skin Structure Infections
- Acute Bacterial Exacerbations Of COPD



- Increases bowel movements from 0.9/week to 3.4/week<sup>1</sup>
- 65.5% patients reach an increase of >1 in bowel movements per week<sup>1</sup>
- \$ 51.1% patients reach at least three bowel movements per week¹
- \* 69% of patients have their first bowel movement within 24h¹


### Chronic Constipation

Opioid-induced Constipation

Pre and Post Operative Conditions

Constipation in Hospitalized or Bedridden Patients

Bowel preparation before Colonoscopy, Labor or Surgery



- Increases bowel movements from 0.9/week to 3.4/week<sup>1</sup>
- 65.5% patients reach an increase of >1 in bowel movements per week<sup>1</sup>
- \$ 51.1% patients reach at least three bowel movements per week¹
- \* 69% of patients have their first bowel movement within 24h¹

### Chronic Constipation

Opioid-induced Constipation

Pre and Post Operative Conditions

Constipation in Hospitalized or Bedridden Patients

Bowel preparation before Colonoscopy, Labor or Surgery



When the Burden
of **constipation** 

is Visible on

face...

Pilsorate
Sodium Picosulfate 5mg
SYRUP

Increases bowel movements from 0.9/week to 3.4/week<sup>1</sup>

65.5% patients reach an increase of >1 in bowel movements per week<sup>1</sup>

51.1% patients reach at least three bowel movements per week¹

69% of patients have their first bowel movement within 24h1

Chronic Constipation

Opioid-induced Constipation

Pre and Post Operative Conditions

Constipation in Hospitalized or Bedridden Patients

Bowel preparation before Colonoscopy, Labor or Surgery

PIK

1.Am J Gastroenterol. 2010 Apr;105(4):897-903.

## For long lasting relief from dental sensitivity and caries

# PLEXOCID

Potassium Nitrate 5% + Sodium Monofluorophosphate 0.70% + Triclosan 0.30% **Medicated Toothpaste** 




### The dental rebuilder

- The potassium ions from potassium nitrate move into the holes in dentin to calm the nerves and soothe hypersensitivity
- Helps reform a protective layer over the exposed dentin to help prevent tooth sensitivity.
- Protects tooth enamel from bacteria that causes dental caries (Cavities).
- Helps in the formation of fluorapatite resulting in formation of enamel that resists bacterial degradation better than enamel containing no fluoride.

DENTINE HYPERSENSITIVITY | DENTAL CARIES

# Short term treatment of CONSTIPATION Associated With



# PODEASY

Liquid Paraffin + Milk Of Magnesia + Sodium Picosulphate **Suspension** 

### MILK OF MAGNESIA

 Increases the osmotic gradient in the gut and stimulates peristalsis resulting in efficient bowel evacuation

### SODIUM PICOSULPHATE

 Stimulates the propulsive activity of the colon, prevents absorption of water in the colonic lumen and thus promotes accumulation of water.

### LIQUID PARAFFIN

Lubricates bowel and softens the stools.

- HERNIA PILES ENDOSCOPY ANAL FISSURE
  - CARDIOVASCULAR DISORDERS
  - PRE AND POST OPERATIVE CONDITIONS
  - BOWEL CLEARANCE BEFORE RADIOSCOPY
    - ELDERLY AND BED RIDDEN PATIENTS

POD

## Rinse-Away

the oral Infections

to maintain Hygiene...



# POVINOM Povidine -lodine 2% MOUTH GARGLE


 Reduces episodes of infections with P. aeruginosa, S.aureus (including MRSA) and H. influenzae

- Significantly reduces the incidence of acute exacerbations of chronic respratory disease
- Shows high bacgtericidal rate and reduction rate in oral bacterial count than chlorhexidine gluconate and cetylpridium chloride
- Reduces the transport of bacteria and MRSA coloies into the trachea when used beforeoral intubation

**Acute Mucosal Infections of Mouth and Pharynx** 

Oral Hygiene During & after Dental and Oral Surgery

**Gingivitis / Mouth Ulcers** 



# **PREDINOM**

Methylprednisolone 8 mg

**Tablets** 

### Methylprednisolone

- Methylprednisolone is used to treat conditions such as arthritis, blood disorders, severe allergic reaction, certain cancers, eye conditions, skin/kidney/intestinal lung diseases, and immune system disorders.
- It decreases your immune system's response to various diseases to reduce symptoms such as swelling, pain, and allergic-type reactions.

HAEMATOLOGIC ENDOCRINE DISORDER

**OEDEMATOUS STATES** 

RHEUMATOID ARTHRITIS

**ASTHMA** 

OPHTHALMIC DISEASE

DERMATITIS

Lifeguard for Life- threatening Conditions







## Bring Down the Fever & Pain with...

Pyregem-D5
Paracetamol 250mg /5ml SUSPENSION







- Significant antipyretic & analgesic activity
- Safe and efficacious in pediatric fever¹
- Widely accepted to control symptoms in common cold and flu<sup>2</sup>
- Highly safe & well tolerated in pediatrics<sup>3</sup>
  - Teething Pain Headache
  - Pain And Fever Toothache
- Post Immunisation Pyrexia Earache

1.Rev Med Susse, 2014 Jan 15;10(412-413): 2.J Clin Pharm Ther, 2006 Aug;31(4):309-19:114 3.Curr Med Res Opin, 2007 Sep;23(9):2205-11.

# Pyregem-D5 Paracetamol 250mg /5ml SUSPENSION

- Significant antipyretic & analgesic activity
- Safe and efficacious in pediatric fever¹
- Widely accepted to control symptoms in common cold and flu<sup>2</sup>
- Highly safe & well tolerated in pediatrics<sup>3</sup>
  - Teething Pain Headache
  - Pain And Fever \*Toothache
- · Post Immunisation Pyrexia · Earache







### Bring Down the Fever & Pain with...





Likes Med Sussex, 2014 Spn 15/100/CJ 4/10; 2.3 Clin Pharm Thus, 2006 Aug (Frik), 3/Curr Med Noy Clims, 2007 Sept 2016 (2016 Fr.)





## Bring Down the Fever & Pain with...

Pyregem-D5
Paracetamol 250mg /5ml SUSPENSION







- Significant antipyretic & analgesic activity
- Safe and efficacious in pediatric fever¹
- Widely accepted to control symptoms in common cold and flu<sup>2</sup>
- Highly safe & well tolerated in pediatrics<sup>3</sup>
  - Teething Pain Headache
  - Pain And Fever Toothache
- Post Immunisation Pyrexia Earache

1.Rev Med Susse, 2014 Jan 15;10(412-413): 2.J Clin Pharm Ther, 2006 Aug;31(4):309-19:114 3.Curr Med Res Opin, 2007 Sep;23(9):2205-11.



- The most widely used pain reliever and fever reducer<sup>1</sup>
- Good tolerability profile in pregnancy<sup>2</sup>
- Safe and effective pain killer for many patients including asthmatics<sup>3</sup>
- HEADACHE
   MIGRAINE
- TOOTHACHE NEURALGIA
- DYSMENORRHEA
   OSTEOARTHRITIS
- MUSCULAR ACHES





As 15

40

20

35

30

25

Pyregen 650mg

- The most widely used pain reliever and fever reducer<sup>1</sup>
- Good tolerability profile in pregnancy<sup>2</sup>
- Safe and effective pain killer for many patients including asthmatics<sup>3</sup>
- HEADACHE
   MIGRAINE
- TOOTHACHE
   NEURALGIA
- DYSMENORRHEA
   OSTEOARTHRITIS
- MUSCULAR ACHES



Paracetamol 250mg /5ml SUSPENSION


**TABLETS** 

OZI PYR





## Tackle the Obstacles of...... Resistant bacterial infections



Benzalkonium Chloride Solution 0.01% v/v.EYE DROPS

- Bacterial conjunctivitis
- Keratitis | Corneal ulcer
  - Keratoconjunctivitis
- Post-surgical ocular infections


Topical bactericidal antibiotic.

Gatifloxacin 0.3% w/v +

- Eradicates aerobic gram-positive & gram-negative pathogenic bacteria.
- Offers greater effectiveness against bacterial pathogens that are resistant to aminoglycoside, macrolide & tetracycline antibiotics.

Quinoget

- Achieves higher concentration in ocular tissue than Ciprofloxacin
- · Exhibits high killing rate



# Realfate 1 Grant - Oxetacaine 20 mg SUSPENSION

- Peptic Ulcer
- Duodenal Ulcer
  - Esophagitis
  - Stress Ulcer
- NSAID-induced Mucosal Damage


### SUCRALFATE

- Coats ulcer & forms protective layer; remains at site of gastric ulcers for long duration<sup>1</sup>
- More effective than cimetidine and intensive antacid therapy<sup>1</sup>

### **OXETACAINE**

- Exerts a prolonged anaesthetic action on mucous membrane
- Produces reversible loss of sensation by preventing or diminishing conduction of sensory nerve impulses near site of its application

REA



## ealfate Sucralfate 1gm + Oxetacaine 20mg SUSPENSION

#### SUCRALFATE

- Coats ulcer & forms protective layer; remains at site of gastric ulcers for long duration1
- More effective than cimetidine and intensive antacid therapy

#### **OXETACAINE**

- Exerts a prolonged anaesthetic action on mucous membrane
- Produces reversible loss of sensation by preventing or diminishing conduction of sensory nerve impulses near site of its application
- Peptic Ulcer
   Duodenal Ulcer
   Stress Ulcer

- Esophagitis
   NSAID-induced Mucosal Damage



When Inflammation becomes Violent & Pain becomes Unbearable

Rutomor-D

Trypsin 48mg + Bromelain 90 mg + Rutoside Trihydrate 100 mg + Diclofenac Sodium 50 mg

### TABLETS

### TRYPSIN Proteolytic Enzyme

 Anti-inflammatory; Inhibits vascular permeability and modulates cytokine levels<sup>1</sup>

### **BROMELAIN** Proteolytic Enzyme

 Antiedematous, anti-inflammatory, antithrombotic and fibrinolytic activities!

### **RUTOSIDE** Natural Flavonoid

 Powerful anti-oxidant; Effectively combats free radicals released during inflammation)

### **DICLOFENAC** Potent Analgesic

 More effective & fast-acting than Indomethacin and Naproxen<sup>2</sup>

- Osteoarthritis
- Tooth Extraction
- Rheumatoid Arthritis
- Trauma / Sports Injuries
- Pre / Post Surgical Inflammation
- Fractures and Dislocations

Rutomor

Rutomor-A
Trypsin 48 mg + Bromelain 90 mg + Rutoside
Trihydrate 100 mg + Aceclofenac 100 mg

### Stop Inflammation, Relieve Pain & Accelerate healing





### Indications:

Arthritis | Sinusitis

Osteoarthritis

Supportive Therapy for

**Acute & Chronic Infections** 

Pain & Inflammation of surgery, Injury

## RUTOMOR-A

Trypsin 48mg + Bromelain 90mg +
Rutoside Trihydrate 100mg + Aceclofenac 100mg Tablets

The comprehensive therapeutic Approach Analgesic, Antioedemic, Anti-inflammatory immunomodulatory, Fibrinolytic

### Trypsin

Powerful proteolytic enzymes remove cell debris & haemotoma Beneficial in digestive enhancement Speed up recovery time

### **Bromelain & Rutoside**

Exert anti-inflammatory effects
Accelerate healing in injuries & surgery
Improve blood circualtion

### Aceclofenac

Powerful non steroidal anti-inflammatory drugs with good tolerance

XOR



When Inflammation becomes Violent & Pain becomes Unbearable

Rutomor-D

Trypsin 48mg + Bromelain 90 mg + Rutoside Trihydrate 100 mg + Diclofenac Sodium 50 mg

### TABLETS

### TRYPSIN Proteolytic Enzyme

 Anti-inflammatory; Inhibits vascular permeability and modulates cytokine levels<sup>1</sup>

### **BROMELAIN** Proteolytic Enzyme

 Antiedematous, anti-inflammatory, antithrombotic and fibrinolytic activities!

### **RUTOSIDE** Natural Flavonoid

 Powerful anti-oxidant; Effectively combats free radicals released during inflammation)

### **DICLOFENAC** Potent Analgesic

 More effective & fast-acting than Indomethacin and Naproxen<sup>2</sup>

- Osteoarthritis
- Tooth Extraction
- Rheumatoid Arthritis
- Trauma / Sports Injuries
- Pre / Post Surgical Inflammation
- Fractures and Dislocations

Rutomor

Rutomor-A
Trypsin 48 mg + Bromelain 90 mg + Rutoside
Trihydrate 100 mg + Aceclofenac 100 mg

# Nourish the liver for better function



Silymarin 35 mg + L-Ornithine L-Aspartate 250 mg + Thiamine Hydrochloride 1.5 mg + Riboflavin 1.5 mg + Pyridoxine Hydrochloride 1.5 mg + Nicotinamide 20 mg + D-Panthenol 5 mg + Cyanocobalamin 1 mcg SUSPENSION



L-ORNITHINE, L-ASPARTATE - Plays key roles in ammonia detoxification, reduces high blood ammonia induced during cirrhosis<sup>1</sup>

SILYMARIN - Antioxidant effect protects liver against toxins<sup>2</sup>

MULTIVITAMINS - Supplements the physiological need during compromised liver functioning Jaundice Fatty Liver (Steatosis)
Liver Cirrhosis Acute & Chronic Hepatitis
Non-alcoholic Steatohepatitis
Chronic Alcoholic Liver Damage

#### Get Sure-Shot Relief in Dizzy Situations

## Surehistine 16mg Surehistine 16mg TABLETS

 Efficacious in symptomatic treatment of peripheral vestibular vertigo¹

- Useful therapeutic agent in the treatment of meniere's syndrome<sup>2</sup>
- Normalizes postural stability of patients with vertigo<sup>3</sup>
- Significantly improves quality of life<sup>4</sup>



SOY

SYMPTOMS OF MENIERE'S SYNDROME: Vertigo / Tinnitus / Hearing Loss / Nausea

#### Get Sure-Shot Relief in Dizzy Situations

## Surehistine 16mg Surehistine 16mg TABLETS

- Efficacious in symptomatic treatment of peripheral vestibular vertigo¹
- Useful therapeutic agent in the treatment of meniere's syndrome<sup>2</sup>
- Normalizes postural stability of patients with vertigo<sup>3</sup>
- Significantly improves quality of life<sup>4</sup>



SUR

SYMPTOMS OF MENIERE'S SYNDROME: Vertigo / Tinnitus / Hearing Loss / Nausea

### Trumps Over infection Single Handedly



TAK



#### Cefixime ...

- Has the longest half-life period among all oral cephalosporins, the highest activity against basic pathogens of urogenital infection and higher clinical and microbiological efficacy than ciprofloxacin.
- Is significantly less accompanied by the development of ADR's as compared to amoxycillin/clavulanate
- Is a good choice for successful clinical response in community acquired infections such as acute otitis media (AOM), Lower respiratory tract infections (RTI) and urinary tract infections (UTI)
- Shows better pharmacodynamic parameters than other 3rd and 2nd generation cephalosporins like cefpodoxime and cefuorxime

Urinary Tract Infections (UTI)TonsillitisOtitis MediaBronchitisPharyngitisGonorrhoea

### Treat the infections to

Maintain Good Health





- Provides rapid bacteriological eradication¹
- Empirical treatment for management of enteric fever¹
- Excellent tolerability & safety¹

**Typhoid Fever** 

**Nosocomial Infection** 

**Soft Tissue Infections** 

Intra Abdominal Infection

Lindian Journal of Basic & Applied Medical Research, September 2012; Vol.-1, Issue-4, P. 296-303 (http:///jbamr.com/pdf/296-303.pdf)



Also Available :



### Destroy the Pathogens without Disturbing GI Flora

## TakefixLB

Cefixime 200mg + Lactic Acid Bacillus 60 ms TABLETS



#### Cefixime

- Used as first-line choice in typhoid because of improved efficacy
- Show excellent tolerability & safety<sup>1</sup>

#### **Lactic Acid Bacillus**

- Improves GI tolerance of antibiotics
- Prevents diarrhoea and other GI disturbances and helps faster recovery

#### **Typhoid Fever**

Nosocomial Infection

Soft Tissue Infections

**Urinary Tract Infection** 

Intra Abdominal Infection

Takefix 100
Cefixime 100, 200mg
TABLETS

Takefix Plus
Cefixime 200mg + Ofloxacin 200mg
TABLETS

 Indian Journal of Basic & Applied Medical Research; September 2012; Vol.-1, Issue-4, P. 296-303 TIR

### Destroy the Pathogens without Disturbing GI Flora

## TakefixLB

Cefixime 200mg + Lactic Acid Bacillus 60 ms TABLETS



#### Cefixime

- Used as first-line choice in typhoid because of improved efficacy
- Show excellent tolerability & safety<sup>1</sup>

#### **Lactic Acid Bacillus**

- Improves GI tolerance of antibiotics
- Prevents diarrhoea and other GI disturbances and helps faster recovery

#### **Typhoid Fever**

Nosocomial Infection

Soft Tissue Infections

**Urinary Tract Infection** 

Intra Abdominal Infection

Takefix 100
Cefixime 100, 200mg
TABLETS

Takefix Plus
Cefixime 200mg + Ofloxacin 200mg
TABLETS

 Indian Journal of Basic & Applied Medical Research; September 2012; Vol.-1, Issue-4, P. 296-303 TIR



TLB

## TakefixoL

Cefixime 200 mg + Ofloxacin 200 mg + TABLETS
Lacti Acid Bacillus 60 m.s.

#### Cefixime + Ofloxacin

- Used as first-line choice in typhoid because of improved efficacy
- Show excellent tolerability & safety<sup>1</sup>

#### **Lactic Acid Bacillus**

- Improves GI tolerance of antibiotics
- Prevents diarrhoea and other GI disturbances due to antibiotics

TYPHOID FEVER | URINARY TRACT INFECTION

INTRA ABDOMINAL INFECTION | NOSOCOMIAL INFECTION

SOFT TISSUE INFECTIONS

### Takefix Plus Cefixime 200mg + Ofloxacin 200mg TABLETS

Cefixime 50mg + Ofloxacin 50mg DRY SYRUP



### TEARGRIP

Hydroxypropyl Methylcellulose 3 mg Eye Drops

- Provides optimum lubrication for dry eyes.
- · Relieves eye irritation.
- Preservation with Sodium perborate provides an advantage of generating very low level of Hydrogen peroxide.

0.006% H202 is imperceptible within 1 minute of instillation Enzymes in eyes break it down to simple water and oxygen. These are absorbed into the tear film leaving only the soothing relief.

- Ocular lubricant for artificial eyes also.
- · No trace of preservative and no harmful chemicals remain.

#### Dry eyes

Eye irritation associated with

- ocontact lenses (even on worn contact lenses)
- · odeficient tears production
- · oexposure to wind, sun or other irritants.

#### In the Management of Hypertension

& Cardiac Assest Reduction

# Telmisartan 40 mg Tablets

#### **Telmisartan**

- Telmisartan is used in the treatment of Hypertension (high blood pressure) prevention of heart attack and stocke and Heart Failure.
- Telmisartan is an angiotensin receptor blocker (ARB). It relaxes blood vessels by blocking the action of a chemical that usually makes blood vessels tighter. This lowers the blood pressure, allowing the blood to flow more smoothly to different organs and the heart to pump more efficiently

#### Indication

- Patients with mild to severe Hypertension
- Diabetic Hypertensives Elderly Hypertensives



The Smart choice in the management of Hypertension &

Cardiac Arrest Reduction



### Half of hypertensive patients fail to attain BP goals on single-drug therapy

## Telsicap-AM

Telmisartan 40 mg + Amlodipine 5 mg Tablets

#### **Telmisartan**

 Telmisartan + Amlodipine is used in the treatment of Hypertension ( high blood pressure.)

#### **Amlodipine**

 Telmisartan is an angiotensin receptor blocker (ARB) and Amlodipine is a calcium channel blocker (CCB.) They work by relaxing the blood vessels and making the heart more efficient at pumping blood throughout the body. Together They lower blood pressure effectively.


#### **Indications**

- In Hypertension with coronary artery disease
- In Hypertension with dyslipidemia and in elderly
- In Hypertension with obesity
- In Hypertension with Diabetes

Hypertension

Dosage:

1 Jablet once daily





Unique two action for one target

## In High Blood Pressure For Adequate control...

## Telsicap-H

Telmisartan 40 mg + Hydrochlorothiazide 12.5 mg Tablets

#### **Telmisartan**

Telmisartan and hydrochlorothiazide which lowers the blood pressure effectively. Telmisartan is an angiotensin receptor blocker (ARB). It works by blocking the hormone angiotensin, thereby relaxing the blood vessels. This allows the blood to flow more smoothly and the heart to pump more efficiently.


#### Hydrochlorothiazide

Hydrochlorothiazide is a diuretic that removes extra water and certain electrolytes from the body. Over time it also relaxes blood



• Treatment of Hypertension.





#### Right choice

#### to treat occular infections...

### TOBALEM-M

Tobramycin 0.3% w/v+ Moxifloxacin 0.5% w/v EYE DROPS

#### Reliable anti microbial

- · Significantly reduce incidence of post LASIK infections, keratitis.
- Effective against Gram (+) & Gram (-) Bacteria.
- Effective against bacteria resistant to Moxifloxacin or Tobramycin.

#### Indications:

Conjuctivitis

Blepharitis

Pre & Post-operative Management

Infected Corneal Ulcers

Vision Threatening Bacterial Infection





The Steroid of Choice in Ocular Inflammation

## TOBALEM

Tobramycin 0.3% (5ml)

Eye Drops



Useful tool in assisting vitreous surgery including safe ILM peeling

Effective in reducing subclinical conjuctival inflammation before filtering surgery

Proves to be a safe anti-inflammatory treatment in terms of avoiding steroid-induced glaucoma

POST SURGICAL INFLAMMATION

INFLAMMATION OF CORNEA

**INFLAMMATION OF CONJUCTIVA** 

INFLAMMATION OF ANTERIOR SEGMENT



Provides everlasting relief safely



### Tramozit-P


Tramadol 37.5mg + Paracetamol 500mg TABLET

### Get Potent & Satisfied Relief

- Effective and well tolerated in patients with moderate to severe pain¹
- Rapidly-acting, longer-duration and multimodal analgesic<sup>1</sup>
- Effective in treatment of chronic low back pain<sup>2</sup>
- Add-on therapy in patients with symptomatic rheumatoid arthritis<sup>3</sup>

- CHRONIC LOW BACK PAIN
- RHEUMATOID ARTHRITIS
- OSTEOARTHRITIS
- GOUT FLARE-UP
- POST-TRAUMATIC PAIN
- POST-OPERATIVE PAIN

Tramozit-100
Tramadol HCI 100mg
INJECTION



### Let the Liver Live a Long Life with...



Stimulates impaired biliary secretion<sup>1</sup>

- URS
- Highly effective in preventing gallstone formation<sup>2</sup>
- Reduces serum fibrosis markers in NASH<sup>3</sup>
- Reduces passage of bile acids to fetus in ICP<sup>4</sup>

#### **BILIARY SLUDGE**

**GALLSTONE DISSOLUTION** 

**CHOLESTATIC LIVER DISEASE** 

**ALCOHOLIC LIVER DISEASE** 

NON-ALCOHOLIC STEATOHEPATITIS

INTRAHEPATIC CHOLESTASIS OF PREGNANCY



<sup>1.</sup>Clin Liver Dis. 2004 Feb;8(1):67-81 2.Ann Surg. 2003;238: 697-702

<sup>3.</sup>EASL, 44th Annual Meeting: Abstract 47. April 24, 2009.

<sup>4.</sup>Ann Hepatol. 2002 Jan-Mar;1(1):20-8.

### Ensures compliance & flexibility in Advanced Liver Disease





- For the treatment of primary biliary cirrhosis (PBC), a condition where the bile ducts in the liver become damaged; leading to a build-up of bile.
- To dissolve gallstones caused by excess cholesterol in the gall bladder where the gallstones are not visible on a plain x-ray
- For liver disease associated with a condition called cystic fibrosis in children aged 1 month to 18 years.

#### Hepatis

Obstructive the Jaundice

**Cholestasis of Pregnancy** 

Hepatobiliary disorders with cystic fibrosis in children



Cranberry Extract 200 mg + D-Mannose 300 mg + Pyridoxine Hcl 20mg + Potassium Magnesium Citrate 978 mg 200ml/ Syrup

#### Cranberry Extract:

- · Hinders bacteria adhesion to the urothelium
- Exerts significant positive effect on UTI's resolution & QoL improvement

#### D Mannose + Pyridoxine Hcl:

- Prevents the adhesion of type 1 & P-fimbriase strains (particularly from E coli) to the urothelium
- Highly effective in the phrophylaxis of recurrent UTI's in young & middle aged women

#### Potasssium Magnesium Citrate:

- · Attaches to calcium in the urine, prevent the formation of mineral crystals
- Citrate binds with urinary calcium & prevents the formation of calcium oxalate stones.

Urinary Tract Infections | UTI's During Pregnancy Bacteriuria | Kidney Stones, Renal calculi



Cranberry Extract 200 mg + D-Mannose 300 mg + Potassium Magnesium Citrate 975 mg Sachets





Cranberry Extract 200 mg + D-Mannose 300 mg + Pyridoxine Hcl 20mg + Potassium Magnesium Citrate 978 mg 200ml/ Syrup

#### Cranberry Extract:

- · Hinders bacteria adhesion to the urothelium
- Exerts significant positive effect on UTI's resolution & QoL improvement

#### D Mannose + Pyridoxine Hcl:

- Prevents the adhesion of type 1 & P-fimbriase strains (particularly from E coli) to the urothelium
- Highly effective in the phrophylaxis of recurrent UTI's in young & middle aged women

#### Potasssium Magnesium Citrate:

- · Attaches to calcium in the urine, prevent the formation of mineral crystals
- Citrate binds with urinary calcium & prevents the formation of calcium oxalate stones.

Urinary Tract Infections | UTI's During Pregnancy Bacteriuria | Kidney Stones, Renal calculi



Cranberry Extract 200 mg + D-Mannose 300 mg + Potassium Magnesium Citrate 975 mg Sachets





### VASTNAC-P

Diclofenac 50mg + Paracetamol 325mg Tablets

#### Diclofenac:

- · Faster onset of action
- Selectively inhibits postaglandin synthesis that causes inflammation and pain in the body.
- · Potent NSAID with proven anti inflammatory action

#### Paracetamol:

- Time tested & trusted analgesic
- · Relieve mild to moderate body pain indications

TRAUMA SPORTS INJURY
FRACTURE & DISLOCATIONS
POST SURGICAL INFLAMMATION
TOOTH EXTRACTION







### VASTNAC-S Diclofenac Pot. 100mg +Paracetamol 325mg+Serratiopeptidase 10mg Tablets

#### **DICLOFENAC POTASSIUM**

Effective for treating moderate to severe post operative pain

#### **PARACETAMOL**

Exhibits anti-inflammatory effects; prevents swelling and fluid retention

#### **SERRATIOPEPTIDASE**

Recommended as a first-line treatment of pain associated with osteoarthritis

POST-OPERATIVE INFLAMMATION

TOOTH EXTRACTION | SPORT INJURIES

POST-PARTUM HEMATOMAS

FRACTURE & DISLOCATION









- Chemotherapy induced nausea and vomiting
- Radiotherapy induced nausea and vomiting
- Post-operative nausea and vomiting
- Gastroenteritis

- Selective serotonin 5-HT3 receptor antagonist
- Effective for controlling the nausea and vomiting induced by cisplatin treatment<sup>1</sup>
- More effective than metoclopramide in preventing acute nausea and vomiting<sup>2</sup>
- Well tolerated with a lower incidence of sedation compared to conventional antiemetics<sup>3</sup>







- Chemotherapy induced nausea and vomiting
- Radiotherapy induced nausea and vomiting
- Post-operative nausea and vomiting
- Gastroenteritis

- Selective serotonin 5-HT3 receptor antagonist
- Effective for controlling the nausea and vomiting induced by cisplatin treatment<sup>1</sup>
- More effective than metoclopramide in preventing acute nausea and vomiting<sup>2</sup>
- Well tolerated with a lower incidence of sedation compared to conventional antiemetics<sup>3</sup>

Best Way Out of the Grim Situation of Resistance






#### ADVANTAGE OF COMBINATION

- Produces larger zones of inhibitions than ceftriaxone alone!
- Bacteria resistant to ceftriaxone, once again become sensitive when inhibitor sulbactam is added
- Sulbactam synergistically improves the activity of ceftriaxone against
   β-lactamase producing pathogens¹
- Shows concentration higher than MIC even after 24hrs against most pathogens<sup>2</sup>

#### In:

Skin and Soft Tissue Infections
Cholecystitis/ Osteomyelititis
Chronic Supprative Bacterial Otitis Media
Gonnorrhoea/ Chancroid/ Syphillis
Urinary Tract Infections
Meningititis/ Noscomial Infections

#### Provide Inclining Support to **Digestive Health**



VOM YOL

#### PREBIOTICS

- Benefits host health by allowing beneficial changes in G.I. microflora¹
- Shows beneficial effect in prevention and treatment of G.I. disordered<sup>2</sup>

#### **PROBIOTICS**

- Prevent or reduce duration and complaints of rotavirus-induced or antibiotic-associated diarrhea<sup>1</sup>
- Normalizes passage of stool and stool consistency in subjects suffering from contipation or an irritable colon<sup>3</sup>

Lactose Intolerance **Inflammatory Bowel Disease Antibiotic Associated Diarrhoea** Diarrhoea (Bacterial, Viral, Protozoal)








- Gives energy to overcome fatigue
- Facilitates physical & mental stimulation
- Regulates bodily fluids and create electrical charge essential for every physiological function
- Regain the lost water to prevent dehydration in body
- Higher safety when compared to caffeinated drinks

Dehydration / Lack Of Energy Lethargy / Fatigue / Post Workout Soreness





- Reduces nasal/throat itching & sneezing<sup>1</sup>
- Reduces nasal mucosal inflammation<sup>1</sup>
- Potent antihistaminic and anti-inflammatory agent
- Produces faster onset of action than destrolyen

#### **HAY FEVER**

PERENNIAL ALLERGIC RHINITIS

CHRONIC IDIOPATHIC URTICARIA

SEASONAL ALLERGIC RHINITIS



## Zurifast-SR Nitrofurantoin 100mg (SR) TABLETS

YON

- Active against most strains of MDR-gram-negative bacilli, including most extended spectrum β lactamase-producing strains<sup>1</sup>
- Shows 83.3% of microbial eradication rate in UTIs<sup>1</sup>
- Achieves 84% of clinical cure rate compared with 79% in trimethoprim-sulfamethoxazole in treatment of cystitis<sup>2</sup>
- Efficacious with favourable safety and tolerability profile<sup>3</sup>

• ACUTE UTIS • CYSTITIS
• ASYMPTOMATIC BACTERIURIA



- Suitable to be used in treatment of the dysfunctional uterine bleeding & irregular menstrual cycles¹
- Effective in reducing the degree of menstrual blood loss in women with proved menorrhagia<sup>2</sup>
- Well-tolerated, effective option to manage pain and bleeding for all stages of endometriosis<sup>3</sup>

#### DYSFUNCTIONAL UTERINE BLEEDING

TIMING OF MENSTRUATION

**ENDOMETRIOSIS** 

RELIEF OF PRIMARY AND SECONDARY AMENORRHOEA

#### Improves LUTS & Rectify the Flow with...

## Tamsulosin 0.4 mg+Dutasteride 0.5 mg Tamsulosin 0.4 mg+Dutasteride 0.5 mg

Improves lower urinary tract symptoms (LUTS) better than single agent alone


Reduces the risk of events related to disease progression, such as acute urinary retention and BPH-related surgery

Generally well related

**Difficulty in starting to Urinate** 

An interrupted, weak urinary stream

Leakage / Dribbling





### For Instant Relief in eye infections



## Moxifloxacin 0.5%w/v eye Drops

- Moxifloxacin 0.5 % Eye Drop is an antibiotic, used in the treatment of bacterial infections of the eye.
- It relieves the symptoms of the infection by stopping the further growth of the causative microorganisms.
- It treats bacterial eye infections by preventing the bacteria from dividing and repairing. It does so stopping the action of a bacterial enzyme called DNA-gyrase.
- It works by killing bacteria or preventing their growth.

Bacterial Keratitis | Blepheritis

External Bacterial infections | Conjunctivitis

MAXIWOK-KT
Moxifloxacin 0.5% + Ketorolac 0.5% Eve Drops

MAXIWOK-D

Moxifloxacin Hcl 0.5% w/v + Dexamethasone 0.1% w/v/[5ml] Eye Drops

Maxiwok-P
Moxifloxacin HCl 0.5% + Prednisolone Sml (Eye/Ear Drops)



### Let the Liver Live a Long Life with...



Stimulates impaired biliary secretion<sup>1</sup>

- URS
- Highly effective in preventing gallstone formation<sup>2</sup>
- Reduces serum fibrosis markers in NASH<sup>3</sup>
- Reduces passage of bile acids to fetus in ICP<sup>4</sup>

#### **BILIARY SLUDGE**

**GALLSTONE DISSOLUTION** 

**CHOLESTATIC LIVER DISEASE** 

**ALCOHOLIC LIVER DISEASE** 

NON-ALCOHOLIC STEATOHEPATITIS


INTRAHEPATIC CHOLESTASIS OF PREGNANCY



<sup>1.</sup>Clin Liver Dis. 2004 Feb;8(1):67-81 2.Ann Surg. 2003;238: 697-702

<sup>3.</sup>EASL, 44th Annual Meeting: Abstract 47. April 24, 2009.

<sup>4.</sup>Ann Hepatol. 2002 Jan-Mar;1(1):20-8.



### **PREDINOM**

Methylprednisolone 8 mg

**Tablets** 

#### Methylprednisolone

- Methylprednisolone is used to treat conditions such as arthritis, blood disorders, severe allergic reaction, certain cancers, eye conditions, skin/kidney/intestinal lung diseases, and immune system disorders.
- It decreases your immune system's response to various diseases to reduce symptoms such as swelling, pain, and allergic-type reactions.

HAEMATOLOGIC ENDOCRINE DISORDER

**OEDEMATOUS STATES** 

RHEUMATOID ARTHRITIS

**ASTHMA** 

OPHTHALMIC DISEASE

DERMATITIS

Lifeguard for Life- threatening Conditions



#### Manage Urticaria with....

## **Afterax**<sup>25</sup>

Hydroxyzine Hydrochloride 25mg & 10 mg Tablets

#### **Indications:**

Pruritis | Urticaria
Allergic dermatitis
Contact dermatitis
Atopic dermatitis

#### Hydroxyzine Hydrochloride

Commonly used to treat pruritic skin lesions. Effective in controlling the symptoms of patients with chronic pruritus.

Have equal results compared to doxepin but greater than cetirizine in controlling the symptoms of patients with chronic pruritus

Is a first-generation antihistamine widely used in the pediatric population for a variety of conditions


#### Also Effective in managing intense pruritus of

Scabies, Atopic Dermatitis, Allergic ContactDermatitis



Soothes and eases skin trouble

AFT



# Myo-Inositol 1000mg + N-Acetyl Cysteine 300mg TABLETS + Folic Acid 1.5mg

MYO-INOSITOL - Improves regularity of menstrual cycle and endocrine and metabolic parameters in women with PCOS<sup>1</sup>

N-ACETYL CYSTEINE - Significant improvement in pregnancy and ovulation rate<sup>2</sup>

FOLIC ACID - Lowers plasma homocysteine levels and improved serum total antioxidant capacity

BENEFIT OF COMBINATION - Improves ovarian function in PCOS patients3

#### POLYCYSTIC OVARY SYNDROME (PCOS)

### Ensures compliance & flexibility in Advanced Liver Disease





- For the treatment of primary biliary cirrhosis (PBC), a condition where the bile ducts in the liver become damaged; leading to a build-up of bile.
- To dissolve gallstones caused by excess cholesterol in the gall bladder where the gallstones are not visible on a plain x-ray
- For liver disease associated with a condition called cystic fibrosis in children aged 1 month to 18 years.

#### Hepatis


Obstructive the Jaundice

**Cholestasis of Pregnancy** 

Hepatobiliary disorders with cystic fibrosis in children

## Hepticare-Plus

Pancreatin eq. to Lipase activity 212.50 mg + Eq. to Lipase activity 6000 units + Amylase activity 4500 units + Protease activity 300 units **TABLETS** 



- Provides lipase, protease & amylase for digestion of fats, proteins & carbohydrates
- Ensures effective digestion
   & absorption of nutrients
- Improves nutrient bioavailability

#### INDIGESTION

#### **PANCREATIN INSUFFICIENCY IN:**

- Cystic fibrosis
- Diabetes mellitus
- Chronic pancreatitis



## Get Control over Running Nose & High Fever

# Aftercold Paracetamol + Phenylephrine Hydrochloride SUSPENSION Levocetirizine Dihydrochloride 5mg + TABLETS Paracetamol 325mg + Phynlephrine 5mg

#### PARACETAMOL:

- Provides relief from fever in cold & flu
- Provides relief from pain and sore throat

#### PHENYLEPHRINE:

- Potent vasoconstriction, reduces severity & duration of nasal congestion
- Relieves nasal congestion to ease breathing

- Common Cold & Cough
- Congestion Associated With Sinusitis
- Rhinitis Accompanied By Fever & Pain



Pair-Up the

Compliance & Competency with...

## Cedobactcv

Cefpodoxime 200mg + Potassium Clavulanate 125mg Cefpodoxime 50mg + Potassium Clavulanate 31.25mg TABLETS DRY SYRUP

#### Cefpodoxime

 Potent antibacterial activity against Gram-positive / Gram-negative bacteria; high stability in presence of beta-lactamases

#### Potassium Clavulanate

 Protects cefpodoxime against destruction caused by beta lactamase enzyme

#### **Effects of Combination**

 Synergistically active against bacterial infections caused by beta lactam resistant pathogens










Acute Otitis Media | Pharyngitis / Tonsillitis | Acute Maxillary Sinusitis |
| Community-acquired Pneumonia | UTIs |
| Acute Bacterial Exacerbation Of Chronic Bronchitis |
| Acute, Uncomplicated Urethral / Cervical Gonorrhoea | SSSIs

CCV



- Broad spectrum antibacterial agent¹
- Favourable pharmacokinetic profile permits convenient twice-daily administration<sup>1</sup>
- Effective and well tolerated treatment in patients with various infections<sup>1</sup>

Pharyngitis/ Tonsillitis Uncomplicated Urinary Tract Infections

Acute Bacterial Otitis Media Uncomplicated Gonorrhea

Acute Bacterial Maxillary Sinusitis

Acute Bacterial Exacerbations of Chronic Bronchitis

Uncomplicated Skin And Skin-structure Infections





# ETORCUT

#### Atorvastatin 10 mg Tablets

#### **Atorvastatin**

- Atorvastatin Oral Tablet is used to improve cholesterol levels and decrease your risk for heart attack and stroke. It's used together with diet, weight loss, and exercise.
- Atorvastatin helps to prevent cholesterol from building up in your arteries. Clogged arteries can block blood flow to your heart and brain.
- Atorvastatin may be used as part of a combination therapy. This means you may need to take it with other medications. These may include bile acid resins and other cholesterol-lowering medications.

#### **Indications**

- Prophylaxis of ischaemic events
- Acute coronary syndrome
- Hypertention



#### FLP

#### Advance Formula for Maintain Joint Health



#### Osteoarthritis

**Chronic Inflammatory Arthritis** 

Senile Chondral Degeneration

# Flexiday Plus

Glucosamine Sulphate Potassium Chloride 750mg+ Collagen 150mg+ Chondroitin Sulphate Sodium 50mg +
Ginger Extract 40mg+ Vit C 30mg + Vit E 10mg + Folic Acid 200mcg +Vit D3 10mcg +Vit B12-1mcg+
Iron 5mg +Zinc 5mg +Manganese 2mg +Copper 0.5mg +Selenium 40mcg

TABLETS

#### Collagen Peptide

 Potential therapeutic agent as nutritional supplements for management of Osteoarthritis

#### **Chondriotin Sulphate**


 Improves function in patients with symptomatic OA and shows good safety profile.

#### Glucosamine

 Exhibits excellent safety profile in treatment of osteoarthritis, reduces destruction of cartilage.

#### Vitamins & Minerals

 Stimulates collagen production and scavenges free radicals.





Chlorhexidine Gluconate Solution 0.2% w/v + Sodium Benzoate 0.02 % w/v **MOUTH WASH** 

Exerts prolonged bactericidal effect for several hours

Reduces halitosis-producing bacteria on the tongue

Reduces the rate of Ventilator-associated pneumonia (VAP)2

HALITOSIS

**GINGIVITIS** 

**ORAL HYGIENE** 

DENTAL PLAQUE POST-ORAL SURGERY

#### Yield Better Cure Rate with...


# tranorm


Itraconazole 100/200mg

CAPSULES

- Broad-spectrum antifungal effect<sup>1</sup>
- Provides high activity against dermatophytes, yeasts and molds
- Highly effective therapy for nonmeningeal, nonlife-threatening blastomycosis and histoplasmosis<sup>2</sup>

 Shows cure rate of 76.9% in patients with recurrent form of vulvovaginal candidosis<sup>1</sup>





The Excellent choice of Potency and efficacy against Gram + ve infections



- Linezolid is used to treat infections, including pneumonia and infections of the skin.
- Linezolid is in a class of antibacterials called oxazolidinones.
- It works by stopping the growth of bacteria.
- Linezolid is an antibiotic that fights bacteria in the body.
- Linezolid is also an MAO (monoamine oxidase) inhibitor.
- Linezolid is used to treat different types of bacterial infections, such as pneumonia, skin infections, and infections that are resistant to other antibiotics.

Tops in efficacy, top in result



#### Right Support When It is Needed The Most

## Maxicarb-L

L-Methylfolate 1 mg + Methylcobalamin 1500 mcg + Pyridoxal 0.5 mg Tablets

#### L-Methyl Folate

 L-Methyl Folate is a form of a B vitamin used to treat depression, megalblastic anemia and renal and hepatic Impairment.

#### Methylcobalamin

 Methylcobalamin is used to treat vitamin B12 defeciency.
 Vitamin B12 is Important for the brain and nerves, and for the production of red blood cells Methylcobalamin is sometimes used in people with pernicious anemia, diabetes and other conditions.

#### Pyridoxal-5-Phosphate

 L-Methylfolate/Pyridoxal 5- Phosphate/Methylcobalamin is used as medical food for the clinical dietary management of endothelial dysfunction associated with diabetic peripheral neuropathy.





# Multipac

Multi Minerals + Multi Vitamins + Antioxidants SYRUP

- Maintains optimum level of nutrients in the blood
- Strengthens immune system; helps fight against infections
- Helps to heal injuries fast; protects against free radicals
- Improves feelings of general day-to-day well-being<sup>1</sup>

LETHARGY AND FATIGUE

COMPROMISED IMMUNITY

PROLONGED ILLNESS

CONVALESCENCE

## Treat Neuropathy with Efficacy plus Safety...



Pregabalin 75mg + Methylcobalamin 750mcg + Alpha Lipoic Acid 100mg + CAPSULES Pyridoxine 3mg + Folic Acid 1.5mg

#### **Neuralgia Associated With**

Peripheral Neuropathy
Drug Induced Neuropathy
Diabetic Neuropathy

#### Pregabalin + Methylcobalamin + Alpha Lipoic Acid

- Provides pain relief and reduces sleep interference
- Addition of methylcobalamin and ALA to pregabalin improves nerve function!
   Pyridoxine
- Fulfils need of dietary pyridoxine thus reduce risk of developing neuropathy
   Folic Acid
- Reduces pain, numbness and tingling during neuropathy





When Damaged
Nerves Make
EVERY STEP PAINFUL

# Naxigab-PM

Pregabalin 75mg (SR) + Methylcobalamin 1500mcg CAPSULES

#### **PREGABALIN**

- Reduces pain in neuropathy
- Controls anxiety and improves sleep<sup>1</sup>

#### **METHYLCOBALAMIN**

- Reduces neuropathic symptom
- Promotes nerve regeneration and remyelination

Peripheral Neuropathy
Diabetic Neuropathy
Post-Herpetic Neuralgia
Post-Surgical Neuralgia
Drug-induced Nerve Damage

Post-Traumatic Neuropathic Pain

STORE

T.Clin Ther. 2010 Dec:32/14/2370-85.

#### Smooth Muscle relaxant with Anti-infective Advantage

# Oflarge UTI

Ofloxacin 200mg + Flavoxate Hydrochloride 200mg Tablets


#### Flavoxate Hydrochloride:

- · Flavone derivative with smooth muscle relaxing activity
- Increases bladder volume capacity & reduces micturition pressure
- Effective treatment for urgency/incotinence of various causes¹
- Valid therapeutic efficacy and excellent tolerability


#### Ofloxacin

- · Effective in eliminating intestinal Infections
- Offers 90% clinical cure rate against travelers diarrhoea
- Possess good penetration in most tissues
- Exhibits good activity against aerobic gram positive & negative bacteria<sup>2</sup>

Cystitis
Prostatitis
Urethritis
Urethrocystitis
RTI
Bone & Joint Infections
G.I. Infections
Gynaecological infections









#### OMEPRAZOLE + DOMPERIDONE


- Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach.
- Omeprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn

GASTROESOPHAGEAL REFLUX DISEASE PEPTIC ULCER DISEASE NAUSEA & VOMITING | DYSPEPSIA



#### Bring-in Relief in a Convenient Way





- Better cure rates & better gastrointestinal tolerance than amoxiclav<sup>1</sup>
- Decreases the incidence of exacerbations of COPD<sup>2</sup>
- Excellent patient compliance with 3-day once daily dosing
- Genital Ulcer Disease
- Urethritis/Cervicitis
- Acute Bacterial Sinusitis
- Community-Acquired Pneumonia
- Skin and Skin Structure Infections
- Acute Bacterial Exacerbations Of COPD

## Destroy the Pathogens without Disturbing GI Flora

# TakefixLB

Cefixime 200mg + Lactic Acid Bacillus 60 ms TABLETS

#### Cefixime

- Used as first-line choice in typhoid because of improved efficacy
- Show excellent tolerability & safety¹

#### **Lactic Acid Bacillus**

- Improves GI tolerance of antibiotics
- Prevents diarrhoea and other GI disturbances and helps faster recovery





Typhoid Fever

**Nosocomial Infection** 

**Soft Tissue Infections** 

**Urinary Tract Infection** 

Intra Abdominal Infection

### **Takefix Plus**

Cefixime 200mg + Ofloxacin 200mg

TABLETS

1 Indian Journal of Basic & Applied Medical Research; September 2012: Vol.-1, Issue-4, P. 296-303

#### In the Management of Hypertension

& Cardiac Assest Reduction


# Telsicap 40 Telmisartan 40 mg Tablets

#### **Telmisartan**

- Telmisartan is used in the treatment of Hypertension (high blood pressure) prevention of heart attack and stocke and Heart Failure.
- Telmisartan is an angiotensin receptor blocker (ARB). It relaxes blood vessels by blocking the action of a chemical that usually makes blood vessels tighter. This lowers the blood pressure, allowing the blood to flow more smoothly to different organs and the heart to pump more efficiently

#### Indication

- Patients with mild to severe Hypertension
- Diabetic Hypertensives Elderly Hypertensives



The Smart choice in the management of Hypertension &

Cardiac Arrest Reduction



## Half of hypertensive patients fail to attain BP goals on single-drug therapy

# Telsicap-AM

Telmisartan 40 mg + Amlodipine 5 mg Tablets

#### **Telmisartan**

 Telmisartan + Amlodipine is used in the treatment of Hypertension ( high blood pressure.)

#### **Amlodipine**

 Telmisartan is an angiotensin receptor blocker (ARB) and Amlodipine is a calcium channel blocker (CCB.) They work by relaxing the blood vessels and making the heart more efficient at pumping blood throughout the body. Together They lower blood pressure effectively.


#### **Indications**

- In Hypertension with coronary artery disease
- In Hypertension with dyslipidemia and in elderly
- In Hypertension with obesity
- In Hypertension with Diabetes

Hypertension

Dosage:

1 Jablet once daily





Unique two action for one target

# In High Blood Pressure For Adequate control...

# Telsicap-H

Telmisartan 40 mg + Hydrochlorothiazide 12.5 mg Tablets

#### **Telmisartan**

Telmisartan and hydrochlorothiazide which lowers the blood pressure effectively. Telmisartan is an angiotensin receptor blocker (ARB). It works by blocking the hormone angiotensin, thereby relaxing the blood vessels. This allows the blood to flow more smoothly and the heart to pump more efficiently.


#### Hydrochlorothiazide

Hydrochlorothiazide is a diuretic that removes extra water and certain electrolytes from the body. Over time it also relaxes blood



• Treatment of Hypertension.







## Thiotrac-Plus

Acebrofyline 200mg +Fexofenadine Hydrochloride 120mg
Montelukast Sodium 10mg

Acebrofyline - Increases mucociliary clearance by augmenting ciliary motility<sup>1</sup>

Fexofenadine Hydrochloride - Safer, causes less sedation and is more efficacious than first generation anti-histamine

Montelukast - Decreases bronchial hyper-responsiveness & serum concentrations in cytokine<sup>2</sup>

- Bronchial Asthma
   Acute / Chronic Bronchitis
  - Chronic Respiratory Disease
  - Chronic Obstructive Pulmonary Disease



## Tramozit-P


Tramadol 37.5mg + Paracetamol 500mg TABLET

## Get Potent & Satisfied Relief

- Effective and well tolerated in patients with moderate to severe pain¹
- Rapidly-acting, longer-duration and multimodal analgesic<sup>1</sup>
- Effective in treatment of chronic low back pain<sup>2</sup>
- Add-on therapy in patients with symptomatic rheumatoid arthritis<sup>3</sup>

- CHRONIC LOW BACK PAIN
- RHEUMATOID ARTHRITIS
- OSTEOARTHRITIS
- GOUT FLARE-UP
- POST-TRAUMATIC PAIN
- POST-OPERATIVE PAIN

Tramozit-100
Tramadol HCI 100mg
INJECTION



## Let the Liver Live a Long Life with...



Stimulates impaired biliary secretion<sup>1</sup>

- URS
- Highly effective in preventing gallstone formation<sup>2</sup>
- Reduces serum fibrosis markers in NASH<sup>3</sup>
- Reduces passage of bile acids to fetus in ICP<sup>4</sup>

#### **BILIARY SLUDGE**

**GALLSTONE DISSOLUTION** 

**CHOLESTATIC LIVER DISEASE** 

**ALCOHOLIC LIVER DISEASE** 

NON-ALCOHOLIC STEATOHEPATITIS


INTRAHEPATIC CHOLESTASIS OF PREGNANCY



<sup>1.</sup>Clin Liver Dis. 2004 Feb;8(1):67-81 2.Ann Surg. 2003;238: 697-702

<sup>3.</sup>EASL, 44th Annual Meeting: Abstract 47. April 24, 2009.

<sup>4.</sup>Ann Hepatol. 2002 Jan-Mar;1(1):20-8.





- Reduces nasal/throat itching & sneezing<sup>1</sup>
- Reduces nasal mucosal inflammation<sup>1</sup>
- Potent antihistaminic and anti-inflammatory agent
- Produces faster onset of action than destrolyen

#### **HAY FEVER**

PERENNIAL ALLERGIC RHINITIS

CHRONIC IDIOPATHIC URTICARIA

SEASONAL ALLERGIC RHINITIS



# Zurifast-SR Nitrofurantoin 100mg (SR) TABLETS

YON

- Active against most strains of MDR-gram-negative bacilli, including most extended spectrum β lactamase-producing strains<sup>1</sup>
- Shows 83.3% of microbial eradication rate in UTIs<sup>1</sup>
- Achieves 84% of clinical cure rate compared with 79% in trimethoprim-sulfamethoxazole in treatment of cystitis<sup>2</sup>
- Efficacious with favourable safety and tolerability profile<sup>3</sup>

• ACUTE UTIS • CYSTITIS
• ASYMPTOMATIC BACTERIURIA



- Suitable to be used in treatment of the dysfunctional uterine bleeding & irregular menstrual cycles¹
- Effective in reducing the degree of menstrual blood loss in women with proved menorrhagia<sup>2</sup>
- Well-tolerated, effective option to manage pain and bleeding for all stages of endometriosis<sup>3</sup>

#### DYSFUNCTIONAL UTERINE BLEEDING

TIMING OF MENSTRUATION

**ENDOMETRIOSIS** 

RELIEF OF PRIMARY AND SECONDARY AMENORRHOEA





- Gives energy to overcome fatigue
- Facilitates physical & mental stimulation
- Regulates bodily fluids and create electrical charge essential for every physiological function
- Regain the lost water to prevent dehydration in body
- Higher safety when compared to caffeinated drinks

Dehydration / Lack Of Energy Lethargy / Fatigue / Post Workout Soreness

# EBAGRIP-M Ebastine 10mg + Montelukast 10mg TABLETS

#### **EBASTINE**

- Rapid onset of action to relieve symptoms of allergic rhinitis<sup>1</sup>
- Significantly more effective than placebo at relieving symptoms of chronic idiopathic urticaria<sup>1</sup>

#### MONTELUKAST


- Provides significant relief from symptoms of seasonal allergic rhinitis<sup>2</sup>
- Shows favourable safety profile and well-tolerated<sup>3</sup>

ALLERGIC RHNITIS | CHRONIC URTICARIA

Stay safe & enjoy allergy free life...

Ebagrip-10

Ebastine 10 mg & Ebastine 20 mg Tablets



#### Relief the symptoms of colds and flu, including headache, feverishness

Aceclotenac 100mg, Paracetamol 325mg, Cetirizine Hydrochloride 10mg. Phenylephrine Hydrochloride 5mg, Caffeine 25mg Tablets

Aceclofenac is used for pain relief. It relieves pain and inflammation in conditions like rheumatoid arthritis, ankylosing spondylitis, and osteoarthritis.

Paracetamol which is a pain reliever (analgesic) and helps reduce your temperature when you have a fever

Phenylephrine which is a decongestant to reduce swelling in the passages of the nose to help you breathe more easily

Caffeine which helps to increase the pain relief from paracetamol and makes you more alert.

#### Indication:

- Colds and Flu
- Headache
- Fever
- Aches and Pains







to treat heart complications ....

## Crestofine-20

Rosuvastatin 20mg

**Tablets** 

- Decreases LDL-L, increases HDL-C, & improves other blood lipid parameters than ATV80
- Effectively modifies lipids in patients with hypercholesterolemia & a high coronary heart disease risk
- Improves both hepatic steatosis & hepatic injury & fibrosis via improved peroxisomal I-oxidation high fat high cholesterol model
- Significantly lower rate of failure to achieve, LDL-C reduction goal than stimulvastatin, paravastatin, fluvastatin or lovastatin.

Dyslipidemia

Hypercholesterolemia

Hypertriglyeridemia



## **OSEMIC-MF**

Tranexamic Acid 500 mg + Mefenamic Acid 250 mg Tablets

#### Moderate Success in all kind of Bleeding...

#### Tranexamic Acid

- Tranexamic Acid is an anti-fibrinolytic.
- It works by preventing the breakdown of blood clots to control excessive bleeding during periods

#### Mefenamic Acid

 Mefenamic Acid is a non-steroidal anti-inflammatory drug (NSAID) which blocks the production of certain chemical messengers (prostaglandins) that cause pain and inflammation (redness and swelling).

#### Indicated In:


Analgesic in muscle joint

**Soft Tissue Pain** 

Dysmenorrhoea

Rheumatoids Steoarthrities





#### Cefixime:

- Effective against a wide spectrum of sensitive gram -ve, gram +ve bacterial pathogens including beta-lactamase producing bacteria
  - Globally accepted antibiotic
  - Excellent patient compliance

#### Azithromycin:

- Excellent gram negative antibiotic
  - Longer half life Gastro friendly

#### Lactic Acid Bacillus:

Re-establishes normal GI Flora

- » Skin & soft tissue infections
- » Respiratary tract infections
- » ENT infections » GIT Infections
- » Enteric Fever » Gynecological Infections



## Efficient Rise in Muscle Mass & Bone Density



- Increases muscle mass and reduces vertebral fracture rate of elderly osteoporotic patients<sup>1</sup>
- Exerts positive effects on BMD and bone pain in patients with established postmenopausal osteoporosis<sup>2</sup>
- Shows increase in hemoglobin and hematocrit levels in elderly patients with anemia<sup>3</sup>
- Safe options for treatment of muscle wasting and weakness<sup>4</sup>

Anemia

Osteoporosis

Muscle Wasting Disease

After Severe Trauma or Surgery

 Corticosteroid Induced Myopathy



1.1 Germrool A Blod Sci Med Sci 2005 May 605;648-53. 2 Martentas. 1993 Nov.17(3):211-9. 3.Gestarr Neptoni Umil. 1990-9(2):67-72. 4,145N August 2006 vol. 17 on. 8 2307-2314.



Efficacy & Safety





- Tazobactam enhances antibacterial spectrum of ceftriaxone against bacteria that are otherwise resistant
- Demonstrates synergistic activity (reduction in minimal inhibitory concentrations [MICs] for the combination versus those of each component) against a variety of organisms

Ceftriaxone 1000, 500.
250mg + Tazobactam 500, 250, 125mg



**Urinary Tract Infections** 

**Bone & Joint Infections** 

Intra-abdominal Infections

Peri-operative Prophylaxis

**Lower Respiratory Tract Infections** 

Skin & Skin Structure Infections



Top-level
Bactericidal Activity in
High Zone of Danger

ACTZONE 1000mg + Sulbactam 500mg

- Effective and safe alternative to clindamycin plus gentamicin in treatment of intra-abdominal infections<sup>1</sup>
- Useful adjunct to surgical intervention for intra-abdominal infections<sup>2</sup>
- Higher success rates (92.9%) than ceftazidime-amikacin-metronidazole (80.0%)<sup>2</sup>
- Effective and safe in children with moderate and severe respiratory infections<sup>3</sup>

| Septicaemia | Respiratory Tract Infections |
| Urinary Tract Infections | Intra-abdominal Infections |
| Skin And Soft Tissue Infections |

#### When Cold & Fever give Sleep-less Nights



# Aftercold DS

Paracetamol 250mg + Phenylephrine 5mg + Chlorpheniramine Maleate 2mg SYRUP

#### **CHLORPHENIRAMINE MALEATE: Anti-allergic**

 Effective relief of indoor and outdoor upper respiratory allergy symptoms

#### PARACETAMOL: Analgesic and Anti-pyretic

 Controls pain and fever associated with respiratory allergies or infection

#### **PHENYLEPHRINE: Decongestant**

Helps open up blocked nose


**Upper Respiratory Allergy Symptoms:** 

Aftercold
Paracetamol 125mg + Phenylephrine 2.5mg +
Chlorpheniramine Maleate 1mg SYRUP

Common Cold | Cough
Nasal & Throat Itching
Body-ache | Head-Ache
Fever | Blocked Nose



## Enhance the RESISTANCE POWER



AUT

# Betercal

Calcitriol 0.25mcg + Calcium Carbonate 500mg + Zinc 7.5mg
SOFT GEL CAPSULES

Calcitriol: Decreases bone turnover markers and brings significant improvement in muscle strength<sup>1</sup>

Calcium Carbonate: Effective in retarding bone loss in postmenopausal women<sup>2</sup>

Zinc: Stimulates bone formation, bone mineralization and preserves bone mass<sup>3</sup>

DRUG INDUCED OSTEOPOROSIS

Clin Interv Aging. 2014; 9: 515–526. 2.Am J Clin Nutr May 2005, vol. 81 no. 5 12325-12395
 3.The J.of Trace elements in Exp. Med. 11: 119-135 (1998)



Abdominal pain disturbs the quality of life of your patients...

## AMALCAP-O

Magaldrate 400 mg + Simethicone 20 mg + Syrup

Oxetacaine 10 mg

### Magaldrate

 Repidly reacts with acid where it is poorly absorbed thereby provides sustained antacid effect

### Simethicone

 A surfactant that relieves associated indigestion flatulence & reflux

### Oxetacaine

 Oxetacaine is a potent local anesthetic. It is administered orally for the relief of pain associated with peptic ulcer disease or esophagitis.

### **Indications:**

Gastritis

Dyspepsia

GERD

Hyperacidity

Overcomes Spasms During Uncomfortable Days

Magnify the Relief in Reflux Disorders



LSR



### LEVOSULPIRIDE

- \* Accelerates gastric emptying
- \* Better than domperidone and metoclopramide<sup>2</sup>

### RABEPRAZOLE:

- \* Rapid and effective in relieving heartburn<sup>3</sup>
- Also improves regurgitation and belching<sup>3</sup>

NON-EROSIVE REFLUX DISEASE GASTROESOPHAGEAL REFLUX DISEASE **FUNCTIONAL DYSPEPSIA** 









2 Ref J Controprehend, 1990 Aut Aug 2800 S1 F 28 1 Engert Opto Charg Sef 2009 Art B 13 119 DK



- Clavulanic acid synergistically expands amoxicillin's spectrum of activity
- Combination is highly active against beta-lactamase producing H. influenzae and M. catarrhalis¹
- First-line antibiotic drug for severe infections<sup>2</sup>

Amoxycillin 500mg + Clavulanic Acid 125mg



- ENT Infections
- Respiratory Tract Infections
- Genito-urinary Tract Infections
- Dental Infections
- Bone And Joint Infections
- Skin And Soft Tissue Infections

Drugs 2000;63(3):311-41. Z.Med Pregl. 2011 Mar Aprol4(3-4):178-62.

# Power to Defeat Infection





- Most widely used antibacterial agent
- Active against clinically important beta-lactamases
- Overall higher efficacy rates than azithromycin<sup>1</sup>


### **Intra-Abdominal Infections**

Tonsillitis, Sinusitis, Otitis Media

**Acute Exacerbation of Chronic Bronchitis, Pneumonia** 

Boils, Abscesses, Cellulitis, Wound Infections, Animal Bites





ALB

## **Autobact LB**

Amoxycillin 500mg + TABLETS
Clavulanic Acid 125mg + Lactic Acid Bacillus 60 Million Spores

### Amoxicillin + Clavulanic Acid:

- More efficiently eradicates beta-lactamase-producing strains & S.pneumoniae strains¹
- Excellent clinical activity in pharyngotonsillitis<sup>2</sup>
- Promising activity against pathogens that cause bone infections<sup>3</sup>

### **Lactic Acid Bacillus:**

 Improves GI tolerance of antibiotics thus reduces antibiotic associated diarrhoea<sup>4</sup> **UPPER RESPIRATORY TRACT INFECTIONS** 

LOWER RESPIRATORY TRACT INFECTIONS

SKIN AND SOFT TISSUE INFECTIONS

**BONE AND JOINT INFECTIONS** 

**INTRA-ABDOMINAL SEPSIS** 

**DENTAL INFECTIONS** 

1.Clin Pharmacokinet, 2005;44(11):1097-115. 2.Clin Ther. 2006;Jan;28(1):99-109. 3.Antonicrob Agents Chemother, 2009 Jun; \$3(8):2168-257. 4.Allins Fluers. & Thera., Vol.15(2), 2001, 163-169.





Calcium Citrate Malate + SOFT GEL CAPSULES
Calcitriol + Vitamin K2-7 + Folic Acid + Methylcobalamin + Boron

- More readily available to the body than calcium carbonate
- Efficaciously treat postmenopausal osteoporosis & corticosteroid-induced osteoporosis
- Inhibits occurrence of new bone fractures and maintains BMD in patients with osteoporosis
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy/ Lactation
- Drug Induced Osteoporosis
- Post Menopausal Osteoporosis



Coral Grains Containing Calcium Carbonate 225 mg + Folic Acid 1.5 m Vit, 86 3.0 mg + Methylcobalamin 1500 mcg + Vit. D3 200 I.U. SOFT GEL CAPSULES

### In Concomitant Asthma & Allergic Rhinitis

# BL SET-M

Bilastine 20 mg + Montelukast 10 mg Tablets



 Bilastine belongs to a class of medication called 'anti-allergic medication primarily used to treat allergic symptoms like sneezing, runny nose, congestion, stuffy nose or watery eyes.

### Montelukast

Montelukast belongs to the class of leukotriene receptor antagonists
that block the action of chemicals called leukotrienes released from the
lungs, causing inflammation (swelling) and increased mucus production
in the airways. Thereby reduces inflammation, mucus production and
narrowing in the airways. Bilastine belongs to the class of antihistamines
(anti-allergic drugs) that works by blocking the action of histamine, a substance
responsible for causing allergic reaction. It helps relieve allergic symptoms such
as sneezing, running nose, watery eyes, itching, swelling, congestion, or stiffness.



### **Indications**

- Perennial Allergic Rhinitis
- Allergic Asthmatic Conditions
- Seasonal Allergic Rhinitis

Extensive Relief In Asthma & Rhinitis....

## HIGHEST BIOAVAILABLE FOR FASTER MINERALISATION OF BONES





SAFE CALCIUM TO MAKE STRONG BONES TO STAND ON

### **CALCIUM CITRATE**

Promotes bone mineral density.

Minimizes bone loss in old age & women following menopause.

### VITAMIN D3

Enhances the calcium absorption

### **CALCIUM ASPARTATE**

Increases bone mineral density significantly while calcium citrate plus vitamin d may help slow down bone loss at the hip.

### **CALCIUM OROTATE**

Exhibits vitamin d3 independent Calcium absorption.

**POST MENOPAUSAL WOMEN** 

**OSTEOPOROSIS** 

**LOW BACK PAIN** 

**FRACTURE** 

**OSTOPENIA** 

**PSORIASIS** 

**POST PARTUM** 

**PREGNANCY & LACTATION** 

# For Early Switch from INFECTION to Cure





- More potent in vitro activity than amoxi-clav against beta-lactamase producing bacteria
- Equally good coverage for S. pneumoniae, H. influenza & M. catarrhalis as of ceftriaxone<sup>2</sup>

### **ENT INFECTIONS**

URINARY TRACT INFECTIONS

SKIN AND SOFT TISSUE INFECTIONS

UPPER AND LOWER RESPIRATORY TRACT INFECTIONS

AS A SWITCH THERAPY AFTER PARENTERAL CEPHALOSPORINS







# Cedobact DS

Cefpodoxime Proxetil 100mg


**DRY SYRUP** 

A broad spectrum cephalosporin antibiotic.

Stable to beta lactamase degradation'.

Provides an effective alternative for the treatment of typhoid fever in children even in case of multidrug-resistant S.typhi<sup>2</sup>.

Ensures better safety profile & excellent tolerability.



Pneumonia

**Acute Otitis Media** 

**Acute Sinusitis** 

**Pharyngitis & Tonsilitis** 

**Chronic Bronchitis** 

**Typhoid Fever** 

... Sustained infection free childhood

 Padmashree Dr D, Y. Patil Institute of Pharmaceutical Sciences and Research, Pimpri, Pune 411 018, India 2. WHO (1996), The World Health Report, Report of the Director General WHO. AUT

### Keep the Ventilatory Function allergy-free

## 

### **LEVOCETIRIZINE**

- Reduces rhinorrhea, nasal/eye itching & sneezing<sup>1</sup>
- Increases nasal patency & reduces inflammation<sup>1</sup>

### **MONTELUKAST**

- Leukotriene receptor type I inhibitor
- Decreases nasal congestion and reduces sleep impairment<sup>2</sup>



**RELIEF OF SYMPTOMS OF ALLERGIC RHINITIS** 

PROPHYLAXIS IN SEASONAL ALLERGIC RHINITIS

SYMPTOMS OF PERENNIAL ALLERGIC RHINITIS

Cetloc Kid

Levocetirizine 2.5mg + Montelukast 4mg

TABLETS



LOCK the Allergens & Feel Easy with...

CEF



### LEVOCETIRIZINE

 Shows an improvement in symptom control for seasonal allergic rhinitis

### MONTELUKAST

 Safe & well tolerated treatment in allergic rhinitis

#### BENEFIT OF COMBINATION

- Shows greatest reduction in nasal symptoms
- More effective than monotherapy in patient with persistent allergic rhinitis

Allergic Rhinitis [Seasonal]

**Prophylaxis in Seasonal Allergic Rhinitis** 

Symptoms of Perennial Allergic Rhinitis

Cetloc

Levocetirizine 2.5 mg + Montelukast 4 mg

Cetloc Kid Cetloc AX

Levocetirizine 10mg + Ambroxol 75mg SR

## **Treat the Dysfunction** for Normal Ovarian Functions



# Clearcyst Plus

D-Chiro-Inositol 13.8mg + Myo-Inositol 550mg + N-Acetyl cysyteine 600mg + Vitamin D3 1000 I.U.

**TABLETS** 

D-chiro-inositol +
Myo-Inositol - Effective in
improving endocrine and
metabolic parameters in young
obese PCOS affected women<sup>1</sup>

N-Acetylcysteine - Safe and well-tolerated adjuvant to clomiphene for induction of ovulation & improves ovulation and pregnancy rates<sup>2</sup>

Vitamin D3 - Plays
physiologic role in reproduction
including ovarian follicular
development and luteinization
via altering anti-müllerian
hormone (AMH) signalling,
follicle stimulating hormone
sensitivity and progesterone<sup>3</sup>

POLYCYSTIC OVARY SYNDROME (PCOS)

1. Int. J Endocresol. 2016; 2016; 3254083. 2.J Obstet Gynaecol Res. 2012 Sep.38(6:1162-6.



### For Vaginal infections of Mixed Bacterial & Fungal Origin...

# Clindamycin Phosphate 100mg + Clotrimazole 100mg VAGINAL SOFTGEL CAPSULES

### CLINDAMYCIN

- Shows lower rate of clinical failure than triple sulfonamide cream
- A More effective than Hydrogen peroxide douche

### CLOTRIMAZOLE

- Most active against Candida spp., Trichophyton spp. and Microsporum spp.
- Successful in patients who had failed to respond to other antifungal agents such as nystatin and amphotericin 8

Infective Leucorrhoea

**Vaginal Candidiasis** 

**Bacterial Vaginosis** 

**Trichomonasis** 

**Non-specific Vaginitis** 

1.Cochrane Database Syst Rev. 2009 Jul 8;(3):CD006055.

## When Skin Disorders get Infected with

Bacteria
& Fungus...





- CLOBETASOL: Potent steroid; reduces inflammation and relieves itching
- NEOMYCIN: Aminoglycoside antibiotic; treats bacteria that infect inflamed skin
- MICONAZOLE: Imidazole antifungal; inhibits most of the pathogenic fungi

STEROID RESPONSIVE DERMATOSES WITH SECONDARY INFECTIONS including:

**IMPETIGO** 

ECZEMATOID DERMATITIS

INTERTRIGO

**CHRONIC DERMATITIS** 

TINEA INFECTIONS

CLO





Mixed and complicated fungal, protozoal & Bacterial infection

Mild to moderate Vaginitis

Candidiasis and trichomonas infection

**Pruritis Vulvae** 

Inflammatory Dermatoses

**Genito - Urinary Infection** 

### Itraconazole

- Broad spectrum antifungal with fungistratic action
- Much more selective than Ketoconazole

### Ofloxacin

- A broad spectrum fluoroguinolone group of antibiotics
- Inhibits the DNA gyrase enzyme (topoisomerase IV) and thus inhibits bacterial cell division

### Ornidazole

- An antiamoebic agent which belongs Nitraimidazole group of antibiotics
- Effective in amoeba and trichomonas infections

#### CLP


### Clobetasol

- A synthetic active topical corticosteroid
- Exhibits anti-inflammatory, antipruritic & vasoconstrictive properties
- · Reduces redness and itching of the skin.



- Anti-inflammatory and immunosuppressive effects are used in treating various diseases¹
- Rapidly and effectively suppresses disease activity<sup>2</sup>
- Improves pulmonary function and produces clinical improvement in management of acute moderate asthma<sup>3</sup>
- Lacks several unwanted side effects on mineral and carbohydrate metabolism unlike prednisone<sup>4</sup>





ASTHMA | ULCERATIVE COLITIS


RHEUMATOID ARTHRITIS

SEVERE ALLERGY OR INFLAMMATION

INFLAMMATORY SKIN CONDITIONS

STEROID RESPONSIVE CONDITIONS

DDZ



### DOXYLAMINE + PYRIDOXINE

- First-line therapy for the treatment of NVP symptoms in women¹
- Shows 70% decrease in nausea and vomiting<sup>1</sup>
- Safe & effective for treating NVP<sup>1</sup>

### **FOLIC ACID**

Requires for normal growth and cell reproduction & prevents NTDs

MORNING SICKNESS
 HYPEREMESIS GRAVIDARUM

## Channelize the Hormonal Functions for Healthy life



# EndőCAP

Saraca Asoca 125mg + Symplocos Racemosa 125mg +
Teachyspermum Ammi 50mg + Mesua Ferrea 50mg + Putranjiva
Roxburghii 25mg + Asparagus Racemosus 40mg + Cyperus
Rotunus 30mg + Nardostachys Jatamansi 25mg + Terminalia
Chebula 25mg + Asphaltum Punjabinum 25mg

- Regularizes endogenous hormonal secretion
- Relieves the symptoms of dysfunctional uterine bleeding
- Stimulates the immune system and helps in increasing the level of hemoglobin in the blood
- Corrects cyclic rhythm and controls menorrhagia & metrorrhagia

**Premenstrual Syndrome** 

Dysmenorrhea

**Irregular Menstrual Bleeding** 

**Dysfunctional Uterine Bleeding** 

# Enhance the Craving for Food in Poor Eaters



- Helps overcome decreased appetite<sup>1</sup>
- Maintains efficacy over a long period of time<sup>1</sup>
- Safe and effective way to promote weight gain<sup>2</sup>
- Effective appetite stimulant in people with anorexia<sup>2</sup>



**Weight Loss** 

Anorexia Nervosa

**Loss of Appetite** 

**Drug Induced Weight Loss** 

Anemia, Liver or Digestive Disorder

ENZ




- Prolongs pregnancy in women at risk of abortion or premature delivery
- Demonstrates a positive outcome in 92% of cases¹
- Beneficial effect in 92.5% cases of risk of abortion<sup>1</sup>
- Maintains beneficial effect in 89.5% cases of risk of premature delivery

Abolish the Risk of Preterm Delivery...

Premature Labor and Miscarriage

**Risk of Abortion** 





- A Potent antioxidant, modulates immunity, prevents from recurrent infections
- Defends against free radicals and the increased lipid peroxidation
- Essential for the immune system, bone growth, night vision & cellular growth
- Improves muscle function, reduces risk of diabetes & hypertension<sup>1</sup>
- Inhibits cholesterol biosynthesis<sup>2</sup>;Lowers risk of CVD<sup>3</sup>
- Helps prevent glucose intolerance<sup>4</sup>

CARDIOVASCULAR DISORDERS (CAD, Endothelial Dysfunction, Hypertension)

PSYCHIATRIC DISORDERS (Neurodegeneration, Depressive Disorders)

CHRONIC FATIGUE, DEBILITY, CONVALESCENCE, GERIATRICS

DIABETES / OBESITY / DYSLIPIDEMIA / OSTEOPOROSIS



Top Class Safety During

Gestational Period...

Fairgest 200 SR
TABLETS Natural Micronized Progesterone 200mg (SR)

- Micronization causes reduced particle size, resulting in better absorption than natural progesterone<sup>1</sup>
- Established long-term protection of the endometrium<sup>2</sup>
- Exerts widespread clinical potential as a component of postmenopausal hormone replacement therapy<sup>3</sup>
- Well tolerable treatment option<sup>2</sup>

**LUTEAL SUPPORT DURING ART** 

**LUTEAL PHASE DEFECTS** 

THREATENED / RECURRENT ABORTION

PRETERM DELIVERY

PUERPERAL DEPRESSION

**SECONDARY AMENORRHEA** 





Clin Ther. 2001 Jul;23(7):1099-115
 Clin Ther. 1999 Jan;21(1):41-60; discussion 1-2
 Fertil Steril. 1999 Sep;72(3):389-97.

## Best Support for Fair Gestational Period

# Fairgest 200 Natural Micronized Progesterone 200mg Residence State Soft GEL CAPSULES

- Potent, multi-faceted endocrine agent with an expanding therapeutic profile
- Results in maintenance of pregnancy<sup>1</sup>
- Reduces menstrual problems during hormone replacement therapy in post-menopausal women<sup>2</sup>
- Better alternative than medroxyprogesterone acetate in terms of efficacy and safety<sup>3</sup>
- Premenstrual Syndrome
- Preterm Delivery
- Threatened Abortion
- Luteal Support During:
  - Assisted Reproductive Techniques
  - Luteal Phase Defects



### Non invasive bacteria diarrhoea Does't Need An Antiprotozoal



### **Indications**

- · Reduces the development of drug-resistant bacteria
  - · Effective against all important enteric pathogens
- Ensures effective relief in the treatment of irritable bowel syndrome with diarrhea (IBS-D) in adults

## FAXINGO

Rifaximin 400 mg Tablets

### Rifaximin

- Rifaximin should not be used if you have a fever or bloody diarrhea. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections. It will not work for viral infections (such as common cold. Flu). Using any antibiotic when it is not needed can cause it to not work for future infections.
- Rifaximin is also used to treat irritable bowel syndrome with diarrhea.
- It is also used to prevent a brain problem caused by liver disease (hepatic encephalopathy). It may help you think more clearly.

### RICH SOURCE OF IRON



| PREGNANCY & LACTATION |
| IRON DEFICIENCY ANAEMIA |
| GENERAL WEAKNESS |
| OSTEOPOROSIS |

### Ferotwo-XT

Ferrous Ascrobate 100mg + Vitamin D3-200lU + Cyanocobalamin 2mcg + Folic Acid 1.5mg + Zinc Sulphate 22.5mg

Tablets

### **Ferrous Ascrobate**

 Possess superior absorption (52%) compared to Ferrous Sulphate<sup>1</sup>

FXT

### Folic Acid + Vit.D3

- Prevents development of neuropathy; reduces tingling
- Produces healthy red blood cells and prevents megalobastic anaemia

### Zinc

Increase haemoglobin levels more than with Iron alone

### Cyanocobalamin

Needed to maintain the health of nerves, skin & blood cells.

1. European Journal of Clinical Pharmacology: 23(4), July 1982

Overcome Anaemic Conditions with Power of...

# Ferrous Bisglycinate 60mg + Folic Acid20mg + Zinc Bisglycinate 15mg + Mecobalmin 500mcg

### **Ferrous Bisglycinate**

More effective than ferrous sulphate in treatment of anaemia during pregnancy<sup>1</sup>

### Folic Acid

Helps erythroblasts for proliferation thus maintains erythropoiesis<sup>2</sup>

### Zinc Bis Glycinate

More bioavailable form of Zinc compared to zinc gluconate3

### Mecobalamin

Helps in treating conditions like megaloblastic anaemia



IRON DEFICIENCY ANAEMIA
MEGALOBLASTIC ANAEMIA





# Soothing & Cooling Analgesic


- , HIGH EFFICACY
  Similar efficacy to oral diclofenac in osteoarthritis<sup>1</sup>
- , SUPERIOR TOLERABILITY

  No gastrointestinal adverse events like conventional oral NSAIDs
- FAST ACTION

  Deep penetration action provides fast pain relief
  - LOW BACK PAIN
     JOINT PAINS
     ACUTE MUSCULOSKELETAL PAIN
     SPRAIN AND STRAIN

> SPORTS INJURIES







FLE

### Ginseng

 Maintains optimal anti-oxidative status against chronic disease states and aging¹

### Vitamins

• Improve both innate and adaptive immune responses

### Minerals

Increase physical work capacity by countering fatigue

Fatigue / Lethargy | Aging
Anorexia / Stress | Weak Immunity

## OFFER BEST EMESIS CONTROL DURING

**Acid Reflux Disorders** 





GIO

### **PANTOPRAZOLE**

- Effective and safe treatment for severe acid-peptic disease<sup>1</sup>
- Well tolerated<sup>2</sup>

### **ONDANSETRON**

Highly potent antiemetic drug<sup>3</sup>

CHRONIC/ ACUTE GASTRITIS

**NSAIDS INDUCED GASTRITIS** 

VOMITING ASSOCIATED WITH ACID PEPTIC DISORDERS

Givpep-40
Pantoprazole 40mg TABLETS/INJECTION

LDig Liver Dis. 2005 Jun. 17, 1210-22. 2 Allowed Pharmacol Ther. 2012 Add Stuff ST-47.
EPsecker Child Health. 2013 Mar. 16(3): 177-179.

### Give the Relief for Sustained Time

# Givpep-DSR

Pantoprazole 40mg + Domperidone 30mg (SR) CAPSULES

 Reduces symptoms in patients having Non-Erosive GERD<sup>1</sup>

- Completely cures of 72.34% patients with erosive GERD¹
- Effective & safe combination with high symptom reduction rates<sup>1</sup>
- Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease<sup>1</sup>



**NON-EROSIVE GERD** 

**NSAIDS INDUCED GASTRITIS** 

CHRONIC GASTRITIS/FUNCTIONAL DYSPEPSIA

NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS





Givpep-40

### Refill the Deficient Stock

# Givrose

Iron Sucrose

5m 1/2.5ml Injection

- Replenishes tissue iron stores, reverses iron depletion and iron-deficient erythropoiesis, and corrects or prevents iron deficiency anaemia Indian J Nephrol 1997; 7: 91-96
- Can be safely administered to haemodialysis patients intolerant to other IV iron products
   Nephron Clin Pract 2003; 96:c63-c66
- Can be administered without a test dose
- In four US Clinical trials in hemodialysis-dependent chronic kidney disease patients, a total of 130 patients who were intolerant to other IV iron products (109 intolerant to iron dextran alone, 6 intolerant to Ferric Gluconate alone, 15 intolerant to both) were successfully treated with Iron Sucrose

Nephron Clin Pract 2003; 96:c63-c66

Iron Deficiency Anaemia

Iron Deficiency Anaemia in Chronic Haemodialysis

Fills up the Blood Cell to Maximum Level

## Rapid Relief in Persistent Dry Cough...



Phenylephrine 10mg + Dextromethorphan 15mg + Chlorpheniramine Maleate 2mg Tablets


Phenylephrine: Nasal decongestant; reduces nasal airway resistance<sup>1</sup>

**Dextromethorphan:** Antitussive; effective in suppressing cough by acting directly on the cough center in brain & decreasing nerve impulse discharges to the muscles that produce cough?

Chlorpheniramine: Used alone or in combination in the management of nonspecific cough & causes mild sedation to prevent sleep disturbance<sup>3</sup>

NIGHT-TIME COUGH WITH NASAL CONGESTION DRY / ALLERGIC COUGH SMOKERS COUGH

1,CMAJ, 2014 Feb 18; 186(3); 190-199. 23,ang India, 2015 Jan-Feb; 32(1): 44-49. 3,J Assist Physicians India, 2013 May 0105 Supplies 13. IDX



### Beneficial in:

**GERD** 

**EROSIVE ESOPHAGITIS** 

ZOLLINGER ELLISON SYNDROME

### Correct Symtoms of GERD

for Better Growth

# Lansogen

Lansoprazole 15 mg Dispersible Tablets

### Lansoprazole

- Lansoprazole reduces the amount of acid your stomach makes. It's used for indigestion, heartburn, acid reflux and gastroesophageal-reflux disease
- Lansoprazole is well tolerated in neonates and infants<1year of age & above with Gastro Esophageal Reflux Disease (GERD)associated symtoms.
- Lansoprazole is significantly better than treatment of infants with an extensively hydrolyzed formula.
- Lansoprazole provide faster symptom relief & are effective in healing erosive esophagitis in patients unresponsive to H2RAs.
- (GERD) Lansoprazole is also taken to prevent and treat stomach ulcers.

Strawberry Flavour



# Lufinom

Luliconazole 1.0% w/w

Cream

- Luliconazole is used to treat skin infections such as athlete's foot, jock itch, and ringworm. Luliconazole is an azole antifungal that works by preventing the growth of the fungus.
- Potent antifungal activity against dermatophytes & favourable activity against Candida albicans, Malassezia spp. & Aspergillus furnigatus
- Shows more potent activity than lanoconazole
- Shows improvement in clinical symptoms of interdigital & plantar tinea
- · Greater reservoir property in stratum corneum than terbinafine

TINEA PEDIS | TINEA CRURIS
TINEA CORPORIS | CUTANEOUS CANDIDIASIS



### Maximize the diminishing Nerve Activity


## **Maxicarb** Forte

Mecobalamin 2500 mcg + Folic Acid 0.7 mg + Niacinamide 12 mg + Vit-C 150 mg

- Methylcobalamin delays the onset of diabetic peripheral neuropathy via up-regulation of neural IGF-1 gene expression<sup>1</sup>.
- Promotes neurite outgrowth by activating Akt in neurons<sup>2</sup>
- Deficiency of folic acid in the body causes nerve damage & numbness of limbs (Peripheral Neuropathy)
- Niacinamide is very important for DNA repair and phosphorylation process and most needed in organs with high energy requirement like the brain and nerve.







Indicated In:

**Diabetic Neuropathy** 

**Alcoholic Neuorpathy** 

**Peripheral Neuropathy** 

Megaloblastic Anaemia caused by Vitamin B12 Deficiency

Rejuvenates Nerves from Neruopathy



### Maximum Protection to Damaged Nerves



## Maxicarb

Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg + Folic Acid 1.5mg + Pyridoxine 3mg + Vitamin D3-1000IU CAPSULE

## Maxicarb Forte Mecobalamin 2500 mcg + Folic Acid 0.7 mg + INJECTION Niacinamide 12 mg + Vit-C 150 mg

Maxicarb Plus
Mecobalamin 1500 mcg + INJECTION
Pyridoxine 100 mg + Niacinamide 100 mg

Maxicarb
Methylcobalamin 1500mcg INJECTION

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

Alpha Lipoic Acid: Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

Vitamin D3: Decreases pain and paraesthesia in diabetic patients with symptomatic peripheral neuropathy

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA

MAX

#### **Triple Power to Pull Down**

Inflammation & Pain

## Mortrip-Plus

Aceclofenac 100mg + Paracetamol 325mg + Trypsin:Chymotrypsin 50000 A.U. **TABLETS** 



Aceclofenac - Provides effective analgesia in treatment of painful inflammatory diseases<sup>1</sup>

Paracetamol - Provides balanced postoperative analgesia<sup>2</sup>

Trypsin:Chymotrypsin
Decreases inflammatory
cytokines<sup>3</sup>

POST-OPERATIVE PAIN
TRAUMATIC WOUND INJURIES





GINSENG: Up-regulates antioxidant enzyme activity

GRAPE SEED EXTRACT: Reduces both LDL cholesterol & total cholesterol

GREEN TEA EXTRACT: Increases antioxidant status, boosts metabolism

GINKGO BILOBA: Neuroprotective, cardioprotective, stress alleviating effects

GARLIC EXTRACT: Reduces cholesterol levels & blood pressure

CARDIOVASCULAR DISORDERS (CAD, Endothelial Dysfunction, Hypertension)

PSYCHIATRIC DISORDERS (Neurodegeneration, Depressive Disorders)

CHRONIC FATIGUE, DEBILITY, CONVALESCENCE, GERIATRICS

AUTO-IMMUNE DISORDERS (RA), OSTEOPOROSIS | DIABETES / OBESITY / DYSLIPIDEMIA

POST MENOPAUSAL DISORDERS | SKIN DISORDERS

MG5



Right Support

at Cellular Level

- Maintains optimum level of nutrients in the blood
- Strengthens immune system; helps fight against infections
- Helps to heal injuries fast; protects against free radicals
- Improves feelings of general day-to-day well-being<sup>1</sup>

LETHARGY AND FATIGUE

COMPROMISED IMMUNITY

PROLONGED ILLNESS

CONVALESCENCE









## Mycopene soft GEL CAPSULES

Lycopene 8%-7500 mcg + Adenosylcobalamin 250mcg + Vit. A 2500 IU + Vit. C -50mg + Vit. E-10 IU + Sodium Selenite 25mcg + Zinc Sulphate 27.45mg

### Establish Fitness Forever with...

MYC

#### LYCOPENE

 Possesses strong antioxidantproperties prevents; degenerative diseases¹

#### ADENOSYLCOBALAMIN

Plays vital role in synthesis of heamoglobin

#### MULTIVITAMINS

 Useful in improving alertness and reducing negative mood symptoms<sup>2</sup>

#### MULTIMINERALS

Replenishe important nutrients lost due to drugs, alcohol & diseases



Lycopene + Multivitamin + Minerals

SYRUP



- MALE / FEMALE INFERTILITY
- PROSTATE CANCER PREVENTION
- CARDIOVASCULAR COMPLICATIONS
- DIABETES / DYSLIPIDEMIA/ OBESITY

1 Recent Results Cancer Res. 2014;202:109-14. 2.Hum Psychopharmacol. 2011 Dec;26(8):560-7.

Congestion...



## Nasowipe

Xylometazoline 0.1% + Benzlkonium Chloride sodium 0.02% wasal Solution

- > Potentially clears allergens & mucus, improves the mucociliary function of nasal mucosa & opens nasal passages¹
- > Reduces inflammatory mediators (histamine, PGD2 & leukotriene) & allergens in nasal secretions<sup>2</sup>
- > Enhances nasal mucosa ability to resist the effects of infectious agents, inflammatory mediators & irritants<sup>3</sup>
- > Improves symptoms, quality of life & mucociliary clearance time in allergic rhinitis<sup>4</sup>

# NASAL CONGESTION / RUNNY NOSE NASAL IRRITATION & ALLERGIES DRY NASAL PASSAGE UPPER AIRWAY COUGH SYNDROME





#### **Chill the Burning**

Neuorpathic Pain with...

#### **PREGABALIN**

- Efficacious and safe treatment for the neuropathic pain¹
- Demonstrates pain relief & decreases sleep interference<sup>2</sup>

#### NORTRIPTYLINE

- Most effective treatment in many neuropathic pain states<sup>3</sup>
- Provides relief in both constant burning and deep pains, as well as throbbing, and sharp stinging pains<sup>3</sup>

#### METHYLCOBALAMIN

- Reduces neuropathic symptom
- Promotes nerve regeneration and remyelination

PERIPHERAL NEUROPATHY
DIABETIC NERVE PAIN
DRUG INDUCED NEUROPATHY
POSTHERPETIC NEURALGIA

NEUROPATHIC PAIN ASSOCIATED WITH SPINAL CORD INJURY FIBROMYALGIA





NNM

### Put off THE BURNING SENSATION WITH





#### PREGABALIN

- Efficacious and safe treatment for the neuropathic pain¹
- Demonstrates pain relief & decreases sleep interference<sup>2</sup>

#### NORTRIPTYLINE

- Most effective treatment in many neuropathic pain states<sup>3</sup>
- Provides relief in both constant burning and deep pains, as well as throbbing, and sharp stinging pains<sup>3</sup>

PERIPHERAL NEUROPATHY
DIABETIC NEUROPATHY
DRUG INDUCED NEUROPATHY
POSTHERPETIC NEURALGIA



#### Don't Let migraine Disrupt your life



#### Provides immediate relief from pain

- · Naproxen & Domperidone is used to prevent Migraine.
- Naproxen is a non-steroidal anti-inflammatory drug (NSAID) which works by blocking the release of certain chemical messengers that cause pain due to migraine.
- Domperidone is a prokinetic which works on the region in the brain that controls vomiting associated with migraine.
- It also increases the movement of the stomach and intestines, allowing food to move more easily through the stomach.

| Migraine | Rheumatoid Arthritis | Osteoarthritis | | Menstrual Cramps | Acute Gout | Primary Dysmenorrhea |





## Let the Efficacy Team-Up with Safety

NIM

#### NIMESULIDE

- Effective and well-tolerated agent for use in general practices to treat acute low back pain¹
- Faster onset (<15 minutes) and stronger effect than ibuprofen<sup>2</sup>

#### PARACETAMOL

- Efficacious in pain relief with ani-pyretic activity
- Low incidence of adverse effects profile<sup>3</sup>

**FEVER** 


**BACKACHE** 

HEADACHE

**MUSCULAR ACHE** 

**TOOTH EXTRACTION** 

PRIMARY DYSMENORRHEA



1.Spine (Phila Fa 1976), 2000 Jun 15.25(12):1579-85. 2 Curr Ther Res Clin Exp. May 2005; 66(3): 172–160. 1.Sr J Anaesth. 2002 Feb;88(2):199-214.

#### The Powerful Muscle Relaxant



Noblinac-SP

Aceclofenac 100mg + Paracetamol Serratiopeptidase 15mg

Noblinac-T

Aceclofenac 100mg + Paracetamol 325 mg + Chlorzoxazone 250mg

Tablets

NMR

ACECLOFENAC - Statistically superior to diclofenac in efficacy in treatment of osteoarthritis<sup>1</sup>

PARACETAMOL - Safe and effective in most patients<sup>2</sup>

CHLORZOXAZONE - Power packed muscle relaxant | ACUTE MUSCLE SPASM |
LOW BACK PAIN |
| MUSCLE SPASM ASSOCIATED
WITH SPONDYLOSIS|
| MUSCULAR CRAMP |

|TRAUMATIC INJURY|

**EFFECTS OF COMBINATION** - Combination with extra factor - muscle relaxant & provides enhanced analgesic, anti-inflammatory & antipyretic action



Makes the Noble Job of Relieving Pain, Easier

Noblinac-S


Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg

#### SERRATIOPEPTIDASE

- Anti-inflammatory, anti-edemic and fibrinolytic
- Reduces localized inflammation rapidly<sup>1</sup>

#### **ACECLOFENAC & PARACETAMOL**

- Synergistic efficacy in severe pain<sup>2</sup>
- Rapid pain relief than monotherapy<sup>3</sup>
- Tooth Extraction
- Sports Injuries
- Sprains/Fractures
- Trauma/Surgery
- Post Operative Edema
- · Flare Up of OA/RA/Gout
- · Post Partum Haematomas









## Redefine Pain Management In Little Ones





#### ACECLOFENAC:

- Widely used to treat acute and chronic pain
- Demonstrates improved gastrointestinal tolerability compared to conventional NSAIDs<sup>1</sup>

#### PARACETAMOL:

- Gives very effective analgesia in dentistry
- Safe and effective in most paitents<sup>2</sup>

#### PAIN & FEVER

**DENTAL PAIN** 

**POST-OPEATIVE PAIN** 

**SOFT TISSUE INFLAMMATION** 

**INFLAMMATION OF EAR, NOSE, THROAT** 

## NSAID use can create GI complications Presenting Built-in Gastroprotective Pain Killer





- Designed to help control the pain and inflammation ostearthritis and rheumatoid Arthritis
- Ensures fewer incidences of dyspepsia compared with Aceclofenac alone
- Offers Power of Aceclofenac for the relief of signs and symptoms of osteoarthritis and rheumatoid arthritis
- Offers protective knowing that gastroprotective medicine (Rabeprazole) in built into every dose

Osteoarthritis / Gout Rheumatoid Arthritis Post Surgical Pain
Chronic Painful Conditions

NOR

Makes the Noble Job of Relieving Pain, Easier

Noblinac-S


Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg

#### SERRATIOPEPTIDASE

- Anti-inflammatory, anti-edemic and fibrinolytic
- Reduces localized inflammation rapidly<sup>1</sup>

#### **ACECLOFENAC & PARACETAMOL**

- Synergistic efficacy in severe pain<sup>2</sup>
- Rapid pain relief than monotherapy<sup>3</sup>
- Tooth Extraction
- Sports Injuries
- Sprains/Fractures
- Trauma/Surgery
- Post Operative Edema
- · Flare Up of OA/RA/Gout
- · Post Partum Haematomas









When

### Palafal Spasa

Grips the Skeletal Muscles



Noblinac-Aceclofenac 100 mg+Thiocolchicoside 4 mg **TABLETS** 

**ACECLOFENAC** 

#### Compared to Diclofenac Shows:

- Superior efficacy<sup>2</sup>
- Better intestinal safety<sup>3</sup>

#### THIOCOLCHICOSIDE:

#### Compared to Tizanidine Shows':

- Better efficacy; Speedy recovery
- · No sedation; Better quality of life

LOW BACK PAIN

SKELETAL MUSCLE SPASM

NOT

SPONDYLOSIS | SPRAIN & STRAIN

Noblinac-P

#### A tasty way to Increase overall performance



Malnutrition

**Elderly people** 

Pregnancy

Convalescence

**Growing Children** 

**Lactating Mother** 

### **Nutrafast DHA**

Protein Hydrolysate 20%-125mg+Calcium 96mg+Docosa Hexaenoic Acid 10%-25mg+Gamma Linolenic Acid 10%-18mcg +Pyridoxine HCI1.5mg+Vit. D3-200IU+Cyanocobalamin1mcg+Niacinamide 25mg+Folic Acid 300mcg+Zinc 5mg+ Iron 15mg +Manganese Sulphate1mg+Magnesium Oxide 2mg+Cupric Sulphate 1.25mg+Chromium 12.5mcg+Selenium Dioxide Monolrydrate 29mcg + Potassium Chloride 2.5mg + Sodium Chloride 16.5 mg+lodine 100 mcg

#### **Great Taste - Loaded with Nutrition**

#### Protein:

Help in the important physiocologial function boost the overall metabolism and immunity of the body fill gaps in protein requirement.

NDH

#### DHA:

Support the normal development of the brain, eyes & nerves proven benefit for the human heart reduce BP decreases the heart rate

Promotes growth & development

**Essential for optimum brain function** 


Provides essential and non-essential amino acids

**Enhances immunity** 

Strengthens host defense mechanism & shortens

Convalescence

Ultra Filtero protein powder with DHA Vitamins Minerals Carbohydrates





## NutraFast

Each 30 gm Contains: Protein Hydrolysate 20% 5 gm + Calcium 225 mg + Phosphorus 174 mg + Vitamin (B6 0.5 mg + B12 1 mcg + D3 100 I.U.) + Niacinamide 15 mg + Calcium D-Pantothenate 5 mg + Folic Acid 0.3 mg + Zinc 5 mg + Iron 7.5 mg

#### PROTEIN POWDER

- Helps to support micronutrients & protein needs post exercise
- Rich source of essential and non essential amino acids
- Supports well being with improved immune response
- Plays a leading role in body's growth and maintenance

**Physical Fatigue And Lethargy** 

**After Prolonged Illness** 

**As Protein Supplement** 

Compromized Immunity

In Geriatrics & Convalescence

#### The Time Tested Anti-Diarrhoeal

## Oflarge-M

Ofloxacin 100 Mg + Metronidazole 200 Mg + Lactic Acid Bacillus 60 Million Spores Suspension

#### Ofloxacin

 Good option for use in mixed microbial infection of aerobic bacteria, anaerobic bacteria and pathogenic protozoans

 Signicantly improves compliance since with simpler dose administration

#### Metronidazole:

Eliminates completely Amoeba & Giardiasis

#### **Lactic Acid Bacillus**

 Replenish intestinal micro flora to maintain ecosystem Prevents episodes diarrhoea- induced by antibiotics

Diarrhoea & Dysentery caused by protozoa, bacteria & mixed infection

Amoebiasis & Giardiasis





Stop the Excess Water Loss

during Mixed GI Infections

Racecadotril 15mg + Ofloxacin 50mg /5ml



#### Racecadotril

- Reduces hypersecretion of water and electrolytes into intestinal lumen<sup>1</sup>
- Better tolerated than loperamide<sup>1</sup>

#### Ofloxacin

- Good option for use in mixed microbial infection of aerobic bacteria, anaerobic bacteria and pathogenic protozoans
- Signicantly improves compliance since with simpler dose administration

#### Dysentery

Mixed GI Infections

**Bacterial Diarrhoea** 

**Hypersecretory Diarrhoea** 





## Treat Diarrhea & Normalize the Gut Flora

Oflargeoz

Ofloxacin 200 mg + Ornidazole 500mg

**TABLETS** 

- + Lactic Acid Bacillus 120 million Spores
- + Saccharomyces Boulardii 2 Million Spores

#### OFLOXACIN + ORNIDAZOLE

 Covers both aerobic and anaerobic bacteria along with protozoans¹

### **Oflarge**

OZ+

Ofloxacin 200mg + Ornidazole 500mg TABLETS

#### **LACTIC ACID BACILLUS**

Alleviates bacterial/viral induced diarrhoea<sup>2</sup>

### **Oflarge**

Racecadotril 15mg + Officeacin 50mg + Ornidazole 125mg SUSPENSION

#### SACCHAROMYCES BOULARDII

 Shows significant reduction in the risk of traveler's diarrhea<sup>3</sup>




INFECTIOUS DIARRHOEA

DYSENTERY

TRAVELER'S DIARRHEA

MIXED GI INFECTIONS

Thends in Medical Research, 2009, 4(2): 30-34.
 Eur J Clin Nutr. 1999 May; 53(5):339-50.
 Therap Adv Gastroenterol. 2012 Mar; 5(2): 111-125.



- Wide spectrum of activity against Gram-negative bacteria
- Safe and efficacious in patients with systemic infections¹
- Least susceptible to degradation by bacterial enzymes<sup>2</sup>
- Well tolerated treatment

**Burns And Post Operative Infections** Respiratory Tract Infections **Skin And Soft Tissue Infections Bones And Joints Infections Intra-abdominal Infections Recurrent Urinary Tract Infections** 

## Orgitru-F In FEMALE

Tocopheryl Acetate 25mg + Thiamine Mononitrate 5mg + Riboflavin 2.5mg + Folic Acid 1.5mg + Pyridoxine HO 5mg + Niacinamid 25mg + Ingyltol 100mg + L-Arginine 100mg + Co-enzyme Q10- 10mg + Para Aminoberusle Acid 25mg + Cyanocobalamin 500mg + Zinc Sulphate 10mg + Ferrous Furnarote 27.67mg + Copper Sulphate 1.5mg + Magnesium Hid 25mg + Potassium Indide 50mcg + Magnesium Sulphate 1.5mg + Chromium Pirolinate 35mcg + Cholecaldiferol 2001U + Retinol 2500 IU + Ascorbic Acid 75mg + Grape Seed Extract 50mg + Lycopne 2.5mg

### In FEMALE Infertility

CONTROLS ROS, INCREASES TOTAL ANTIOXIDANT CAPACITY
AND IMPROVES REPRODUCTIVE FUNCTIONING AT 3 CRUCIAL LEVELS:

#### OVARY

IMPROVES OVARAIN RESPONSE
Lycopene helps in follicular development and oocyte maturation
Zinc helps in regulation of menstrual cycle

#### **FALLOPIAN TUBE**

PREVENTS ROS-INDUCED TUBAL DAMAGE

Selenium promotes oocyte fertilization

Astaxanthin protects against oxidative DNA damage by reducing 8-OHdG Levels

#### UTERUS

#### IMPROVES IMPLANTATION

L-arginine improves blood flow to ovaries uterus and genitals

Folic acid, Vitamin B, and Vitamin B, prevent hyperhomocysteinemia complications

orgitru-M

Lycoepen 2500mcg + L-Carnitine 340mg + Co-Enzyme Q10 50mg +

Zinc Ascorbate 5mg + Astaxanthin 8 mg

## In Idiopathic MALE Infertility

SPERM PRODUCTION & COUNT

L-Carnitine

Acetyl-L-Carnitine

Folic acid

Vit B12 & Zinc

CoQ 10

SPERM PROTECTION

CoQ 10

Acetyl-L-Carnitine

Lycopene | Selenium

Zinc

**SPERM MOTILITY** 

**Tablets** 

CoQ 10 | Fructose

L-Carnitine + Acetyl-L-Carnitine

Citric Acid | Selenium

#### **ADVANTAGES OF ORGITRU-M**

IMPROVEMENTS IN SPERM MOTILITY, COUNT & MORPHOLOGY

REDUCTION IN PUFA IN SPERM MEMBRANE


SUPPRESSION OF ROS PRODUCTION

REDUCTION IN SPERM DNA FRAGMENTATION

IMPROVEMENTS IN SPERM VIABILITY

IMPROVEMENTS IN OOCYTE FERTILIZATION RATE

IMPROVEMENT IN PREGNANCY RATE





#### L-arginine


 Stimulates release of growth hormone, insulin, and other substances in the body

#### Lycopene

 Potent antioxidant; prevents several degenerative diseases1

#### Multivitamin

- Improve resistance to infection
- Decrease risk of age-related disorders



- Male / Female Infertility
- Pre-eclampsia And IUGR
- Prostate Cancer Prevention
- Cardiovascular Complications
- Diabetes / Dyslipidemia/ Obesity






- Increases serum 25(OH)D levels in vitamin D deficiency
- Reduces fractures in men and women aged over 65 years<sup>2</sup>
- Improves insulin secretion & insulin sensitivity, controls blood sugar<sup>3</sup>
- Supresses PTH & renin, reduces arrhythmias & blood pressure<sup>3</sup>

#### VITAMIN D DEFICIENCIES DURING •

Osteopenia / Osteoporosis | Diabetes / Dyslipidemia / Obesity Hypertension / Cardiovascular Complications Malabsorption States or Liver Diseases





Fulfil the need of Vitamin D3 & Correct Metabolic Problems



VITAMIN D DEFICIENCIES DURING

Osteopenia / Osteoporosis

| Diabetes / Dyslipidemia / Obesity

Hypertension / Cardiovascular Complications

**Malabsorption States or Liver Diseases** 

\*Ostanu-D3
Cholecalciferol 60000 LU.

Od3

- Increases serum 25(OH)D levels in vitamin D deficiency<sup>1</sup>
- Reduces fractures in men and women aged over 65 years<sup>2</sup>
- Improves insulin secretion & insulin sensitivity, controls blood sugar<sup>3</sup>
- Supresses PTH & renin, reduces arrhythmias & blood pressure<sup>3</sup>









Helps to establish normal serum 25-OH-D levels in infants<sup>1</sup>


Essential to establish adequate vitamin D status and prevents rickets in infancy<sup>1</sup>

Important role in calcium absorption and maintains bone health in the pediatric population<sup>2</sup>

Protects against autoimmune disease and plays an essential role in innate immunity<sup>2</sup>

RICKETS • VITAMIN D DEFICIENCY
FOR HEALTHY BONES, TEETH AND OVERALL GROWTH

1.Int J Pediatr Endocrinol. 2011; 2011(1): 4.
2.J Pediatr Pharmacol Ther. 2013 Oct-Dec; 18(4): 277–291.



Heal the Porous Bones with Triple Power...

## OSTANU - FRAC

Calcium 500 mg + Cissus Quadrangularis 500 mg +
Vitamin K27 45mcg TABLETS

#### Cissus Quadrangularis

 Reduces pain, swelling, fracture mobility & accelerates healing of fracture bones<sup>1</sup>

#### Calcium Citrate Maleate

- Decreases bone fracture risk in the elderly<sup>2</sup>
- Shows highest fractional absorption than other forms of calcium<sup>3</sup>

#### Vitamin K2-7

Improves bone mass & quality, decreases bone fractures rates<sup>4</sup>

Osteomalacia / Osteopenia | Fractures
Drug Induced Osteoporosis
Senile Osteoporosis
Post Menopausal Osteoporosis



Ayu. 2015 Apr-Jun; 36(2): 169-73

Adv Food Nutr. Res. 2008; 54:219-346

Alternative Medicine Review, Volume 4, Number 2, Pg74-85, 1999.

Dr. Meeta Singh, Basic & Applied Aspects, pp.1-24



#### During Osteopenia & Osteoporosis...

- Enhances bone mass accrual
- Ensures bone formation and bone mineralization

#### **During Pregnancy & Lactation...**

- Reduces the risk of pre-eclampsia
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy / Lactation
- Drug Induced Osteoporosis
- Post-menopausal Osteoporosis













Calcium Citrate 1000mg + TABLETS
Vitamin D3 200 I.U. + Zinc 4mg + Magnesium 100mg


#### During Osteopenia & Osteoporosis...

- Enhances bone mass accrual
- Ensures bone formation and bone mineralization

#### During Pregnancy & Lactation...

- Reduces the risk of pre-eclampsia
- Improves length of gestation & birth weight
- Senile Osteoporosis
- Pregnancy / Lactation
- Drug Induced Osteoporosis
- Post-menopausal Osteoporosis





- Inhibits cholesterol biosynthesis thus lowers risk of CVD
- Reduces triglyceride levels, blood pressure, platelet aggregation, arrhythmia, and atherogenesis
- Decreases production of reactive oxygen species
- Antihypertensive action, lowers blood pressure in dyslipidaemic patients

CARDIOVASCULAR DISORDERS
DIABETES / OBESITY / DYSLIPIDEMIA
CHRONIC FATIGUE, DEBILITY
CONVALESCENCE, GERIATRICS

## Supporting Healthy Pregnancy





Eicosapentaenoic Acid 90mg + Docosahexaenoic Acid 60mg + Methylcobalamin 1500mcg + Pyridoxine HCl 6mg + Folic Acid 5mg

#### SOFTGEL CAPSULES

#### EPA + DHA

- Critical building blocks of fetal brain and retina
- Play a role in determining the length of gestation and in preventing perinatal depression

#### **FOLIC ACID**

- Reduces neonatal mortality from NTDs<sup>2</sup>
- Prevents recurrence of NTDs by 70%<sup>2</sup>

#### METHYLCOBALAMIN + PYRIDOXINE + FOLIC ACID

 Assists in reduction of homocysteine (risk factor for pregnancy complications)

#### Pre-eclampsia

Intra-Uterine Growth Restriction

**Pregnancy Complications** 

**Neural Tube Defects** 

Low Birth Weight

1.Rev Obstet Gynecol. 2010 Fall; 3(4): 163-171. 2.Int J Epidemiol. 2010 Apr;39 Suppl 1:1110-21.





### Bring Down the Fever & Pain with...

Pyregem-D5
Paracetamol 250mg /5ml SUSPENSION







- Significant antipyretic & analgesic activity
- Safe and efficacious in pediatric fever¹
- Widely accepted to control symptoms in common cold and flu<sup>2</sup>
- Highly safe & well tolerated in pediatrics<sup>3</sup>
  - Teething Pain Headache
  - Pain And Fever Toothache
- Post Immunisation Pyrexia Earache

1.Rev Med Susse, 2014 Jan 15;10(412-413): 2.J Clin Pharm Ther, 2006 Aug;31(4):309-19:114 3.Curr Med Res Opin, 2007 Sep;23(9):2205-11.



- The most widely used pain reliever and fever reducer<sup>1</sup>
- Good tolerability profile in pregnancy<sup>2</sup>
- Safe and effective pain killer for many patients including asthmatics<sup>3</sup>
- HEADACHE
   MIGRAINE
- TOOTHACHE NEURALGIA
- DYSMENORRHEA
   OSTEOARTHRITIS
- MUSCULAR ACHES







When Inflammation becomes Violent & Pain becomes Unbearable

Rutomor-D

Trypsin 48mg + Bromelain 90 mg + Rutoside Trihydrate 100 mg + Diclofenac Sodium 50 mg

#### TABLETS

#### TRYPSIN Proteolytic Enzyme

 Anti-inflammatory; Inhibits vascular permeability and modulates cytokine levels<sup>1</sup>

#### **BROMELAIN** Proteolytic Enzyme

 Antiedematous, anti-inflammatory, antithrombotic and fibrinolytic activities!

#### **RUTOSIDE** Natural Flavonoid

 Powerful anti-oxidant; Effectively combats free radicals released during inflammation)

#### **DICLOFENAC** Potent Analgesic

 More effective & fast-acting than Indomethacin and Naproxen<sup>2</sup>

- Osteoarthritis
- Tooth Extraction
- Rheumatoid Arthritis
- Trauma / Sports Injuries
- Pre / Post Surgical Inflammation
- Fractures and Dislocations

Rutomor

Rutomor-A
Trypsin 48 mg + Bromelain 90 mg + Rutoside
Trihydrate 100 mg + Aceclofenac 100 mg

### Get Sure-Shot Relief in Dizzy Situations

# Surehistine 16mg Surehistine 16mg TABLETS

- Efficacious in symptomatic treatment of peripheral vestibular vertigo¹
- Useful therapeutic agent in the treatment of meniere's syndrome<sup>2</sup>
- Normalizes postural stability of patients with vertigo<sup>3</sup>
- Significantly improves quality of life<sup>4</sup>



SUR

SYMPTOMS OF MENIERE'S SYNDROME: Vertigo / Tinnitus / Hearing Loss / Nausea

## Treat the infections to

Maintain Good Health





- Provides rapid bacteriological eradication¹
- Empirical treatment for management of enteric fever¹
- Excellent tolerability & safety¹

**Typhoid Fever** 

**Nosocomial Infection** 

**Soft Tissue Infections** 

Intra Abdominal Infection

Lindian Journal of Basic & Applied Medical Research, September 2012; Vol.-1, Issue-4, P. 296-303 (http:///jbamr.com/pdf/296-303.pdf)



Also Available :





Cranberry Extract 200 mg + D-Mannose 300 mg + Pyridoxine Hcl 20mg + Potassium Magnesium Citrate 978 mg 200ml/ Syrup

#### Cranberry Extract:

- · Hinders bacteria adhesion to the urothelium
- Exerts significant positive effect on UTI's resolution & QoL improvement

#### D Mannose + Pyridoxine Hcl:

- Prevents the adhesion of type 1 & P-fimbriase strains (particularly from E coli) to the urothelium
- Highly effective in the phrophylaxis of recurrent UTI's in young & middle aged women

#### Potasssium Magnesium Citrate:

- · Attaches to calcium in the urine, prevent the formation of mineral crystals
- Citrate binds with urinary calcium & prevents the formation of calcium oxalate stones.

Urinary Tract Infections | UTI's During Pregnancy Bacteriuria | Kidney Stones, Renal calculi



Cranberry Extract 200 mg + D-Mannose 300 mg + Potassium Magnesium Citrate 975 mg Sachets



Best Way Out of the Grim Situation of Resistance






#### ADVANTAGE OF COMBINATION

- Produces larger zones of inhibitions than ceftriaxone alone!
- Bacteria resistant to ceftriaxone, once again become sensitive when inhibitor sulbactam is added
- Sulbactam synergistically improves the activity of ceftriaxone against
   β-lactamase producing pathogens¹
- Shows concentration higher than MIC even after 24hrs against most pathogens<sup>2</sup>

#### In:

Skin and Soft Tissue Infections
Cholecystitis/ Osteomyelititis
Chronic Supprative Bacterial Otitis Media
Gonnorrhoea/ Chancroid/ Syphillis
Urinary Tract Infections
Meningititis/ Noscomial Infections

### Provide Inclining Support to **Digestive Health**



VOM YOL

#### PREBIOTICS

- Benefits host health by allowing beneficial changes in G.I. microflora¹
- Shows beneficial effect in prevention and treatment of G.I. disordered<sup>2</sup>

#### **PROBIOTICS**

- Prevent or reduce duration and complaints of rotavirus-induced or antibiotic-associated diarrhea<sup>1</sup>
- Normalizes passage of stool and stool consistency in subjects suffering from contipation or an irritable colon<sup>3</sup>

Lactose Intolerance **Inflammatory Bowel Disease Antibiotic Associated Diarrhoea** Diarrhoea (Bacterial, Viral, Protozoal)



#### EXPEL-OUT

the Multiple Symptoms of Respiratory Allergies with...

# Aftercold-AX Levocetirizine Hydrochloride 2.5 mg + Ambroxol HCl 15 mg +

Guaiphenesin 50 mg + Menthol 1 mg SYRUP

- LEVOCETIRIZINE: Reduces sneezing, rhinorrhea and nasal pruritus
- AMBROXOL: Promotes removal of tenacious secretions from respiratory tract to reduce mucus stasis
- GUAIPHENESIN: Decreases sputum quantity in productive cough
- MENTHOL: Soothens the inflammed throat.

Nasal Congestion Head / Body Ache Sneezing Runny Nose



Aftercold

Paracetamol + Phenylephrine Hydrochloride Suspension
Levocetikine Dihydrochloride Smg + TABLETS



For the use of Registered Medical Practitioner or Hospital or Laboratory only








- Chemotherapy induced nausea and vomiting
- Radiotherapy induced nausea and vomiting
- Post-operative nausea and vomiting
- Gastroenteritis

- Selective serotonin 5-HT3 receptor antagonist
- Effective for controlling the nausea and vomiting induced by cisplatin treatment<sup>1</sup>
- More effective than metoclopramide in preventing acute nausea and vomiting<sup>2</sup>
- Well tolerated with a lower incidence of sedation compared to conventional antiemetics<sup>3</sup>



- Replenishes lost bicarbonate in metabolic acidosis
- · Alkalizes urine; prevents burning micturition
- · Relieves discomfort in mild urinary tract infections
- Reduces chances of recurrence of calcium stones

**Burning Micturition** 

**Urinary Tract Infections** 


**Uric Acid Nephropathy** 

**Recurrent Kidney Stones** 

**Metabolic Acidosis** 



### Enhance the RESISTANCE POWER



AUT

# Betercal

Calcitriol 0.25mcg + Calcium Carbonate 500mg + Zinc 7.5mg
SOFT GEL CAPSULES

Calcitriol: Decreases bone turnover markers and brings significant improvement in muscle strength<sup>1</sup>

Calcium Carbonate: Effective in retarding bone loss in postmenopausal women<sup>2</sup>

Zinc: Stimulates bone formation, bone mineralization and preserves bone mass<sup>3</sup>

DRUG INDUCED OSTEOPOROSIS

Clin Interv Aging. 2014; 9: 515–526. 2.Am J Clin Nutr May 2005, vol. 81 no. 5 12325-12395
 3.The J.of Trace elements in Exp. Med. 11: 119-135 (1998)

## **Treat the Dysfunction** for Normal Ovarian Functions

# Clearcyst Plus

D-Chiro-Inositol 13.8mg + Myo-Inositol 550mg + N-Acetyl cysyteine 600mg + Vitamin D3 1000 I.U.

**TABLETS** 



D-chiro-inositol +
Myo-Inositol - Effective in
improving endocrine and
metabolic parameters in young
obese PCOS affected women<sup>1</sup>

N-Acetylcysteine - Safe and well-tolerated adjuvant to clomiphene for induction of ovulation & improves ovulation and pregnancy rates<sup>2</sup>

Vitamin D3 - Plays
physiologic role in reproduction
including ovarian follicular
development and luteinization
via altering anti-müllerian
hormone (AMH) signalling,
follicle stimulating hormone
sensitivity and progesterone<sup>3</sup>

#### POLYCYSTIC OVARY SYNDROME (PCOS)









### For Instant Relief in eye infections

- Moxifloxacin 0.5 % Eye Drop is an antibiotic, used in the treatment of bacterial infections of the eye.
- It relieves the symptoms of the infection by stopping the further growth of the causative microorganisms.
- It treats bacterial eye infections by preventing the bacteria from dividing and repairing. It does so stopping the action of a bacterial enzyme called DNA-gyrase.
- It works by killing bacteria or preventing their growth.

Bacterial Keratitis | Blepheritis

External Bacterial infections | Conjunctivitis

### **NOBLINAC 200 SR**

Aceclofenac 200 mg Sustained Release

**Tablets** 

- Effective in symptomatic treatment of rheumatoid arthritis.
- Better safety profile than ketoprofen.
- · Favourable patient compliance.
- Reduces pain and improves functional capacity more than paracetamol in patients with symptomatic OA of knee.

| Rheumatoid Arthritis | | Ankylosing Spondylitis | | Gouty Arthritis | | Osteoarthritis | Round the Clock Relief from Pain & Inflammation



### Smooth Muscle relaxant with Anti-infective Advantage

# Oflarge UTI

Ofloxacin 200mg + Flavoxate Hydrochloride 200mg Tablets

- Ofloxacin and Flavoxate, which treats urinary tract infections
  - Ofloxacin is an antibiotic which kills bacteria by preventing them from reproducing and repairing themselves.
- Flavoxate is an anti-spasmodic, it works by relaxing muscles & the urinary bladder & prevents frequent urgent or uncontrolled urination and relieves associated pain.

Cystitis
Prostatitis
Urethritis
Urethrocystitis
Urinary Tract Infections
Bone & Joint Infections
G.I. Infections
Gynaecological infections





## Help the human body win against Innumerable microbes



Azithromycin 500mg + Lactic Acid Bacillus 60ms Tablets

#### Azithromycin

- Sustained tissue concentrations > MICs for major pathogens<sup>1</sup>
- High compliance leading to improved clinical outcomes<sup>2</sup>
- Effective alternative to fluoroguinolones for typhoid fever<sup>3</sup>

#### **Lactic Acid Bacillus**

Improves GI tolerance of antibiotic thus reduces antibiotic reduces diarrhoea

Community Acquired Pneumonia

Acute Exacerbations of Chronic Bronchitis

Acute Exacerbations of COPD

Sinusitis / Tonsillitis / Pharyngitis

Genital Ulcer Disease (Chancroid) / Genitourinary Tract Infections

Acne / Infected Dermatitis / Other Skin Infections





# Pyregen-SR Paracetamol 300mg (IR) + 700mg (SR) TABLETS

- Therapeutically and statistically noninferior to conventional paracetamol 500mg tablet for the treatment of mild to moderate pain and fever¹
- Maintain the minimum effective paracetamol concentration (until 12 hours)
   compared with conventional 500 mg tablet (6 hours)<sup>1</sup>
- Reduces the administration frequency of oral paracetamol to half hence improves patient compliance<sup>1</sup>
- Also beneficial for patients in whom use of NSAIDs are restricted¹

FEVER I HEADACHE/ MIGRAINE I TOOTHACHE I NEURALGIA DYSMENORRHEA I OSTEOARTHRITIS/ MUSCULAR ACHES

1.Pain Medicine, Volume 14, Issue 3, March 2013, Pages 436-441,



## BACILO-RITE

Bacillus Clausii spores suspension 2 billion spores

# Feel good inside with natural intestinal microflora

BAC

The most dependable probiotic

- Controls diarrhoea and normalises stool Formulation
- · Regulates G.I. Tract
- Prevents abnormal intestinal formenation
- · Helps absorption of micronutrients

 Helps in the synthesis of B-complex Factors and other digestive enzymes

Diarrhoea I Constipation

**Gastrointestinal Disorder** 

Antibiotic associated Diarrhoea

Infantile, weaning and Neonatal Diarrhea



## Get the **CLINICAL SUCCESS** against worm infestation



# Albiget-Plus

Albendazole 400mg + Ivermectin 12mg

- 100
- Broad-spectrum anthelmintics, decreases prevalence and intensity of intestinal helminth infections<sup>1</sup>
- Effectively clears bancroftian microfilaraemia?
- Reduces prevalence of Trichuris infection more than either drug alone<sup>3</sup>
- Results in significantly greater gains in height (hookworm-infected children) or weight (Trichuris-infected children)<sup>3</sup>

1 Clin Infect Dis, Dec 1, 2010; 51(11): 1229–1255. 2.Hkirlis J. 2003; 2: 15. 2.Am / Trop Med Hyg. 1999 Mar.60(3):479-86.



#### An Ultimate Extinguisher for burning Acidity

# Amalcap-A

Oxetacaine 10 mg + Aluminium Hydroxide 0.291mg + SUSPENSION
Dried Aluminium Hydroxide 0.380mg + Magnesium Hydroxide 98 mg



- Oxetacaine is an amide anesthetic with prolonged action.
- Aluminium hydroxide binds dietary phosphate. It is of benefit in patients with hyperphosphatemia in renal failure.
- Aluminium hydroxide neutralizes the already released excess gastric acid.
- Combination is very effective for short-term symptomatic relief as the local anesthetic relieves the patient from the swallowing difficulties in post-radiation therapies.
- Magnesium Hydroxide has direct antipeptic action as well as a demulcent effect, protecting the gastrointestinal mucosa and further irritation or erosion

# SYMPTOMATIC RELIEF FROM GERD HEARTBURN RADIATION INDUCED ESOPHAGITIS & CANDIDOSIS COOLS DOWN THE BURNING ACIDITY





Live Healthy & Be Fine with...





Coenzyme Q-10-100 mg + Lycopene 10% -4000mcg+ Omega 3 Fatty Acid EPA - 90mg + DHA - 60mg + Selenium Dioxide 70mcg

#### CO ENZYME Q 10

Effective in improving sperm kinetic features in patients with idiopathic asthenozoospermia

#### LYCOPENE

Promising results in alleviating male infertility, lipid peroxidation and decreases DNA damage?

#### MULTIVITAMINS

Improve micronutrient status to levels associated with reduced risk for several chronic diseases

HIGH OXIDATIVE STRESS | CARDIOVASCULAR DISEASE

PREVENTION OF CANCER | MALE / FEMALE INFERTILITY





#### Drotaverine:

- · Safe & well tolerated drug
- A non-anticholinergic antispasmodic
- Smooth Muscle relaxant properteis
- Provides effective pain relief in colicky pain with no serious side effects.

#### Aceclofenac:

- A non-steroidal anti-inflammatory drug.
- Aceclofenac releives pain & inflammation
- · Better GI tolerability than Diclofenac

G.I. Spasm | Billiary Colics

Dysmenorrhoea | Smooth Muscle spasm

Renal Clics | Post MTP



### When smooth muscle spasm becomes scary



### Flow for comfortale Respiration



# IFCOF BR

Bromhexine Hydrochloride 2 mg + Guaiphenesin 50 mg + Terbutaline Sulphate 1.25 mg + Menthol 0.5 mg SYRUP

#### **Bromhexine:**

Bromhexine is a mucolytic agent which thins and loosens mucus (phlegm), making it easier to cough out.

#### Terbutaline:

Terbutaline is a bronchodilator. It works by relaxing the muscles in the airways and widens the airways.

#### Guaifenesin:

Guaifenesin is an expectorant which decreases the stickiness of mucus (phlegm) and helps in its removal from the airways.

#### Menthol:

Menthol gives the sensation of easier breathing & reduce coughing.

COUGH | COMMON COLD BRONCHITIS | WHEEZING SHORTNESS OF BREATH



When pulmonary function ot working properly

## IFCOF XT

Acebrophylline 50mg+ Guaiphenesin 50mg+ Terbutaline Sulphate 1.25mg Syrup

#### Non Alcoholic COUGH FORMULA

#### **ACEBROPHYLLINE**

- An airway mucus regulator with anti-inflammatory action
- Restores the normal viscosity of abnormal bronchial secretion

#### **GUAIPHENESIN**

- Promotes expectoration
- · Reduces viscosity of sputum

#### **TERBUTALINE**

Enhances mucociliary clearance

- Lung abscess
- Asthmatic bronchitis
- Chronic bronchitis
- COPD
- Pneumonia







## STOP EXCESSIVE BLEEDING

#### THE EFFECTIVE BLOOD MANAGEMENT

#### ETHAMSYLATE:

 Haemostatic drug, work by increasing capillary endothelial resistance and promoting platelet adhesion

#### TRANEXAMIC ACID:

- Prevents breakdown of clot 0
   Preserves the fibrin matrix and increases the tensile strength of the clot
- · Helps stabilizing the clot
- Reduces menstrual blood loss by 40-50%

#### Menorrhagia

**Urinary Tract Surgery** 

**Bleeding Associated with Pregnancy** 

**Orthopaedic Surgery** 





### Superior Compliance Leads to Better Outcomes

# OZISET-200 Azithromycin 200mg/5ml SUSPENSION



- Just 3 day regimen is as effective as 10-day of amoxi/clav in acute LRTIs<sup>1</sup>
- Better than fluoroquinolones in drug-resistant enteric fever<sup>2</sup>
- Excellent patient compliance

#### **Community Acquired Pneumonia**

**Acute Exacerbations of COPD** 

**Acute Exacerbations of Chronic Bronchitis** 

Sinusitis / Tonsillitis / Pharyngitis

**Genitourinary Tract Infections** 

Infected Dermatitis / Other Skin Infections



### Protection Beyond Symptoms Relief

### ESINOM-FAST 40

Esomeprazole 40 mg with Sodium Bicarbonate as buffer Tablets

- Heals 92%-94% of patients of erosive esophagistis
- Suppresses gastric acidity more effectively and in more individuals than pantoprazole, 40mg daily, and rabeprazole 20mg daily
- Ensures superior healing rates and improved symptom relief, with fewer therapy resistant patients
- Significantly more effective at controlling gastric acidity above pH 4 for more than 16 h

Duodenal Ulcer
Drug Induced Ulcer
Reflux Esophagitis
Zollinger Ellison Syndrome



Esinom-DSR

Esomeprazole 40mg (Enteric Coated) +
Domperidone 30mg (Sustained Release) CAPSULES

E



- Increases haemoglobin levels
- Excellent gastro-intestinal tolerability
- Successfully treats iron deficiency anaemia
- Prevents neural tube defects & pregnancy complications

IRON DEFICIENCY ANEMIA

ACUTE / CHRONIC BLOOD LOSS


POST-SURGICAL BLOOD LOSS

PREGNANCY AND LACTATION

ANEMIA ASSOCIATED WITH INFECTIONS







**Diacerein:** Better extended effect and good safety profile than diclofenac in patients with knee osteoarthritis

**Glucosamine:** Major constituent of extracellular cartilage matrix & building block for proteoglycan

**Effects of Combination:** Promotes joint mobility, reduces progression of osteoarthritis

INDICATED IN:



CHRONIC INFLAMMATORY ARTHRITIS 😓

SENILE CHONDRAL DEGENRATION



# Sodium Carboxymethylcellulose Ip 0.5% EYE DROPS

#### Carboxymethyl Cellulose

- Carboxymethyl Cellulose (CMC) has visco elasticity and retensive property.
- Increases the stability of pre corneal tear film and the protects the eye surface against environmental aggression.
- · Keep eyes moist and lubricated.
- These may be caused by your eye not producing enough tears to keep the eye moist.
- Provide soothing relief from the symptoms of dry eyes, such as soreness, irritation or a gritty sensation.
- It is Preservative-free and can be used by people who wear rigid or gas permeable contact lenses, or who are sensitive to preservatives.

#### INDICATIONS

Sore Eyes | Dry Eye | Inflammation

Eyes injuries | Computer Vision Syndrome

Giant papillary conjunctivitis

Acute anterior uveitis





Ketorolac Tromethamine 10 mg Dispersible Tablets

#### The pain Specialist ....

- Ketorolac is an approved drug for the management of moderately to severe acute pain that requires analgesia at the opioid level
- Onset of action: 30 min, C-Max: 20-60 min, bioavailbility: 80-100%
- No CNS side effect (Non Sedative, No Anti Anxiety effect)
- Ketorolac administrations immediately before peridontal surgery was effective for alleviating the operative painful sequelae
- In postoperative oral surgery pain Ketorolac10 mg has superior analgesic effect than Acetaminophen & Ketorolac 20 mg was superior to Acetaminophen - Codine combination
- Ketorolac is as safe as Ketoprofen & Diclofenac for the treatment of pain after major surgery

Indications: Moderate to Severe acute pain (<=5 days) that requires analgesia at opioid level






- Linezolid is used to treat infections, including pneumonia and infections of the skin.
- Linezolid is in a class of antibacterials called oxazolidinones.
- It works by stopping the growth of bacteria.
- · Linezolid is an antibiotic that fights bacteria in the body.
- · Linezolid is also an MAO (monoamine oxidase) inhibitor.
- Linezolid is used to treat different types of bacterial infections, such as pneumonia, skin infections, and infections that are resistant to other antibiotics.

Tops in efficacy, top in result





Folic Acid 1.5mg + Pyridoxine 3mg + Vitamin D3-1000IU

Methylcobalamin 1500 mcg + Alpha Lipoic acid 100 mg + Pyridoxine

Hydrochloride 3 mg + Folic Acid 1.5 mg

SOFTGEL CAPSULES

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

Alpha Lipoic Acid: Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

Vitamin D3: Decreases pain and paraesthesia in diabetic patients with symptomatic peripheral neuropathy

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA







### For Instant Relief in eye infections



# Moxifloxacin 0.5%w/v eye Drops

- Moxifloxacin 0.5 % Eye Drop is an antibiotic, used in the treatment of bacterial infections of the eye.
- It relieves the symptoms of the infection by stopping the further growth of the causative microorganisms.
- It treats bacterial eye infections by preventing the bacteria from dividing and repairing. It does so stopping the action of a bacterial enzyme called DNA-gyrase.
- It works by killing bacteria or preventing their growth.

Bacterial Keratitis | Blepheritis

External Bacterial infections | Conjunctivitis


MAXIWOK-KT
Moxifloxacin 0.5% + Ketorolac 0.5% Eve Drops

MAXIWOK-D

Moxifloxacin Hcl 0.5% w/v + Dexamethasone 0.1% w/v/[5ml] Eye Drops

Maxiwok-P
Moxifloxacin HCl 0.5% + Prednisolone Sml (Eye/Ear Drops)





Attain clarity of vision

### MAXIWOK-D

Moxifloxacin Hcl 0.5%w/v + Dexamethasone 0.1% w/v(5ml) Eye Drops

#### Moxifloxacin:

- Eradicates ocular pathogenic bacteria by bactericidal action.
- Offers greater efficacy against resistant bacteria than conventional antibiotics.

#### Dexamethasone:

- · Synthetic topical corticosteroid.
- Inhibits synthesis of inflammatory mediators-Prostaglandins.
- Relieves the symptoms of inflammation: redness, soreness & swelling.
- · A highly potent & long acting corticosteroid.
  - Bacterial Conjunctivitis
     Bacterial Keratitis
    - Blepharitis Post-surgical inflammation









### When eyes care becomes need

## Maxiwok-KT

Moxifloxacin 0.5% + Ketorolac Tromethamine 0.5% Eye Drops

#### Moxifloxacin

- » Having greater efficacy for both Gram+ve and -ve microorganisms
- » USA FDA approved to treat severe bacterial infections
- » Penetrates in the aqueous humor better than Gatifloxacin

#### Ketorolac

- » Relieve eye swelling and pain after cataract surgery
- » Blocks the harmones that produces inflammation and pain

Post-Operative Inflammation

Conjunctivitis

Keratitis | Cornea Ulcer

**Surgical Eye Infection** 



## Moxifloxacin 0.5%w/v Eye Drops

Maxivok-P

Moxifloxacin HCl 0.5% + Prednisolone 5ml (Eye/Ear Drops)

Moxifloxacin Hcl 0.5%w/v + Dexamethasone 0.1% w/v(5ml) Eye Drops

Choose the right one



## Treats Ocular Inflammation with Risk of Infections



## Maxiwok-P

Moxifloxacin HCl 0.5% + Prednisolone 5ml (Eye/Ear Drops)

#### MOXIFLOXACIN:

- Synthetic Broad-spectrum antibacterial agent of 4th generation fluoroquinolone
- Inhibits bacterial topoisomerase II (DNA Gyrase) and topoisomerase IV (Inhibition is bactericidal)

#### PREDNISOLONE:

- Synthetic corticosteroid with glucocorticcid effect
- · Effective immunocupprecsant
- Provides anti-inflammatory and anti-allergic action

Blepharitis | Bacerial Keratitis
Post-surgical inflammation
Bacerial Conjunctivitis



MAXIVOK-D

Moxifloxacin Hcl 0.5%w/v + Dexamethasone 0.1% w/v[Smi] Eye Drops





Congestion...



# Nasowipe

Xylometazoline 0.1% + Benzlkonium Chloride sodium 0.02% reasal Solution

- > Potentially clears allergens & mucus, improves the mucociliary function of nasal mucosa & opens nasal passages¹
- > Reduces inflammatory mediators (histamine, PGD2 & leukotriene) & allergens in nasal secretions<sup>2</sup>
- > Enhances nasal mucosa ability to resist the effects of infectious agents, inflammatory mediators & irritants<sup>3</sup>
- > Improves symptoms, quality of life & mucociliary clearance time in allergic rhinitis<sup>4</sup>


### NASAL CONGESTION / RUNNY NOSE NASAL IRRITATION & ALLERGIES DRY NASAL PASSAGE UPPER AIRWAY COUGH SYNDROME



### Tackle the Obstacles of...... Resistant bacterial infections

# Quinoget Gatifloxacin 0.3% w/v +

Benzalkonium Chloride Solution 0.01% v/v.EYE DROPS



- · Topical bactericidal antibiotic.
- Eradicates aerobic gram-positive & gram-negative pathogenic bacteria.
- Offers greater effectiveness against bacterial pathogens that are resistant to aminoglycoside, macrolide & tetracycline antibiotics.
- Achieves higher concentration in ocular tissue than Ciprofloxacin
- · Exhibits high killing rate
  - Bacterial conjunctivitis
  - Keratitis | Corneal ulcer
    - Keratoconjunctivitis
  - Post-surgical ocular infections



## Stop Inflammation, Relieve Pain & Accelerate healing

## RUTOMOR-A

Trypsin 48mg + Bromelain 90mg +
Rutoside Trihydrate 100mg + Aceclofenac 100mg 
Tablets

The comprehensive therapeutic Approach Analgesic, Antioedemic, Anti-inflammatory immunomodulatory, Fibrinolytic

#### **Trypsin**

Powerful proteolytic enzymes remove cell debris & haemotoma
Beneficial in digestive enhancement
Speed up recovery time

#### **Bromelain & Rutoside**

Expert anti-inflammatory effects
Accelerate healing in injuries
& surgery
Improve blood circulation

#### Aceclofenac

Powerful non steroidal anti-inflammatory drugs with good tolerance

#### Indications:

Arthritis | Sinusitis | Osteoarthritis

Supportive therapy for Acute & Chronic Infections

Pain & Inflammation of surgery, Injury





### Improves LUTS & Rectify the Flow with...

# Tamsulosin 0.4 mg+Dutasteride 0.5 mg Tamsulosin 0.4 mg+Dutasteride 0.5 mg Tablets

Improves lower urinary tract symptoms (LUTS) better than single agent alone


Reduces the risk of events related to disease progression, such as acute urinary retention and BPH-related surgery

Generally well related


**Difficulty in starting to Urinate** 

An interrupted, weak urinary stream

Leakage / Dribbling







- Provides optimum lubrication for dry eyes.
- Relieves eye irritation.
- Preservation with Sodium perborate provides an advantage of generating very low level of Hydrogen peroxide.

0.006% H202 is imperceptible within 1 minute of instillation

Enzymes in eyes break it down to simple water and oxygen. These are absorbed into the tear film leaving only the soothing relief.

- Ocular lubricant for artificial eyes also.
- · No trace of preservative and no harmful chemicals remain.

#### Dry eyes

#### Eye irritation associated with

- ocontact lenses (even on worn contact lenses)
- odeficient tears production
- oexposure to wind, sun or other irritants.



The Steroid of Choice in Ocular Inflammation

# TOBALEM

Tobramycin 0.3% (5ml)

Eye Drops



Useful tool in assisting vitreous surgery including safe ILM peeling

Effective in reducing subclinical conjuctival inflammation before filtering surgery

Proves to be a safe anti-inflammatory treatment in terms of avoiding steroid-induced glaucoma

POST SURGICAL INFLAMMATION

INFLAMMATION OF CORNEA

**INFLAMMATION OF CONJUCTIVA** 

INFLAMMATION OF ANTERIOR SEGMENT



Provides everlasting relief safely





#### **DICLOFENAC POTASSIUM**

Effective for treating moderate to severe post operative pain

#### **PARACETAMOL**

Exhibits anti-inflammatory effects; prevents swelling and fluid retention

#### **SERRATIOPEPTIDASE**

Recommended as a first-line treatment of pain associated with osteoarthritis

POST-OPERATIVE INFLAMMATION

TOOTH EXTRACTION | SPORT INJURIES

**POST-PARTUM HEMATOMAS** 

FRACTURE & DISLOCATION







## Best Support for Fair Gestational Period

# Fairgest 200/300 SR

Natural Micronized Progesterone 200/300/400mg SR SOFTGEL /TABLETS

- Potent, multi-faceted endocrine agent with an expanding therapeutic profile
- Results in maintenance of pregnancy<sup>1</sup>
- Reduces menstrual problems during hormone replacement therapy in post-menopausal women<sup>2</sup>
- Better alternative than medroxyprogesterone acetate in terms of efficacy and safety<sup>3</sup>
- Premenstrual Syndrome
- Preterm Delivery
- Threatened Abortion
- Luteal Support During:
  - Assisted Reproductive Techniques
  - Luteal Phase Defects



Natural Micronized Progesterone 200mg

INJECTION

