





# **Protection Beyond Symptoms Relief**

# **ESINOM-FAST 40**

**MRP:** 1250

**PACKING:** 10\*10 Strip Pack

**COMPOSITION:** Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole 40 Mg (With

Sodium Bicarbonate As Buffer)





# Protection Beyond Symptoms Relief

# ESINOM-FAST 40

Esomeprazole 40 mg with Sodium Bicarbonate as buffer

**Tablets** 

- Heals 92%-94% of patients of erosive esophagistis
- Suppresses gastric acidity more effectively and in more individuals than pantoprazole, 40mg daily, and rabeprazole 20mg daily
- Ensures superior healing rates and improved symptom relief, with fewer therapy resistant patients
- Significantly more effective at controlling gastric acidity above pH 4 for more than 16 h

Duodenal Ulcer
Drug Induced Ulcer
Reflux Esophagitis
Zollinger Ellison Syndrome





## Downsize the Problem of GRED

# **ESINOM-DSR**

**MRP:** 1500

PACKING: Cap. 10\*10 Alu-Alu

**COMPOSITION:** Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole 40Mg (Enteric Coated) + Domperidone (Sustained Release)

**30Mg Capsules** 





Domperidone 30mg (Sustained Release)

DOWNSIZE
the Problem
Of GERD



#### **ESOMEPRAZOLE**

- Demonstrates better esophagitis healing rate in patients with GERD than omeprazole<sup>1</sup>
- More effective than omeprazole, lansoprazole, and pantoprazole for the rapid relief of heartburn symptoms and acid reflux symptoms in patients with reflux esophagitis<sup>2</sup>

#### **DOMPERIDONE**

- Provides an excellent safety profile for long-term administration<sup>3</sup>
- Has potential to negate dopaminergic effect and thereby prevents subsequent GI symptoms<sup>3</sup>

# GASTROESOPHAGEAL REFLUX DISEASE NON-EROSIVE REFLUX DISEASE

**FUNCTIONAL DYSPEPSIA** 

**ESR** 

**CAPSULES** 



## **PODEASY**

**MRP**: 140

PACKING: Susp. 200 Ml Pet


**COMPOSITION:** Each 5ml Contains:Liquid Paraffin 1.25ml + Milk Of Magnesia 3.75ml +

And Sodium Picosulphate 3.33mg

# Short Term Treatment Of Constipation Associated With



# Short term treatment of **CONSTIPATION** Associated With



# PODEASY

Liquid Paraffin + Milk Of Magnesia + Sodium Picosulphate **Suspension** 

#### MILK OF MAGNESIA

 Increases the osmotic gradient in the gut and stimulates peristalsis resulting in efficient bowel evacuation

#### SODIUM PICOSULPHATE

 Stimulates the propulsive activity of the colon, prevents absorption of water in the colonic lumen and thus promotes accumulation of water.

#### LIQUID PARAFFIN

Lubricates bowel and softens the stools.

- HERNIA PILES ENDOSCOPY ANAL FISSURE
  - CARDIOVASCULAR DISORDERS
  - PRE AND POST OPERATIVE CONDITIONS
  - BOWEL CLEARANCE BEFORE RADIOSCOPY
    - ELDERLY AND BED RIDDEN PATIENTS

POD

POD



# When The Burden Of Constipation Is Visible On Face

## **PIKORATE**

**MRP:** 85

PACKING: Syp. 100 MI Pet

**COMPOSITION:** Each 5ml Contains:

Sodium Picosulfate 5 Mg





When the Burden
of **constipation**is Visible on

face...

Pilsorate
Sodium Picosulfate 5mg
SYRUP

Increases bowel movements from 0.9/week to 3.4/week<sup>1</sup>

\* 65.5% patients reach an increase of >1 in bowel movements per week<sup>1</sup>

★ 51.1% patients reach at least three bowel movements per week¹

69% of patients have their first bowel movement within 24h¹

Chronic Constipation

Opioid-induced Constipation

Pre and Post Operative Conditions

Constipation in Hospitalized or Bedridden Patients

Bowel preparation before Colonoscopy, Labor or Surgery

1.Am J Gastroenterol. 2010 Apr;105(4):897-903.

PIK



## **AMALCAP-O**

**MRP:** 145

PACKING: Syp. 170 Ml Pet

COMPOSITION: Each 5ml

Contains:Magaldrate 540 Mg +

Simethicone 50 Mg + Oxetacaine 10 Mg

# Abdominal Pain Disturbs The Quality Of Life Of Your Patients





# **Abdominal pain** disturbs the **quality** of life of your patients...

# AMALCAP-O

Magaldrate 540 mg+ Simethicone 50 mg+
Oxetacaine 10 mg
SUSPENSION

AMA

#### Magaldrate:

 Rapidly reacts with acid where it is poorly absorbed thereby provides sustained antacid effect

#### Simethicone:

• A surfactant that relieves associated indigestion flatulence & reflux

#### Oxetacaine:

• Oxetacaine is a potent local anesthetic. It is administered orally For the relief of pain associated with peptic ulcer disease or esophagitis.

### **Indications:**

Gastritis

Dyspepsia

GERD

**Hyperacidity** 



Oxetacaine 10 mg + Aluminium Hydroxide 0.291mg + SUSPENSIO

Dried Aluminium Hydroxide 0.380mg + Magnesium Hydroxide 98 mg

Overcomes Spasms During Uncomfortable Days



# An Ultimate Extinguisher For Burning Acidity

## **AMALCAP-A**

**MRP:** 150

PACKING: Syp. 170 MI Pet

**COMPOSITION:** Each 5ml

Contains:Oxetacaine B.P. 10 Mg + Aluminium Hydroxide 0.291 g. Eq. to Dried Aluminium

Hydroxide Gel 0.380 g + Magnesium

Hydroxide 98 Mg



### An Ultimate Extinguisher for burning Acidity

# Amalcap-A

Oxetacaine 10 mg + Aluminium Hydroxide 0.291mg + SUSPENSION Dried Aluminium Hydroxide 0.380mg + Magnesium Hydroxide 98 mg



AMALCAP-O

Magaldrate 540 mg+ Simethicone 50 mg+
Oxetacaine 10 mg
SUSPENSION

- Oxetacaine is an amide anesthetic with prolonged action.
- Aluminium hydroxide binds dietary phosphate. It is of benefit in patients with hyperphosphatemia in renal failure.
- Aluminium hydroxide neutralizes the already released excess gastric acid.
- Combination is very effective for short-term symptomatic relief as the local anesthetic relieves the patient from the swallowing difficulties in post-radiation therapies.
- Magnesium Hydroxide has direct antipeptic action as well as a demulcent effect, protecting the gastrointestinal mucosa and further irritation or erosion

#### **SYMPTOMATIC RELIEF FROM GERD**

HEARTBURN

RADIATION INDUCED ESOPHAGITIS & CANDIDOSIS

**COOLS DOWN THE BURNING ACIDITY** 



# Increase The Rate Of Digestion

# **HEPTICARE-PLUS**

**MRP:** 1500

PACKING: Tab 10\*10 Alu-Alu

COMPOSITION: Pancreatin 212.5Mg +
Containing 6000 Units + Lipase Activity 4500
Units + Amylase Activity 300 FIP Units +

Protease Activity qs



# Increase the Rate of Digestion



#### INDIGESTION

#### **PANCREATIN INSUFFICIENCY IN:**

- Cystic fibrosis
- Diabetes mellitus
- Chronic pancreatitis

R

# Hepticare-Plus

Pancreatin eq. to Lipase activity 212.50 mg + Eq. to Lipase activity 6000 units + Amylase activity 4500 units + Protease activity 300 units

**TABLETS** 

- Provides lipase, protease & amylase for digestion of fats, proteins & carbohydrates
- Ensures effective digestion
   & absorption of nutrients
- Improves nutrient bioavailability





# Offer Best Emesis Control During Acid Reflux Disorders

## **GIVPEP-40**

**MRP:** 670

PACKING: Tab 10\*10 Alu-Alu

**COMPOSITION:** Pantoprazole Sodium Eq.

to Pantoprazole 40 Mg





## Give The Relief For Sustained Time

## **GIVPEP-D**

**MRP:** 950

PACKING: Tab 10\*10 Alu-Alu

**COMPOSITION:** Pantoprazole sodium

Eq. to Pantoprazole 40 Mg +

Domperidone 10 Mg





## Give The Relief For Sustained Time

## **GIVPEP DSR**

**MRP**: 990

PACKING: Tab 10\*10 Alu-Alu

**COMPOSITION:** Pantoprazole Sodium Eq. to

Pantoprazole 40 Mg + Domperidone 30

Mg(Sustained Release)



# Give the Relief for Sustained Time

Givpep-DSR

Pantoprazole 40mg + Domperidone 30mg (SR) CAPSULES

- Reduces symptoms in patients having Non-Erosive GERD1
- Completely cures of 72.34% patients with erosive GERD1
- Effective & safe combination with high symptom reduction rates<sup>1</sup>
- Addition of domperidone is helpful by acting on multiple pathophysiological mechanisms of the disease1

GASTROESOPHAGEAL REFLUX DISEASE

**NON-EROSIVE GERD** 

**NSAIDS INDUCED GASTRITIS** 

**CHRONIC GASTRITIS/FUNCTIONAL** DYSPEPSIA

NAUSEA ASSOCIATED WITH ACID **PEPTIC DISORDERS** 



GSR



Pantoprazole 40mg



# Offer Best Emesis Control During Acid Reflux Disorders

## **GIVPEP-O**

**MRP:** 990

PACKING: Tab 10\*10 Alu-Alu

**COMPOSITION:** Pantoprazole Sodium Eq. to Pantoprazole 40 Mg + Ondansetron Hydrochloride

Eq. to Ondansetron 4 Mg



# OFFER BEST EMESIS CONTROL DURING

**Acid Reflux Disorders** 





#### PANTOPRAZOLE

- Effective and safe treatment for severe acid-peptic disease<sup>1</sup>
- Well tolerated<sup>2</sup>

#### **ONDANSETRON**

Highly potent antiemetic drug<sup>3</sup>

**CHRONIC/ACUTE GASTRITIS** 

**NSAIDS INDUCED GASTRITIS** 

VOMITING ASSOCIATED WITH ACID PEPTIC DISORDERS





# Guard The Stomach Against Acid Reflux

# **AMALGARD-20**

**MRP:** 1050

PACKING: Tab 10\*10 Alu-Alu

**COMPOSITION:** Rabeprazole sodium 20 Mg





# Guard The Stomach Against Acid Reflux

## **AMALGARD DSR**

**MRP:** 950

PACKING: Cap 10\*10 Alu-Alu

**COMPOSITION:** Rabeprazole sodium 20 Mg +

Domperidone 30 Mg(Sustained Release)





# Magnify The Relief In Reflux Disorders

## AMALGARD LSR

**MRP:** 1750

PACKING: Cap 10\*10 Alu-Alu

**COMPOSITION:** Rabeprazole sodium (EC) 20 Mg +

Levosulpiride (SR) 75 Mg



### Magnify the Relief in Reflux Disorders

# Amalgard-LSR

Rabeprazole 20 mg + Levosulpiride 75mg (SR)

**CAPSULES** 



#### **LEVOSULPIRIDE**

- \* Accelerates gastric emptying<sup>1</sup>
- \* Better than domperidone and metoclopramide<sup>2</sup>

#### **RABEPRAZOLE:**

- \* Rapid and effective in relieving heartburn<sup>3</sup>
- \* Also improves regurgitation and belching<sup>3</sup>

NON-EROSIVE REFLUX DISEASE
GASTROESOPHAGEAL REFLUX DISEASE
FUNCTIONAL DYSPEPSIA

**Amalgard-DSR** 

Rabeprazole 20mg + **CAPSULES**Domperidone 30mg (SR)

**Amalgard-20** 

Rabeprazole 20mg TABLETS

Amalgard-IV

Rabeprazole 20mg INJECTION

**Amalgard-D** 

Rabeprazole 20mg + Domperidone 10mg

**TABLETS** 

1.Gastroenterol Hepatol. 2010 Oct;33(8):586-90. 2.Ital J Gastroenterol.,1996 Jul-Aug;28(6):317-23. 3 Evnert Onio Days Saf 2009 Jan 8(1):119-26.



## Obstruct The Flow Of Acid In Area Of Ulcers

# **REALFATE-O**

**MRP:** 142

PACKING: Susp. 100 Ml Pet

**COMPOSITION:** Each 10 ml Contains: Sucralfate 1000

mg + Oxetacaine 20 Mg





# Sucralfate 1gm + Oxetacaine 20mg Sucralfate 1gm + Oxetacaine 20mg SUSPENSION

- Peptic Ulcer
- Duodenal Ulcer
  - Esophagitis
  - Stress Ulcer
- NSAID-induced Mucosal Damage

#### **SUCRALFATE**

- Coats ulcer & forms protective layer; remains at site of gastric ulcers for long duration<sup>1</sup>
- More effective than cimetidine and intensive antacid therapy¹

#### **OXETACAINE**

- Exerts a prolonged anaesthetic action on mucous membrane
- Produces reversible loss of sensation by preventing or diminishing conduction of sensory nerve impulses near site of its application

REA