





## Round The Clock Relief From Pain & Inflammation

### **NOBLINAC-200-SR**

**MRP**: 650

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Aceclofenac 200 SR



## **NOBLINAC 200 SR**

Aceclofenac 200 mg Sustained Release

- Effective in symptomatic treatment of rheumatoid arthritis.
- Better safety profile than ketoprofen.
- Favourable patient compliance.
- Reduces pain and improves functional capacity more than paracetamol in patients with symptomatic OA of knee.

| Rheumatoid Arthritis | | Ankylosing Spondylitis | | Gouty Arthritis | | Osteoarthritis | Round the Clock Relief from Pain & Inflammation

**Tablets** 





### Redefine Pain Management In Little Ones

### **NOBLINAC-P**

**MRP:** 550

PACKING: Tab. 10\*10 Blister

**COMPOSITION:** Aceclofenac 100 Mg

+ Paracetamol 325 Mg





## Redefine Pain Management In Little Ones

### **NOBLINAC-P**

**MRP:** 860

PACKING: Tab. 10\*10 Alu Alu

COMPOSITION: Aceclofenac 100 Mg +

Paracetamol 325 Mg



### Noblinac. **TABLETS** Acelofenac 100mg + Paracetamol 325mg

#### Aceclofenac

- \*Faster and more potent effect than other NSAIDs1,2
- Well tolerated; better GI tolerability than other selective Cox-2 inhibitors2

#### **Paracetamol**

- First-line therapy for fever and mild-to moderate pain<sup>3</sup>
- Better GI & renal safety and overall better tolerability than ibuprofen4

### Combination

Effective & rapid pain relief than monotherapy in the management of inflammation<sup>5</sup>

OA / RA / ANKYLOSING SPONDYLITIS

**LOW BACK PAIN** 

**DENTAL PAIN** 

**GYNAECOLOGICAL PAIN** 

**ENT PAIN & INFLAMMATION** 

Get Assured Relief from Various Painful Conditions...



**Noblinac-R** 

Aceclofenac 200 mg Sustained Release



## When Painful Spasm Grips The Skeletal Muscle


### **NOBLINAC-T**

**MRP:** 1900

PACKING: Tab. 10\*10 Alu-Alu

COMPOSITION: Aceclofenac 100 Mg +

Thiocolchicoside 4 Mg



When

## Painful Spasm Grips the Skeletal Muscles



## Noblinac-Aceclofenac 100 mg+Thiocolchicoside 4 mg **TABLETS**

**ACECLOFENAC** 

**Compared to Diclofenac Shows:** 

- Superior efficacy<sup>2</sup>
- Better intestinal safety<sup>3</sup>

### THIOCOLCHICOSIDE:

Compared to Tizanidine Shows<sup>1</sup>:

- Better efficacy; Speedy recovery
- No sedation; Better quality of life

LOW BACK PAIN

SKELETAL MUSCLE SPASM

SPONDYLOSIS

**SPRAIN & STRAIN** 



blinac-MR Noblînac-SP Noblinac-P

NOT

1 J Indian Med Assoc 2008 May:106/5):331-5 2 Clin Rheumatol 2003:22:2:127-135 3 Drugs 1996 Jul;52(1):113-24



# Nsaid Use Can Create Gl Complications Presenting Built In Gastroprotective Pain Killer

### **NOBLINAC R**

**MRP:** 820

PACKING: Cap. 10\*10 Alu-Alu

**COMPOSITION:** Rabeprazole Sodium(EC)

20 Mg + Aceclofenac 200 Mg (SR)



## NSAID use can create GI complications Presenting Built-in Gastroprotective Pain Killer





- Designed to help control the pain and inflammation ostearthritis and rheumatoid Arthritis
- Ensures fewer incidences of dyspepsia compared with Aceclofenac alone
- Offers Power of Aceclofenac for the relief of signs and symptoms of osteoarthritis and rheumatoid arthritis
- Offers protective knowing that gastroprotective medicine (Rabeprazole) in built into every dose

Osteoarthritis / Gout Rheumatoid Arthritis Post Surgical Pain
Chronic Painful Conditions

NOR



### Makes The Noble Job Of Relieving Pain Easier

### **NOBLINAC-SP**

**MRP**: 950

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Aceclofenac 100 Mg + Paracetamol 325 Mg + Serratiopeptidase 15 Mg (As Enteric coated Granules Eq. to 30000 Enzymatic Activity units of Serratiopeptidase)



Makes the Noble Job of Relieving Pain, Easier

Ŗ

# Noblinac-SP

Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg

#### **SERRATIOPEPTIDASE**

- Anti-inflammatory, anti-edemic and fibrinolytic<sup>1</sup>
- Reduces localized inflammation rapidly<sup>1</sup>

#### **ACECLOFENAC & PARACETAMOL**

- Synergistic efficacy in severe pain<sup>2</sup>
- Rapid pain relief than monotherapy<sup>3</sup>
- Tooth Extraction
- Sports Injuries
- Sprains/Fractures
- Trauma/Surgery
- Post Operative Edema
- Flare Up of OA/ RA/ Gout
- Post Partum Haematomas











### The Power Muscle Relaxant

## **NOBLINAC-MR**

**MRP:** 820

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Aceclofenac 100 Mg + Paracetamol

325 Mg + Chlorzoxazone 250 Mg



### The Powerful Muscle Relaxant



Noblinac-S Serratiopeptidase 15mg

Noblinac-

# Joblinac-MR

Aceclofenac 100mg + Paracetamol 325 mg + Chlorzoxazone 250mg

**ACECLOFENAC** - Statistically superior to diclofenac in efficacy in treatment of osteoarthritis1

PARACETAMOL - Safe and effective in most patients<sup>2</sup>

**CHLORZOXAZONE** - Power packed muscle relaxant

| ACUTE MUSCLE SPASM | LOW BACK PAIN | MUSCLE SPASM ASSOCIATED WITH SPONDYLOSIS | MUSCULAR CRAMP | | TRAUMATIC INJURY|

**EFFECTS OF COMBINATION - Combination with extra** factor - muscle relaxant & provides enhanced analgesic, anti-inflammatory & antipyretic action

> 1.Curr Med Res Opin. 2006 May;22(5):977-88. 2.MCA information bulletin, Thorax paper, March 21, 2000.



# For Spasm Pain & Inflammation The Double Action Therapy

### **VASTNAC-P**

**MRP**: 368.4 (DPCO)

PACKING: Tab. 10\*10 Blister

**COMPOSITION:** Diclofenac Potassium 50Mg

+ Paracetamol 325Mg





### Say Hello To Relief & Good Buy To Pain

### **VASTNAC-SP**

**MRP:** 920

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Diclofenac Potassium

50Mg+Paracetamol 325Mg+Serratiopeptidase 10Mg (As enteric coated Granules) (Enzyme

Activity 20,000 units)







# VASTNAC Potential Paracetamol 325mg+Serratiopeptidase 10mg Tablets

### **DICLOFENAC POTASSIUM**

Effective for treating moderate to severe post operative pain

### **PARACETAMOL**

Exhibits anti-inflammatory effects; prevents swelling and fluid retention

### **SERRATIOPEPTIDASE**

Recommended as a first-line treatment of pain associated with osteoarthritis

POST-OPERATIVE INFLAMMATION

TOOTH EXTRACTION | SPORT INJURIES

**POST-PARTUM HEMATOMAS** 

FRACTURE & DISLOCATION

VASTNAC-P
Diclofenac 50mg + Paracetamol 325mg Tablets

Diclofenac sodium 75mg/1ml.

Injection



## **Smoothing & Cooling Analgesic**

### **FIXACHE**

**MRP:** 110

PACKING: Gel 30 Gm Tube

**COMPOSITION:** Diclofenac

Diethylamine Eq. to Diclofenac Sodium

1.0% + Linseed Oil 3.0%+ Methyl Salicylate 10.0%+ Menthol 5.0% +

Benzyl Alcohol 1.0 %





**Gel (50gm)** 

# Soothing & Cooling Analgesic

### HIGH EFFICACY

Benzyl Alcohol 1%w/w

Similar efficacy to oral diclofenac in osteoarthritis<sup>1</sup>

### SUPERIOR TOLERABILITY

No gastrointestinal adverse events like conventional oral NSAIDs

### FAST ACTION

Deep penetration action provides fast pain relief

| > KNEE OSTEOARTHRITIS |
|-----------------------|
| > FROZEN SHOULDERS    |
| > SPRAIN AND STRAIN   |
|                       |







## Remarkably Fast Reliable And Accurate When Muscle Pain Strike

### **FIXACHE G**

**MRP:** 185

PACKING: Gel 30 Gm Tube

COMPOSITION: Gabapentin 4% W/W + Diclofenac Diethylamine 1.16% W/W Eq. To Diclofenac Sodium 1% W/W + Menthol 5.0% W/W + Methyl Salicylate 5.0% W/W + Benzyl Alcohol 1.0% W/W



## Remarkably Fast, Reliable and Accurate When Muscle Pain Strike



### Natural Solution For Muscle and Joint Pain



## Fixache-G (50)



#### **Features**

► Infladol Gel Penetrates deeply, Directly at the site of pain Relief of pain in joints, tendons and ligaments. Increased freedom of movement in people with ankle sprains Combines analgesics and anti-inflammatory action Reduction in stiffness:

#### Gabapentin

- Prevent and control partial seizures.
- ▶ Gabapentin can be used in adults and children age 3 and older who have partial seizures.
- ► Relieve nerve pain following shingles in adults
- ► Treat moderate-too -severe primary restless legs syndrome.

#### Diclofenac

 Works by blocking the effect of chemicals caled cyclo-oxygenase (COX) enzymers.

#### Linseed oil

Helps in the penetration of the diclofenac through the skin.

### Methyl salicylate

Acts as an analgesic

### Menthol

▶Gives releif due to its cooling effect.

**Insert Pain Relief** 













Sprains





**Gel That Takes Care** 



## When Immediate Control On High Pain Is Required

### **PYREGEM**

**MRP:** 307.5

PACKING: Tab. 10\*15 Blister

**COMPOSITION:** Paracetamol 650 Mg





Paracetamol 125mg + Mefenamic Acid

SUSPENSION



- The most widely used pain reliever and fever reducer¹
- Good tolerability profile in pregnancy<sup>2</sup>
- Safe and effective pain killer for many patients including asthmatics<sup>3</sup>
- HEADACHE
   MIGRAINE
- TOOTHACHE
   NEURALGIA
- DYSMENORRHEA
   OSTEOARTHRITIS
- MUSCULAR ACHES





PYR



## Attain Quick & Long Lasting Relief In Pain

### **PYREGEM SR**

**MRP**: 900

PACKING:

Tab 10\*1\*10 Blister

**COMPOSITION:** 

Paracetamol 1000 mg (300 Mg (Immediate Release) + Paracetamol 700 Mg (Sustained Release)





## Attain Quick & Long Lasting **RELIEF IN PAIN...**

# Pyregem-SR Paracetamol 300mg (IR) + 700mg (SR)

FEVER I HEADACHE
MIGRAINE | DYSMENORRHEA

TOOTHACHE I NEURALGIA

**OSTEOARTHRITIS** 

**MUSCULAR ACHES** 



- Therapeutically and statistically noninferior to conventional paracetamol 500mg tablet for the treatment of mild to moderate pain and fever
- Maintain the minimum effective paracetamol concentration (until 12 hours)
   compared with conventional 500 mg tablet (6 hours)
- Reduces the administration frequency of oral paracetamol to half hence improves patient compliance
- Also beneficial for patients in whom use of NSAIDs are restricted



## When Pain Becomes Agony

### **KT-NOW**

**MRP**: 850

PACKING: Tab 10\*15 Alu-Alu

**COMPOSITION:** Ketorolac

Tromethamine 10 Mg Dispersible Tablets





# KT-NOW

Ketorolac Tromethamine 10 mg Dispersible Tablets

### The pain Specialist ....

- Ketorolac is an approved drug for the management of moderately to severe acute pain that requires analgesia at the opioid level
- Onset of action: 30 min, C-Max: 20-60 min, bioavailbility: 80-100%
- · No CNS side effect (Non Sedative, No Anti Anxiety effect)
- Ketorolac administrations immediately before peridontal surgery was effective for alleviating the operative painful sequelae

- In postoperative oral surgery pain Ketorolac10 mg has superior analgesic effect than Acetaminophen & Ketorolac 20 mg was superior to Acetaminophen - Codine combination
- Ketorolac is as safe as Ketoprofen & Diclofenac for the treatment of pain after major surgery

Indications: Moderate to Severe acute pain (<=5 days) that requires analgesia at opioid level



## Maximum Protection To Damaged Nerves

### **MAXICARB TAB**

**MRP:** 1830

PACKING: Tab 10\*10 Alu-Alu

COMPOSITION: Methylcobalamin 1500 Mcg + Alpha Lipoic Acid 100 Mg +Folic Acid 1.5 Mg +Pyridoxine Hcl 3 Mg + Vitamin D3 1000 IU





## Maximum Protection To Damaged Nerves

# MAXICARB SOFTGEL CAP

**MRP:** 1850

**PACKING:** 

Softgel Cap 10\*1\*10 Blister

**COMPOSITION:** Methylcobalamin 1500 Mcg + Alpha Lipoic Acid 100 Mg + Pyridoxine Hydrochloride 3 Mg + Folic Acid 1.5 Mg





## Maximum Protection to Damaged Nerves



# Maxicarb

Methylcobalamin 1500mcg + Alpha Lipoic Acid 100mg + Folic Acid 1.5mg + Pyridoxine 3mg + Vitamin D3-1000IU

**TABLETS** 

Methylcobalamin 1500 mcg + Alpha Lipoic acid 100 mg + Pyridoxine Hydrochloride 3 mg + Folic Acid 1.5 mg **SOFTGEL CAPSULES** 

Methylcobalamin: Increases protein synthesis and helps regenerate nerves

**Alpha Lipoic Acid:** Significantly improves both nerve conduction velocity and neuropathic symptoms

Foilc Acid: Enhances neurodevelopement & provides neuroprotection

**Vitamin D3:** Decreases pain and paraesthesia in diabetic patients with symptomatic peripheral neuropathy

## Maxicarb Forte Mecobalamin 2500 mcg + Folic Acid 0.7 mg + Niacinamide 12 mg + Vit-C 150 mg

## Maxicarb Plus Mecobalamin 1500 mcg + Pyridoxine 100 mg + Niacinamide 100 mg

- PERIPHERAL NEUROPATHY
- DIABETIC NEUROPATHY
- CARDIOVASCULAR COMPLICATIONS
- DRUG INDUCED NEUROPATHY
- HYPERHOMOCYSTEINEMIA

MAX



## Let The Efficacy Team Up With Safety

### **NIMOSET P**

**MRP:** 540

**PACKING:** 

Tab. 10\*10 Blister

**COMPOSITION:** 

Nimesulide 100Mg + Paracetamol 325Mg









Let the **Efficacy Team-Up** with **Safety** 

MIM

#### **NIMESULIDE**

- Effective and well-tolerated agent for use in general practices to treat acute low back pain<sup>1</sup>
- Faster onset (<15 minutes) and stronger effect than ibuprofen<sup>2</sup>

#### **PARACETAMOL**

- Efficacious in pain relief with ani-pyretic activity
- Low incidence of adverse effects profile<sup>3</sup>

**FEVER** 


**BACKACHE** 

**HEADACHE** 

**MUSCULAR ACHE** 

**TOOTH EXTRACTION** 

PRIMARY DYSMENORRHEA



1.Spine (Phila Pa 1976). 2000 Jun 15;25(12):1579-85. 2.Curr Ther Res Clin Exp. May 2005; 66(3): 172–180. 3.Br J Anaesth. 2002 Feb;88(2):199-214.



## Don't Let Migraine Disrupt Your Life

### **NAXOLID**

**MRP:** 1290

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Naproxen 500 Mg +

Domperidone 10 Mg







## Don't Let migraine Disrupt your life

### Provides immediate relief from pain

- Naproxen & Domperidone is used to prevent Migraine.
- Naproxen is a non-steroidal anti-inflammatory drug (NSAID) which works by blocking the release of certain chemical messengers that cause pain due to migraine.
- Domperidone is a prokinetic which works on the region in the brain that controls vomiting associated with migraine.
- It also increases the movement of the stomach and intestines, allowing food to move more easily through the stomach.

| Migraine | Rheumatoid Arthritis | | Osteoarthritis | Menstrual Cramps | Acute Gout | Primary Dysmenorrhea |



## When Smooth Muscle Spasm Becomes Scary

### **DRELOSET-A**

**MRP:** 990

PACKING: Tab 10\*10 Blister

**COMPOSITION:** Aceclofenac 100Mg + Drotaverine Hydrochloride 80Mg



# DRELOSET-A Drotaverine 80mg+ Aceclofenac 100 mg Tablets

### **Drotaverine:**

- Safe & well tolerated drug
- A non-anticholinergic antispasmodic
- Smooth Muscle relaxant properteis
- Provides effective pain relief in colicky pain with no serious side effects.

### Aceclofenac:

- A non-steroidal anti-inflammatory drug.
- Aceclofenac releives pain & inflammation
- Better GI tolerability than Diclofenac

G.I. Spasm | Billiary Colics

Dysmenorrhoea | Smooth Muscle spasm

Renal Clics | Post MTP



## When smooth muscle spasm becomes scary





# Potent Synergistic Effects For Achieving Relief In Spasmodic Pain

## **DRELOSET-M**

**MRP:** 1000

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Drotaverine Hydrochloride

80 Mg + Mefenamic Acid 250 Mg



**Potent** Synergistic Effects for Achieving Relief in Spasmodic Pain

# Dreloset Drotaverine 80mg+Mefenamic Acid 250mg TABLETS

#### **Drotaverine**

- Potent spasmolytic, causes relaxation of smooth muscles associated with spasm
- · Devoid of any anti cholinergic side effects

#### Mefenamic Acid

- Represents a rational therapy for treatment of primary dysmenorrhea
- Provides good level of pain relief in (48%) patients with moderate to severe postoperative pain

Dysmenorrhoea | Post Surgical Uterine Spasm Gastro-intestinal / Renal Colic / Biliary Colic Uterine Irritability and Pain Associated with:

- -IUCD Insertion | -Dilatation and Curettage
- -Pelvic Inflammatory Disease

# DRELOSET-A

Drotaverine 80mg+ Aceclofenac 100 mg Tablets





# When Damaged Nerves Make Every Step Painful

# **NAXIGAB PM**

**MRP:** 1550

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Methylcobalamin 1500

Mcg + Pregabalin 75 Mg (SR)



# When Damaged Nerves Make EVERY STEP PAINFUL

# Naxigab-PM

Pregabalin 75mg (SR) + Methylcobalamin 1500mcg CAPSULES

#### **PREGABALIN**

- Reduces pain in neuropathy<sup>1</sup>
- Controls anxiety and improves sleep<sup>1</sup>

#### **METHYLCOBALAMIN**

- Reduces neuropathic symptom
- Promotes nerve regeneration and remyelination

Peripheral Neuropathy
Diabetic Neuropathy
Post-Herpetic Neuralgia
Post-Surgical Neuralgia
Drug-induced Nerve Damage
Post-Traumatic Neuropathic Pain

NPM



# Put Off The Burning Sensation With

## **NAXIGAB- NT**

**MRP:** 1690

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Nortriptyline HCL eq to Nortriptyline 10 Mg + Pregabalin 75 Mg



# Put off THE BURNING SENSATION WITH





#### **PREGABALIN**

- Efficacious and safe treatment for the neuropathic pain¹
- Demonstrates pain relief & decreases sleep interference<sup>2</sup>

#### NORTRIPTYLINE

- •• Most effective treatment in many neuropathic pain states<sup>3</sup>
- Provides relief in both constant burning and deep pains, as well as throbbing, and sharp stinging pains<sup>3</sup>

PERIPHERAL NEUROPATHY
DIABETIC NEUROPATHY
DRUG INDUCED NEUROPATHY
POSTHERPETIC NEURALGIA



# Chill The Burning Neuropathic Pain With

# **NAXIGAB-NM**

**MRP:** 1950

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Pregabalin 75

Mg + Nortriptyline Hcl eq to

Nortriptyline 10 Mg +

Methylcobalamin 1500Mcg





### **Chill the Burning**

Neuorpathic Pain with...

#### **PREGABALIN**

- Efficacious and safe treatment for the neuropathic pain¹
- Demonstrates pain relief & decreases sleep interference<sup>2</sup>

#### **NORTRIPTYLINE**


- •• Most effective treatment in many neuropathic pain states<sup>3</sup>
- Provides relief in both constant burning and deep pains, as well as throbbing, and sharp stinging pains<sup>3</sup>

#### **METHYLCOBALAMIN**

- Reduces neuropathic symptom
- Promotes nerve regeneration and remyelination

PERIPHERAL NEUROPATHY
DIABETIC NERVE PAIN
DRUG INDUCED NEUROPATHY
POSTHERPETIC NEURALGIA

NEUROPATHIC PAIN ASSOCIATED WITH SPINAL CORD INJURY FIBROMYALGIA





MNN



# Treat Neuropathy With Efficacy Plus Safety

# **NAXIGAB PLUS CAP**

**MRP:** 1880

PACKING: Cap. 10\*10 Alu-Alu

**COMPOSITION:** Methylcobalamin 750 Mcg + Pregabalin 75 Mg + Alpha Lipoic Acid 100 Mg + Pyridoxine HCL 3 Mg + Folic Acid 1.5 Mg



### **Treat Neuropathy with**

Efficacy plus Safety...

#### **Neuralgia Associated With**

Peripheral Neuropathy
Drug Induced Neuropathy
Diabetic Neuropathy





Pregabalin 75mg + Methylcobalamin 750mcg + Alpha Lipoic Acid 100mg + **CAPSULES** Pyridoxine 3mg + Folic Acid 1.5mg

#### Pregabalin + Methylcobalamin + Alpha Lipoic Acid

- Provides pain relief and reduces sleep interference<sup>1</sup>
- Addition of methylcobalamin and ALA to pregabalin improves nerve function¹
   Pyridoxine
- Fulfils need of dietary pyridoxine thus reduce risk of developing neuropathy
   Folic Acid
- Reduces pain, numbness and tingling during neuropathy



1.Ann Indian Acad Neurol. 2014 Jan;17(1):19-24.



# When Inflammation Becomes Violent & Pain Becomes Unbearable

# **RUTOMOR-D**

**MRP**: 2290

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Trypsin 48 Mg +

Bromelain 90 Mg + Rutoside Trihydrate

100Mg + Diclofenac Sodium 50Mg





When Inflammation becomes Violent & Pain becomes Unbearable

# Trypsin 48mg + Bromelain 90 mg + Rutoside Trihydrate 100 mg + Diclofenac Sodium 50 mg

#### **TRYPSIN** Proteolytic Enzyme

 Anti-inflammatory; Inhibits vascular permeability and modulates cytokine levels<sup>1</sup>

#### **BROMELAIN** Proteolytic Enzyme

 Antiedematous, anti-inflammatory, antithrombotic and fibrinolytic activities<sup>1</sup>

#### **RUTOSIDE** Natural Flavonoid

 Powerful anti-oxidant; Effectively combats free radicals released during inflammation<sup>1</sup>

#### **DICLOFENAC** Potent Analgesic

 More effective & fast-acting than Indomethacin and Naproxen<sup>2</sup>

- Osteoarthritis
- Tooth Extraction
- Rheumatoid Arthritis
- Trauma / Sports Injuries
- Pre / Post Surgical Inflammation
- Fractures and Dislocations

Rutonor-A Trypsin 48 mg + Bromelain 90 mg + Rutoside Trihydrate 100 mg + Aceclofenac 100 mg



# Triple Power To Pull Down Inflammation & Pain

# **MORTRIP PLUS**

**MRP:** 1690

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Aceclofenac 100 Mg +

Paracetamol 325 Mg + Trypsin &

Chymotrypsin 50,000 Armour units of

**Enzymatic Activity.** 



#### **Triple Power to Pull Down** Inflammation & Pain



Aceclofenac 100mg + Paracetamol 325mg + Trypsin:Chymotrypsin 50000 A.U.

**TABLETS** 



**TABLETS** 

**Aceclofenac** - Provides effective analgesia in treatment of painful inflammatory diseases<sup>1</sup>

**Paracetamol** - Provides balanced postoperative analgesia<sup>2</sup>

**Trypsin:Chymotrypsin-**

Decreases inflammatory cytokines<sup>3</sup>

FRACTURES/ DISLOCATION **POST-OPERATIVE PAIN** TRAUMATIC WOUND INJURIES MOP

Trypsin:Chymotrypsin 100000 I.U.

1.Expert Opin Pharmacother. 2004 Jun;5(6):1347-57. 2.Evid Based Nurs 2004;7:84 doi:10.1136/ebn.7.3.84 3.Burns. 2001 Nov;27(7):709-16.



# Stop Inflammation, Relieve Pain & Accelerate Healing

# **RUTOMOR-A**

**MRP:** 1990

PACKING: Tab. 10\*10 Alu-Alu

**COMPOSITION:** Trypsin 48Mg +

Bromelain 90Mg + Rutoside Trihydrate

100Mg + Aceclofenac 100Mg



### Stop Inflammation, Relieve Pain & Accelerate healing





#### Indications:

Arthritis | Sinusitis
Osteoarthritis
Supportive Therapy for
Acute & Chronic Infections
Pain & Inflammation of surgery, Injury

# RUTOMOR-A

Trypsin 48mg + Bromelain 90mg + Rutoside Trihydrate 100mg + Aceclofenac 100mg **Tab** 

Tablets

The comprehensive therapeutic Approach Analgesic, Antioedemic, Anti-inflammatory immunomodulatory, Fibrinolytic

#### **Trypsin**

Powerful proteolytic enzymes remove cell debris & haemotoma
Beneficial in digestive enhancement
Speed up recovery time

#### **Bromelain & Rutoside**

Exert anti-inflammatory effects
Accelerate healing in injuries & surgery
Improve blood circualtion

#### Aceclofenac

Powerful non steroidal anti-inflammatory drugs with good tolerance

\_\_\_\_