

HABITARE PHARMA PVT. LTD

Plot No 43-44, Industrial Estate HSIIDC Alipur
Barwala Distt Panckula (HR) 134118

LIST OF APPROVED PRODUCTS

TABLET SECTION

Sr No.	COMPOSITION
1	Composition:- Each Film Coated tablet contains:- Ursodeoxycholic acid IP 150 mg Excipients q.s. Colour: Approved colour Use in coating.
2	Composition:- Each Film Coated tablet contains:- Ursodeoxycholic acid IP 300 mg Excipients q.s. Colour: Approved colour Use in coating.
3	Composition:- Each Enteric Coated tablet contains:- Pantoprazole Sodium Sesquihydrate IP eq to Pantoprazole 40 mg Domperidone IP 10 mg Excipients q.s. Colour: Approved colour Use in coating.
4	Composition:- Each UnCoated tablet contains:- Paracetamol IP 325 mg Diclofenac Potassium BP 50 mg Excipients q.s Colour: Approved colour Used
5	Composition:- Each Film Coated tablet contains:- Azithromycin Dihydrate IP eq to Azithromycin 250 mg Excipients q.s. Colour: Approved colour Use in coating.
6	Composition:- Each Film Coated tablet contains:- Azithromycin Dihydrate IP eq to Azithromycin 500 mg Excipients q.s. Colour: Approved colour Use in coating.
7	Composition:- Each Film Coated tablet contains:- Etoricoxib IP 90 mg Excipients q.s. Colour: Approved colour Use in coating.
8	Composition:- Each UnCoated Oral disintegrating tablet contains:- Ondansetron Hydrochloride IP eq to Ondansetron 4 mg Excipients q.s Colour: Approved colour Used
9	Composition:- Each UnCoated tablet contains:- Paracetamol IP 325 mg Aceclofenac IP 100 mg Excipients q.s Colour: Approved colour Used
10	Composition:- Each UnCoated tablet contains:- Paracetamol IP 325 mg Nimesulide BP 100 mg Excipients q.s Colour: Approved colour Used
11	Composition:- Each UnCoated tablet contains:- Methylprednisolone IP 4 mg Excipients q.s
12	Composition:- Each UnCoated tablet contains:- Thiocolchicoside IP 8 mg Aceclofenac IP 100 mg Excipients q.s Colour: Approved colour Used

13	<p>Composition:- Each Film Coated tablet contains:- Tranexemic acid IP 500 mg Mefenamic acid IP 250 mg Excipients q.s. Colour: Approved colour Use in coating.</p>
14	<p>Composition:- Each UnCoated tablet contains:- Glimepiride IP 1 mg Metformin Hydrochloride IP 500 mg (Sustained Release Form) Excipients q.s Colour: Approved colour Used</p>
15	<p>Composition:- Each Film Coated tablet contains:- Tapentadol Hydrochloride IP eq to Tapentadol 100 mg Excipients q.s. Colour: Approved colour Use in coating.</p>
16	<p>Composition:- Each UnCoated tablet contains:- Metformin Hydrochloride IP 500 mg Excipients q.s Colour: Approved colour Used</p>
17	<p>Composition:- Each UnCoated tablet contains:- Citicoline sodium IP eq to Citicoline 500 mg (Chewable Tablet) Excipients q.s Colour: Approved colour Used</p>
18	<p>Composition:- Each Film Coated tablet contains:- Aceclofenac IP 100 mg Paracetamol IP 325 mg Serratiopeptidase IP 15 mg {As enteric coated granules eq to 30,000 Enzymatic activity units of Serratiopeptidase} Excipients q.s Colour: Approved colour Use in coating.</p>
19	<p>Each Film coated Tablet Contains : Ofloxacin IP 200 Mg Excipients q.s. Approved colour used.</p>
20	<p>Each Film coated Tablet Contains : Aceclofenac IP 100 MG Thiocolchicoside IP 4 MG Excipients Q.S. Approved Colour Used</p>
21	<p>Each Film coated Tablet Contains: Domperidone IP 15 MG Cinnarizine IP 20 MG Approved Colour Used Excipients Q.S.</p>
22	<p>Each Film coated Sustained Release Tablet Contains: Nitrofurantoin IP 100 MG Excipients Q.S. Approved Colour Used</p>
23	<p>Each Enteric coated Tablet Contains : Rabeprazole sodium IP 20 MG Domperidone IP 10 MG Excipients Q.S. Approved Colour Used</p>
24	<p>Each Un coated Sustained Release Tablet Contains: Isoxsuprine Hydrochloride IP 40 MG Excipients Q.S. Approved Colour Used</p>
25	<p>Each Film coated Tablet Contains: Naproxen IP 500 MG Domperidone 10 MG Excipients Q.S. Approved Colour Used</p>
26	<p>Each Film coated Tablet Contains : Fexofenadine hydrochloride IP 120 MG Montelukast sodium IP Eq to Montelukast 10 MG Excipients Q.S. Approved Colour Used</p>

27	Each Film coated Tablet Contains : Levocetirizine hydrochloride IP 5 MG Montelukast sodium IP (Eq to Montelukast 10 MG) Excipients Q.S. Approved Colour Used
28	Each Film coated Tablet Contains: Ofloxacin IP 200 MG Ornidazole IP 500 MG Excipients Q.S. Approved Colour Used
29	Each Un coated Tablet Contains: Methylprednisolone IP 16 MG Excipients Q.S. Approved Colour Used
30	Each Enteric coated Tablet Contains : Pantoprazole sodium IP eq to Pantoprazole 40 MG Excipients Q.S. Approved Colour Used
31	Each Un coated Tablet Contains : Methylprednisolone IP 8 MG Excipients Q.S. Approved Colour Used
32	Each Un coated sustained release Tablet Contains : Aceclofenac IP 200 MG Excipients Q.S. Approved Colour Used
33	Each Film coated Tablet Contains : Linezolid IP 600 MG Excipients Q.S. Approved Colour Used
34	Each Enteric coated Tablet Contains : Rabeprazole sodium IP 20 MG Excipients Q.S. Approved Colour Used
35	Each Film coated Tablet Contains : Terbinafine Hydrochloride IP Eq to Terbinafine 250 MG Excipients Q.S. Approved Colour Used
36	Each uncoated Tablet Contains Paracetamol 650 mg
37	Each uncoated Tablet Contains Telmisartan 40 mg + Hydrochlorothiazide 12.5 mg
38	Each Enteric coated Tablet Contains Diclofenac potassium 50 mg + Serratiopeptidase 10 mg
39	Each Film coated Tablet Contains Drotavarine hcl 80 mg + Mefenamic acid 250 mg
40	Each Film coated Tablet Contains Gabapentin 300 mg + Methylcobalamin 500mcg
41	Each uncoated Tablet Contains Para 325 + phenylephrine 5 +caffeine30+ Diphenhydramine 25
42	Each Film coated Tablet Contains Doxofylline 400mg SR + Montelukast 10 mg
43	Each uncoated Tablet Contains Levocetirizine hcl 2.5 mg + Montelukast 4 mg Dispersible
44	Each Film coated Tablet Contains Telmisartan IP 40 mg + Amlodipine Besylate IP eq to Amlodipine 5 mg Excipients q.s, Approved Colour Used
45	Each uncoated Tablet Contains Mefenamic acid IP 250 mg Dicyclomine hydrochloride IP 10 mg Excipients q.s Approved Colour Used
46	Each Enteric coated Tablet Contains Esomeprazole magnesium Trihydrate IP eq to Esomeprazole 40 mg Excipients q.s Approved Colour Used
47	Each un coated Tablet Contains Etoricoxib IP 60 mg + Paracetamol IP 325 mg Excipients q.s Approved Colour Used

48	Each Film coated Tablet Contains Etoricoxib IP 60 mg + Thiocolchicoside IP 4 mg Excipients q.s Approved Colour Used
49	Each Film coated Tablet Contains Betahistine Hydrochloride IP 16 mg Excipients q.s Approved Colour Used
50	Each Film coated Tablet Contains Pregabalin IP 75 mg + Nortriptyline hydrochloride IP eq to Nortriptyline 10 mg
51	Each film coated Tablet Contains Sildenafil citrate IP 100 mg (eq to Sildenafil) Dapoxetine hydrochloride IP eq to Dapoxetine 60mg Excipients q.s Approved Colour Used
52	Each Film coated Tablet Contains Diacerein IP 50 mg Glucosamine sulphate potassium chloride USP 750 mg Methylsulfonyl methane USP 250 mg Excipients q.s Approved Colour Used
53	Each Enteric coated Tablet Contains Trypsin BP 48mg + Bromelain 90 mg + Rutoside trihydrate BP 100mg Aceclofenac IP 100mg Excipients q.s Approved Colour Used
54	Each film coated Tablet Contains Aceclofenac IP 100 mg + Paracetamol IP 325 mg Trypsin- Chymotrypsin 50000 AU (A purified concentrate has specific Trypsin & Chymotrypsin activity in the ratio approximate six to one enzyme activity Excipients q.s Approved Colour Used
55	Each Film coated Tablet Contains Fabuxostat IP 40 mg
56	Each Film coated Tablet Contains Fabuxostat IP 80 mg Excipients q.s Approved Colour Used
57	Each Film coated Sustained release Tablet Contains Acebrophylline 200 mg Excipients q.s Approved Colour Used
58	Each Film coated Tablet Contains Aceclofenac IP 100 mg + Paracetamol IP 325 mg + Chlorzoxazone USP 250 mg Excipients q.s Approved Colour Used
59	Each Un coated Tablet Contains Aceclofenac IP 200 mg + (as Extended Release) + Rabeprazole sodium IP 20 mg (as Delayed release) Excipients q.s Approved Colour Used
60	Each Film coated Tablet Contains Aceclofenac IP 100 mg + Paracetamol IP 325 mg + Thiocolchicoside IP 4 mg Excipients q.s Approved Colour Used
61	Each Film coated Tablet Contains Pregabalin IP 75 mg +Nortriptyline hydrochloride IP (eq to Nortriptyline 10 mg) Mecobalamin IP 1500mcg Excipients q.s Approved Colour Used
62	Each Film coated Tablet Contains Azithromycin dihydrate IP (eq to anhydrous Azithromycin 250 mg Lactic acid bacillus 60 million spores Excipients q.s Approved Colour Used
63	Each Film coated Tablet Contains Azithromycin dihydrate IP (eq to anhydrous Azithromycin 500 mg Lactic acid bacillus 60million spores Excipients q.s Approved Colour Used
64	Each Film coated Tablet Contains Diclofenac Potassium BP 50 mg + Paracetamol IP 325 mg Serratiopeptidase IP 10 mg (As enteric coated granules) Eq to enzymatic activity20000 unit) Excipients q.s Approved Colour Used

65	Each Film coated Tablet Contains: eq to Citicholine 500 mg + Piracetam IP 400 mg Excipients Used	Citicholine sodium IP q.s Approved Colour
66	Each film coated tablet contains: 90mg, Rutosidetrihydrate bp 100 mg, Di clofenacPotassium bp 50 mg Excipients q.s units/tablet Approved colour used.	Trypsin bp 48mg ,Bromelainand Total proteolytic activity NLT1095FIP
67	Each Film coated Tablet Contains: Iron 100 MG + Folic acid 1500 MCG IP + Zinc sulphate monohydrate ip eq to elemental Zinc 22.5 mg Excipients q.s	Ferrous ascorbate IP eq to elemental Approved colour used.
68	Each Film coated Tablet Contains: Paracetamol ip 325 mg, granules) Eq to enzymatic activity 30000unit) Excipients q.s	DiclofenacPotassium bp 50mg, Serratiopeptidase ip 15 mg (As enteric coated Approved colour used.
69	Each Film coated Tablet Contains : Montelukast sodium ip Excipients q.s	Ebastine ip 10 mg Eq to Montelukast 10 mg Approved colour used.
70	Each Film coated Tablet Contains : Folic acid ip 1.5mg, Pyridoxine hydrochloride ip 3 mg, Methylcobalamin ip 1500 mcg, VitaminD3 1000 iu Excipients q.s	Alpha Lipoic acid usp 100 mg, Approved colour used.
71	Each Film coated Tablet Contains: hydroxide ip iu Eq to Zinc 4 mg Approved colour used.	Calciumcitrate ip 1000mg, Magnesium eq to Magnesium 100mg, Vitamin D3 ip 200 Zinc sulphate mono hydrate ip Excipients q.s
72	Each uncoated Tablet Contains: mg, Chlorzoxazone usp 250 mg Excipients q.s Approved colour used.	Aceclofenac ip 100 mg, Paracetamol ip 325
73	Each Film coated Tablet Contains: Tramadol hydrochloride ip 37.5 mg Approved colour used.	Excipients q.s Paracetamol ip 325 mg,
74	Each uncoated Tablet Contains: 75mg, (as sustained release), Montelukast sodium ip eq. to Montelukast 10 mg Excipients q.s	Ambroxol hydrochloride ip Levocetirizine hydrochloride ip 5mg, Approved colour used.
75	Each Uncoated Chewable Tablet Contains: Ivermectin 6 mg Approved colour used.	Albendazole ip 400 mg Excipients q.s
76	Each Film coated Tablet Contains: usp Calcitriol ip 0.250 mcg, monohydrate ip eq to zinc 7.5 mg Approved colour used.	Calcium citrate malate eq to Calcium 250 mg, Zinc sulphate Excipients q.s

77	Each Film coated Tablet Contains: Lornoxicam ip 8 mg Approved colour used.	Paracetamol ip 325 mg, Excipients q.s
78	Each Uncoated Chewable Tablet Contains: Cholecalciferol ip 60000IU Excipients q.s colour used.	Approved
79	Each Enteric coated Tablet Contains: Folic acid ip 5 mg Excipients q.s colour used.	Doxylaminesuccinate usp 20 mg, Pyridoxine hydrochloride ip 20 mg Approved
80	Each Film coated Tablet Contains: Paracetamol ip 325mg , 5 mg , Caffeine (anhydrous) ip 25 mg Approved colour used.	Aceclofenac ip 100mg , Phenylephrine hydrochloride ip Cetirizinehydrochloride ip 10 mg , Excipients q.s
81	Each film coated Tablet Contains : sustained release), Montelukast Sodium ip eq. to Montelukast 10 mg Approved colour used.	Acebrophylline 200 mg (as Fexofenadine hydrochloride 120 mg , Excipients q.s
82	Each film coated Tablet Contains : hydrochloride Eq to Doxycycline 100 mg million spores Approved colour used.	Doxycycline Lactic acid Bacillus 120 Excipients q.s
83	Each film coated Tablet Contains: Folic acid 1.0 mg, Zinc bisglycinate 15 mg Approved colour used.	Ferrous bisglycinate 60 mg , Methylcobalamin ip 500 mcg, Excipients q.s
84	Each film coated Tablet Contains: elemental Iron 100mg, Methylcobalamin ip 1500mcg, eq to zinc 22.5 mg Approved colour used.	Ferrous ascorbate ip eq to Folic acid 1.1mg , Zinc sulphate monohydrate ip Excipients q.s
85	Each uncoated Tablet Contains: Paracetamol ip 325 mg, Approved colour used.	Mefenamic acid ip 500 mg Excipients q.s
86	Each Film coated Tablet Contains: Drotaverine hydrochloride Ip 80 mg, Aceclofenac ip 100 mg Excipients q.s colour used.	Approved
87	Each Film coated Tablet Contains: Drotaverine hydrochloride Ip 80 mg, Excipients q.s colour used.	Approved

88	Each Uncoated Tablet Contains: Fluconazole IP 400 mg Excipients q.s colour used.	Approved
89	Each Film coated Tablet Contains: Ofloxacin ip 200 mg hydrochloride ip 200 mg Excipients q.s colour used.	Flavoxate Approved
90	Each Film coated Tablet Contains: Trypsin bp 96 mg Bromelain 180 mg Rutosidetrihydrate bp 200 mg Excipients q.s Approved Colour Used	
91	Each Film coated Tablet Contains: Acebrophylline 100 mg Acetylcysteine bp 600 mg Excipients q.s Approved Colour Used	
92	Each Film coated Tablet Contains: Triamcinolone ip 4 mg Excipients q.s Approved Colour Used	
93	Each Film coated Tablet Contains: Myo-Inositol IP 1000 mg L-MethylFolateCalcium 100 mcg VitaminD3 ip 1000 iu Excipients q.s Approved Colour Used	
94	Each Film coated Tablet Contains: Calciumcitrate usp 1000 mg Calcitriol ip 0.25 mcg Folicacid ip 1.5 mg Zincsulphatemonohydrate EqtoelementalZinc 7.5 mg Methylcobalamin ip 1500 mcg VitaminK2-7 50 mcg Excipients q.s Approved Colour Used	
95	Each enteric coated Tablet Contains Trypsin-Chymotrypsin (Apurifiedconcentratehasspecific) 100000 au enzyme Excipients q.s Approved Colour Used	
96	Each Film coated Tablet Contains: Flunarizine dihydrochloride ip eq to Flunarizine 5 mg Excipients q.s Approved Colour Used	
97	Each Film coated Tablet Contains: Levocetirizine Hydrochloride ip 5 mg Excipients q.s Approved Colour Used	
	Each Uncoated Dispersible Tablet Contains	

98	<p>Lansoprazole ip 15 mg Excipients q.s Approved Colour Used</p>
99	<p>Each Film coated Tablet Contains: Artemether ip 80 mg Lumifantrine ip 480 mg Excipients q.s Approved Colour Used</p>
100	<p>Each Film coated Tablet Contains: L-Ornithine-L-Aspartate ip 150 mg Pancreatin ip 100 mg Excipients q.s Approved Colour Used</p>
101	<p>Each Film coated Tablet Contains: L-Methylfolatecalcium 1 mg Pyridoxal-5Phosphate 0.5 mg Methylcobalamin ip 1500 mcg Excipients q.s Approved Colour Used</p>
102	<p>Each uncoated Tablet Contains Naproxen ip 250 mg Excipients q.s Approved Colour Used</p>
103	<p>Each Oro dispersible Tablet contains Bilastine 10 mg Montelukast sodium ip eq to montelukast 4 mg Excipients q.s Approved Colour Used</p>
104	<p>Each uncoated Tablet Contains Glimepiride ip 2 mg Metforminhydrochloride ip 500 mg Excipients q.s Approved Colour Used</p>
105	<p>Each Film coated Tablet Contains: Paracetamol ip 325 mg Phenylephrine hydrochloride ip 5 mg Levocetirizine hydrochloride ip 5 mg Excipients q.s Approved Colour Used</p>
106	<p>Each Film coated Tablet Contains: Calcium carbonate ip eq to Calcium 200 mg Methylcobalamin ip 1500 mcg Calcitriol ip 0.250 mcg Folic acid ip 1.5 mg Pyridoxine hydrochloride ip 3 mg Excipients q.s Approved Colour Used</p>
107	<p>Each uncoated Tablet Contains Deflazacort 18 mg Excipients q.s Approved Colour Used</p>

108	<p>Each uncoated Tablet Contains</p> <p>Deflazacort 6 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
109	<p>Each uncoated Orally disintegrating Tablet Contains</p> <p>Ondansetron hydrochloride ip</p> <p>Eq to Ondansetron 8 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
110	<p>Each Film coated Tablet Contains</p> <p>Ambroxol hydrochloride ip 75 mg</p> <p>(as sustained release)</p> <p>Levocetirizine Hydrochloride ip 5 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
111	<p>Each film coated Tablet Contains</p> <p>Etodolac ip 400 mg</p> <p>Thiocolchicoside ip 8 mg</p> <p>Excipients q.s.</p> <p>Approved Colour Used</p>
112	<p>Each Film coated Tablet Contains</p> <p>Amitriptyline hydrochloride ip 25 mg</p> <p>Excipients q.s.</p> <p>Approved Colour Used</p>
113	<p>Each film coated Tablet Contains</p> <p>Sildenafil citrate ip</p> <p>eq to Sildenafil 100 mg</p> <p>Excipients q.s.</p> <p>Approved Colour Used</p>
114	<p>Each film coated Tablet Contains</p> <p>Mefenamic acid IP 250 mg</p> <p>Dicyclomine hydrochloride ip 20 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
115	<p>Each un coated Tablet Contains</p> <p>Fluconazole ip 150 mg</p> <p>Ivermectin ip 12 mg</p> <p>Excipients q.s.</p> <p>Approved Colour Used</p>
116	<p>Each un coated Chewable Tablet Contains</p> <p>Albendazole ip 400 mg</p> <p>Ivermectin ip 12 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
117	<p>Each uncoated Tablet Contains</p> <p>Cyproheptadine hydrochloride IP 4 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
	<p>Each film coated Tablet Contains</p>

118	Flunarizine Dihydrochloride ip eq Flunarizine 10 mg Excipients q.s Approved Colour Used
119	Each film coated Tablet Contains Dexmethorphen hydrobromide ip 10 mg Phenylephrine hydrochloride ip 5 mg Chlorpheniramine Maleate ip 2 mg Excipients q.s Approved Colour Used
120	Each film coated Tablet Contains Flunarizine Dihydrochloride ip eq Flunarizine 5 mg Domperidone ip 10 mg Excipients q.s Approved Colour Used
121	Each uncoated Tablet Contains Deflazacort 30 mg Excipients q.s Approved Colour Used
122	Each film coated Tablet Contains Naproxen ip 250 mg Domperidone ip 10 mg Excipients q.s Approved Colour Used
123	Each film coated Tablet Contains Mefenamic acid ip 250 mg Dicyclomine hydrochloride ip 10 mg Paracetamol ip 325 mg Excipients q.s Approved Colour Used
124	Each film coated Tablet Contains Calcium carbonate ip 1250 mg Vitamin D3 ip 2000 iu L-Methyl folate calcium 1 gm Mecobalamin ip 1500 mcg Pyridoxal 5 phosphate 20 mg Excipients q.s Approved Colour Used
125	Each Film coated Tablet Contains Atorvastatin calcium ip Eq to Atorvastatin 10 mg Excipients q.s Approved Colour Used
126	Each Film coated Tablet Contains Atorvastatin calcium ip Eq to Atorvastatin 20 mg Excipients q.s Approved Colour Used

127	<p>Each Film coated Tablet Contains Rosuvastatin calcium ip Eq to Rosuvastatin 10 mg Excipients q.s Approved Colour Used</p>
128	<p>Each Film coated Tablet Contains Rosuvastatin calcium ip Eq to Rosuvastatin 20 mg Excipients q.s Approved Colour Used</p>
129	<p>Each Film coated Tablet Contains Levetiracetam ip 250 mg Excipients q.s Approved Colour Used</p>
130	<p>Each Film coated Tablet Contains Levetiracetam ip 500 mg Excipients q.s Approved Colour Used</p>
131	<p>Each Uncoated Tablet Contains Terbutaline sulphate ip 2.5 mg Ambroxol hydrochloride ip 30 mg Guaiphenesin ip 100 mg Excipients q.s Approved Colour Used</p>
132	<p>Each Uncoated Tablet Contains Terbutaline sulphate ip 2.5 mg Bromhexine hydrochloride ip 8 mg Guaiphenesin ip 100 mg Excipients q.s Approved Colour Used</p>
133	<p>Each filmcoated Tablet Contains Amlodipine besylate ip eq to Amlodipine 5 mg Telmisartan ip 40 mg Chlorthalidone ip 6.25 Excipients q.s Approved Colour Used</p>

134	<p>Each film coated Tablet Contains Tamsulosin hydrochloride ip 0.4 mg (as sustained release) Dutasteride ip 0.5 mg Excipients q.s Approved Colour Used</p>
135	<p>Each film coated Tablet Contains Nimesulide bp 100 mg Phenylephrine hydrochloride ip 10 mg Cetirizine hydrochloride ip 5 mg Caffeine (anhydrous) ip 30 mg Excipients q.s Approved Colour Used</p>
136	<p>Each un coated Tablet Contains Paracetamol ip 325 mg Phenylephrine hydrochloride ip 10 mg Chlorpheniramine maleate ip 2 mg Excipients q.s Approved Colour Used</p>
137	<p>Each Film coated Tablet Contains Vidagliptin ip 50 mg Excipients q.s Approved Colour Used</p>
138	<p>Each Film coated Tablet Contains Vidagliptin ip 100 mg Excipients q.s Approved Colour Used</p>
139	<p>Each Film coated Tablet Contains Vidagliptin ip 50 mg Metformin hydrochloride ip 500 mg Excipients q.s Approved Colour Used</p>
140	<p>Each Film coated Tablet Contains Amlodipine besylate ip eq to Amlodipine 5 mg Excipients q.s Approved Colour Used</p>
	<p>Each Film coated Tablet Contains Depagliflozin Propanediol monohydrate eq to Depagliflozin 10 mg</p>

141	Metformin hydrochloride ip 1000 mg (as sustained release) Excipients q.s Approved Colour Used	
142	Each Film coated Tablet Contains Depagliflozin Propanediol monohydrate eq to Depagliflozin 10 mg Metformin hydrochloride ip 500 mg (as sustained release) Excipients q.s Approved Colour Used	
143	Each un coated Tablet Contains Clonazepam ip 0.5 mg Excipients q.s Approved Colour Used	
144	Each un coated Tablet Contains Clonazepam ip 1 mg Excipients q.s Approved Colour Used	
145	Each un coated Tablet Contains Clonazepam ip 2 mg Excipients q.s Approved Colour Used	
146	Each un coated Tablet Contains Escitalopram oxalate Eq to Escitalopram 10 mg Clonazepam ip 0.5 mg Eq to Rosuvastatin Excipients q.s Approved Colour Used	
147	Each enteric coated tablet contains: Rabeprazole sodium ip 20 mg Ondansetron hydrochloride ip eq. to Ondansetron 4 mg Excipients q.s Approved Colour Used	
148	Each Film coated Tablet Contains: eq. to Naproxen ip 500 mg eq. to Domperidone ip 10 mg Approved Colour Used	Naproxen Sodium usp Domperidone Maleate ip Excipients Q.S.
149	Each Film coated Tablet Contains: Folic acid ip 10 mg Approved colour used.	Methylcobalamin ip 1500 mcg, Excipients q.s
150	Each un coated Tablet Contains Nicorandil ip 10 mg Excipients q.s Approved colour used.	

151	<p>Each Film coated Tablet Contain</p> <p>Aceclofenac ip 100 mg</p> <p>Tizanidine hydrochloride ip</p> <p>eq to Tizanidine ip 2 mg</p> <p>Excipients q.s</p> <p>Approved colour used.</p>
152	<p>Each film coated Tablet Contains</p> <p>Levofloxacin hemihydrate ip 250 mg</p> <p>Excipients q.s</p> <p>Approved colour used.</p>
153	<p>Each film coated Tablet Contains</p> <p>Levofloxacin hemihydrate ip 500 mg</p> <p>Excipients q.s</p> <p>Approved colour used.</p>
154	<p>Each uncoated Tablet Contains</p> <p>Paracetamol ip 325</p> <p>phenylephrine ip 5mg</p> <p>Cetirizine hydrochloride ip 5 mg</p> <p>Excipients q.s</p> <p>Approved colour used.</p>
155	<p>Each film coated Tablet Contains</p> <p>Hydroxyzine Hydrochloride ip 25 mg</p> <p>Excipients q.s</p> <p>Approved colour used.</p>
156	<p>Each Film coated Tablet Contains</p> <p>Tadalafil IP 10 mg</p> <p>Excipients q.s.</p> <p>Approved Colour Used</p>
157	<p>Each Film coated Tablet Contains</p> <p>Tadalafil ip 5 mg</p> <p>Excipients q.s.</p> <p>Approved Colour Used</p>
158	<p>Each Enteric coated Tablet Contains</p> <p>L-Ornithine-L-Aspartate 150 mg</p> <p>Pancreatin ip 100 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
159	<p>Each Film coated Tablet Contains</p> <p>Methylcobalamin ip 1500 mcg</p> <p>(as extended release)</p> <p>Folic acid ip 5 mg</p> <p>Pyridoxine hydrochloride ip 20 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>
160	<p>Each Film coated Tablet Contains</p> <p>Tolperisone hydrochloride 150 mg</p> <p>Diclofenac potassium ip 50 mg</p> <p>Excipients q.s</p> <p>Approved Colour Used</p>

161	Each Film coated Tablet Contains Diclofenac potassium ip 50 mg Paracetamol ip 325 mg Chlorzoxazone usp 250 mg Excipients q.s Approved Colour Used
162	Each Film coated Tablet Contains Lornoxicam ip 4 mg Thiocolchicoside ip 8 mg Excipients q.s. Approved Colour Used
163	Each Enteric coated Tablet Contains Trypsin ip 48 mg Bromelain 90 mg Rutoside trihydrate 100 mg Excipients q.s. Approved Colour Used
164	Each Film coated Tablet Contains Pregabalin(as sustained release) ip 75 mg Methylcobalamin ip 1500 mcg Excipients q.s Approved Colour Used
165	Each Film coated Tablet Contains Gabapentin ip 400 mg Nortriptyline hydrochloride ip eq to Nortriptyline 10 mg Excipients q.s Approved Colour Used
166	Each uncoated Tablet Contains Clomifene citrate ip 100 mg Excipients q.s Approved Colour Used
167	Each filmcoated Tablet Contains Rifaximin bp 400 mg Excipients q.s Approved Colour Used
168	Each Oral disintegrating Tablet Contains Ondansetron hydrochloride ip eq to Ondansetron 8 mg Excipients q.s. Approved Colour Used
169	Each film coated Tablet Contains Chlordiazepoxide ip 5 mg Clidinium bromide usp 2.5 mg Excipients q.s Approved Colour Used

170	<p>Each Film coated Tablet Contains Pregabalin(as sustain release) ip 150 mg Methylcobalamin ip 1500 mcg Excipients q.s Approved Colour Used</p>
171	<p>Each Film coated Tablet Contains Telmisartan ip 40 mg Excipients Q.S Approved Colour Used</p>
172	<p>Each uncoated Tablet Contains Deflazacort 12 mg Excipients q.s Approved Colour Used</p>
173	<p>Each Film coated Tablet Contains Betahistine Dihydrochloride ip 8 mg Excipients q.s. Approved Colour Used</p>
174	<p>Each Enteric coated Tablet Contains Doxylamine succinate ups 10 mg Folic acid ip 2.5 mg Pyridoxine hydrochloride ip 10 mg Excipients q.s Approved Colour Used</p>
175	<p>Each uncoated Tablet Contains Prednisolone ip 5 mg Excipients q.s Approved Colour Used</p>
176	<p>Each filmcoated Tablet Contains Ferrous bisglycinate eq to elemental Iron 60 mg Zinc bisglycinate eq to elemental Zinc 15 mg Folic acid ip 1.5 mg Methylcobalamin ip 500 mcg Excipients q.s Approved Colour Used</p>
177	<p>Each film coated Tablet Contains Myo-Inositol ip 600 mg Metformin hydrochloride ip 500 mg (as sustained release) Excipients q.s Approved Colour Used</p>
178	<p>Each uncoated Tablet Contains Paracetamol ip 500 mg Excipients q.s Approved Colour Used Each film coated Tablet Contains Calcium carbonate ip eq to Calcium 250 mg</p>

	<p>Calcitriol ip 0.25 mcg Vitamin K2-7 50 mcg Excipients q.s Approved Colour Used</p>
179	<p>Each Film coated tablet Contains Calcium carbonate from an organic source(Oyster shell) 1.25gm eq to elemental Calcium ip 500 mg Vitamin D3 ip 250 iu Excipient qs Approved Colour Used</p>
180	<p>Each Film coated tablet Contains Naltrexone Hydrochloride ip 50 mg Excipient q.s Approved Colour Used</p>
181	<p>Each Film coated tablet Contains Rifaximin bp 200 mg Metronidazole benzoate ip eq to Metronidazole 400 mg Excipient q.s Approved Colour Used</p>
182	<p>Each Film coated tablet Contains Desloratadine usp 5 mg Excipients q.s Approved Colour Used</p>
183	<p>Each Un coated tablet Contains Levosulpiride 25 mg Excipient q.s</p>

CAPSULE SECTION

Sr No.	COMPOSITION
1	<p>Composition:- Each Hard Gelatin Capsule Contains: Pantoprazole Sodium IP eq to Pantoprazole 40 mg {As enteric coated pellets} Domperidone IP 30 mg {As sustained release pellets} Excipients q.s. Colour:- Approved colour Used in Capsule Shells & Pellets</p>
2	<p>Composition:- Each Hard Gelatin Capsule Contains: Rabeprazole Sodium IP 20 mg {As enteric coated pellets} Domperidone IP 30 mg {As sustained release pellets} Excipients q.s. Colour:- Approved colour Used in Capsule Shells & Pellets</p>
3	<p>Composition:- Each Hard Gelatin Capsule Contains: Itraconazole Pellets eq to Itraconazole 100 mg Excipients q.s. Colour:- Approved colour Used in Capsule Shells & Pellets</p>
4	<p>Composition : Each Hard Gelatin Capsules Contains Methylcobalamin 750 mcg + Pregabalin 75 mg</p>
5	<p>Rabeprazole 20 mg + Levosulpride 75mg SR capsule</p>

6	Pantoprazole 40 mg + Itopride hcl 150 mg SR capsule	
7	Each Hard Gelatin Capsule Contains Rabeprazole Sodium IP 20 mg (As enteric coated pellets) Itopride Hydrochloride IP 150 mg (As Sustained Release pellets) Excipients q.s Approved Colour Used in Capsule shells	
8	Each Hard Gelatin Capsule Contains Rabeprazole Sodium IP 20 mg (As enteric coated pellets) Domperidone IP 30 mg (As Sustained Release pellets) Excipients q.s Approved Colour Used in Capsule shells	
9	Each Hard Gelatin Capsule Contains: Aceclofenac ip 200 mg (as Extended Release), ip 20mg (as Delayed release) Approved colour used.	Rabeprazole sodium Excipients q.s
10	Each Hard Gelatin Capsule Contains Indomethacin 75 mg (In sustained release form) Excipients q.s Approved Colour Used in Capsule shells	
11	Each Hard Gelatin Capsule Contains Acebrophylline 100 mg Excipients q.s Approved Colour Used in Capsule shells	
12	Each Hard Gelatin Capsule Contains Pregabalin IP 75 mg Methylcobalamin ip 750 mcg AlphaLipoic acid ip 100 mg VitaminB6 ip 3 mg Folic acid ip 1.5 mg Excipients q.s Approved Colour Used in Capsule shells	
13	Each Hard Gelatin Capsule Contains Esomeprazole magnesium ip eq to Esomeprazole 40 mg (As enteric coated pellets) Domperidone Maleate ip eq to Domperidone 30 mg (As Sustained Release pellets) Excipients q.s Approved Colour Used in Capsule shells	
14	Each Hard gelatin Capsule Contains Pregabalin IP 75 mg (as sustained release) Duloxetine hydrochloride ip eq to Duloxetine 20 mg Excipients q.s Approved Colour Used	
15	Each Hard Gelatin Capsule Contains Atorvastatin calcium IP Eq to Atorvastatin 10 mg (as pellets) Aspirin IP 75 mg (as enteric coated pellets) Excipients q.s Approved Colour Used	

16	<p>Each Hard Gelatin Capsule Contains Atorvastatin calcium ip Eq to Atorvastatin 10 mg (as pellets) Aspirin ip 150 mg (as enteric coated pellets) Excipients q.s Approved Colour Used</p>
17	<p>Each Hard Gelatin Capsule Contains Atorvastatin calcium ip Eq to Atorvastatin 10 m g (as pellets) Clopidogrel bisulphate ip Eq to Clopidogrel 75 mg (as pellets) Aspirin ip 75 mg (as enteric coated pellets) Excipients q.s Approved Colour Used</p>
18	<p>Each Hard Gelatin Capsule Contains Atorvastatin calcium ip Eq to Atorvastatin 10 mg (as pellets) Clopidogrel bisulphate ip Eq to Clopidogrel 75 mg (as pellets) Excipients q.s Approved Colour Used</p>
19	<p>Each Hard Gelatin Capsule Contains Rosuvastatin calcium ip Eq to Rosuvastatin 10 mg (as pellets) Aspirin ip 75 mg (as enteric coated pellets) Excipients q.s Approved Colour Used</p>
20	<p>Each Hard Gelatin Capsule Contains Rosuvastatin calcium ip Eq to Rosuvastatin 10 mg (as pellets) Aspirin ip 150 mg (as enteric coated pellets) Excipients q.s Approved Colour Used</p>
21	<p>Each Hard Gelatin Capsule Contains Rosuvastatin calcium Eq to Rosuvastatin (as pellets) Clopidogrel bisulphate Eq to Clopidogrel (as pellets) Excipients Approved Colour Used</p>
	<p>Each Hard Gelatin Capsule Contains Rosuvastatin calcium</p>

22	<p>Eq to Rosuvastatin (as pellets) Clopidogrel bisulphate Eq to Clopidogrel (as pellets) Excipients Approved Colour Used</p>
23	<p>Each Hard gelatin Capsule Contains Pregabalin IP 300 mg Excipients q.s Approved Colour Used</p>
24	<p>Each Hard gelatin Capsule Contains Carbonyl Iron Eq to elemental IRON 100 mg Folic acid IP 1.5 mg Vitamin B12 ip 15 mcg Zinc sulphate monohydrate ip 61.8 mg Excipients q.s Approved Colour Used</p>
25	<p>Each Hard Gelatin Capsule Contains Esomeprazole magnesium Trihydrate ip eq to Esomeprazole 40 mg (As enteric coated pellets) Domperidone ip 30 mg (As Sustained Release pellets) Excipients q.s Approved Colour Used in Capsule shells</p>
26	<p>Each Hard Gelatin Capsule Contains Methylcobalamin IP 1500 mcg Alpha Lipoic Acid ip 100 mg Vitamin B6 ip 3 mg Folic acid ip 1.5 mg Excipients q.s Approved Colour Used in Capsule shells</p>
27	<p>Each Hard Gelatin Capsule Contains Methylcobalamin IP 1500 mcg Alpha Lipoic Acid ip 100 mg Vitamin B6 ip 3 mg Folic acid IP 1.5 mg Thiamine hcl 10 mg Excipients q.s Approved Colour Used in Capsule shells</p>
28	<p>Each Hard Gelatin Capsule Contains Esomeprazole magnesium Trihydrate ip eq to Esomeprazole 40 mg (as enteric coated pellets) Levosulpiride 75 mg (as sustained release pellets) Approved Colour Used in Capsule shells</p>
29	<p>Each Hard Gelatin Capsule Contains Pantoprazole sodium eq to Pantoprazole ip 40 mg (as enteric coated pellets) Levosulpiride 75 mg (as sustained release pellets)</p>

LIQUID SECTION

Sr No.	COMPOSITION
1	Each 5 ml Contains: Aceclofenac IP 50 mg Paracetamol ip 125mg In a Flavoured Base Colour: Approved Colour Used
2	Ambroxol Hydrochloride IP 15 mg Guaiphenesin IP 50 mg Levosalbutamol Sulphate eq to Levosalbutamol IP 0.5 mg In a Flavoured Base q.s
3	Composition:- Each 5 ml Contains: Paracetamol IP 125 mg Mefenamic acid IP 50 mg In a Flavoured Base q.s Colour: Approved Colour Used
4	Composition:- Each 15 ml Contains: Lactulose IP 10 gm {As Lactulose Concentrate USP} In a Flavoured Base q.s Colour: Approved Colour Used
5	Composition:- Each 5 ml Contains: Diphenhydramine Hydrochloride IP 14.08 mg Ammonium Chloride IP 138 mg Sodium Citrate IP 57.03 mg In a Flavoured Base q.s Colour: Approved Colour Used
6	Composition:- Each 5 ml Contains: Bromhexine Hydrochloride IP 2 mg Guaiphenesin IP 50 mg Terbutaline Sulphate IP 1.25 mg Menthol IP 0.5 mg In a Flavoured Base q.s Colour: Approved Colour Used
7	Composition:- Each 5 ml Contains: Dextromethorphan Hydrobromide IP 10 mg Phenylepherine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2 mg In a Flavoured Base Colour: Approved Colour Used q.s
8	Composition:- Each 10 ml Contains: Sucralfate USP 1000 mg Oxetacaine BP 20 mg In a Flavoured Base q.s Colour: Approved Colour Used
9	Composition:- Each 5 ml Contains: Aluminium Hydroxide IP 291 mg {Added as aluminium hydroxide Paste} eq to Dried aluminium hydroxide gel IP 380 mg Magnesium Hydroxide IP 98 mg {Added as magnesium hydroxide Paste} Oxetacaine BP 10 mg Excipients q.s In a Flavoured Sorbitol Base Colour: Approved Colour Used
10	Composition:- Each 5 ml Contains: Ofloxacin IP 50 mg Metronidazole Benzoate eq to Metronidazole IP 100 mg In a Flavoured Base q.s Colour: Approved Colour Used
11	Composition:- Each 5 ml Contains: Azithromycin Dihydrate IP eq to Azithromycin 200 mg In a Flavoured Base q.s Colour: Approved Colour Used

12	Calcium carbonate eq to calcium 250mg+ Vitamin D3 125 IU/5 ml suspension
13	Vitamin D3 60000IU Oral solution/5 ml
14	Each 5 ml contains Citicholine Sodium IP eq to Citicholine 500 mg Piracetam IP 400 mg In flavour syrupy Base Q.S. Approved Colour Used
15	Each 5 ml contains Paracetamol IP 250 MG In flavour syrupy Base Q.S. Approved Colour Used
16	Each ml contains Ambroxol hydrochloride IP 7.5 mg Guaiphenesin IP 12.5 mg Terbutaline sulphate IP 0.25 mg In flavour syrupy Base q.s. Approved Colour Used
17	Each 5 ml contains Mefenamic acid IP 100 mg Paracetamol IP 250 MG In flavour syrupy Base q.s. Approved Colour Used
18	Each 5 ml contains Magaldrate (as anhydrous) IP 540 mg Simethicone IP 50 mg Oxetacaine IP 10 mg In flavour syrupy Base q.s. Approved Colour Used
19	Each ml contains Dicyclomine hydrochloride IP 10 mg Polydimethylsiloxane IP 40 mg In flavour syrupy Base q.s. Approved Colour Used
20	Each ml contains Paracetamol IP 100 mg In flavour syrupy Base q.s. Approved Colour Used
21	Each 5 ml contains Albendazole IP 200 mg Ivermectin IP 1.5 mg In flavour syrupy Base q.s. Approved Colour Used
22	Each 5 ml contains Ferrous calcium citrate complex eq to elemental Iron 25 mg Folic acid IP 0.3 mg In flavour syrupy Base q.s. Approved Colour Used
23	Each ml contains Ferrous ascorbate IP eq to elemental Iron 10 mg Folic acid IP 100 mcg In flavour syrupy Base q.s. Approved Colour Used
24	Each 5ml contains Thiamine hydrochloride IP 10 mg Pyridoxine hydrochloride IP 3 mg Cynocobalamin IP 15 mcg D-Panthenol IP 5 mg L-Lysine monohydrochloride IP 150 mg In flavour syrupy Base q.s. Approved Colour Used

25	Each 5ml contains Thiamine hydrochloride IP 2 mg Riboflavin phosphate sodium IP 2.5 mg Pyridoxine hydrochloride IP 0.75 mg Cynocobalamin IP 2mcg Niacinamide IP 15mg L-Lysine monohydrochloride IP 375 mg D-Panthenol IP 3 mg In flavour syrupy Base q.s. Approved Colour Used	
26	Hdroxyzine hydrochloride 10 mg /5ml	
27	ofloxacin 50 mg/5 ml suspension	
28	Each 5 ml contains Potassium citrate 1100mg+ citric acid 334mg/5ml	
29	Each 15ml contains Ferrous ammonium citrate eq to Iron 50mg Folic acid 500mcg Cyanacobalamin 7.5mcg Zinc sulphate 7 mg/	
30	Ibuprofen 100mg Paracetamol 162.5 mg /5ml suspension	
31	Potassium citrate 1100mg+ citric acid 375mg+ Pyridoxine hcl 20mg/5ml	
32	Deflazacort 6 mg /5ml suspension	
33	Sodium picosulphate 5mg /5ml solution	
34	Levocetirizine hcl 2.5 mg Montelukast 4 mg /5ml suspension	
35	Dextromethorphan Hbr 15 mg Phenylephrine hcl 5 mg Chlorpheniramine maleate 2 mg/5 ml syrup	
36	Dried Aluminium hydroxide gel eq to Aluminium hydroxide 300mg Magnesium trisilicate 150mg Magnesium hydroxide 100mg Dimethicone 25mg Oxetacaine 10 mg suspension	
37	Cyproheptadine hydrochloride IP Eq to Anhydrous Cyproheptadine hydrochloride 2 mg Tricholine Citrate 275 mg + Sorbitol (70%) Non- crystallising IP Q.S Approved Colour Used	
38	Each 5 ml Contains Paracetamol IP 250 mg +Phenylephrine hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2 mg + Sodium citrate IP 60 mg Ammonium chloride IP 120 mg +Menthol IP 1mg	
39	Each 5 ml Contains Magaldrate IP As Magaldrate anhydrous 400mg Simethicone IP 60 mg In A Flavour Sorbitol base q.s Approved Colour Used	
40	Ambroxol Hydrochloride IP 15 mg + Terbutaline sulphate IP 1.25 mg + Guaiphenesin IP 50 mg + Menthol IP 1 mg In Flavour base Q.S Approved Colour Used	
41	Each 5 ml Contains Ferrous ascorbate (eq to elemental Iron IP 30 mg) Folic acid IP 500mcg In Flavour base Q.S Approved Colour Used	
42	Each5mlContains : hydrochloride ip 30 mg, Levosambutamol sulphate eq. to Levosambutamol ip 1 mg Approved Colour Used	Ambroxol Guaiphenesin ip 50mg, In flavoured base q.s.

43	<p>Each 10ml Contains :</p> <p>Lycopene 10% 2000 mcg , Niacinamide Hcl ip 25mg, Pyridoxine hydrochloride 1.5 mg, Vitamin B12 ip 1mg, Folic acid ip 100mcg, Selenium (as sodium selenate) bp 35mcg, Zinc (as zinc gluconate) usp 3mg, Manganese (as Manganese gluconate) usp 2mg , Iodine (as Potassium Iodide) ip 100 mcg , Copper (as Copper sulphate) ip 500 mcg In flavoured Suspension base Approved Colour Used</p>
44	<p>Each 5ml Contains : Acebrophylline</p> <p>50mcg, Guaiphenesin ip 50 mg, In flavoured base Terbutaline Sulphate ip 1.25mg Approved Colour Used</p>
45	<p>Each 25ml Contains</p> <p>Polyethyleneglycol3350 usp 13.125 gm Sodium chloride ip 0.3507 gm Sodium hydrogen carbonate ip 0.1785 gm Potassium chloride ip 0.0466 gm In a flavour base Approved Colour Used</p>
46	<p>Each 5 ml suspension contains</p> <p>Bilastine ip 10 mg Montelukast sodium ip eq to montelukast 4 mg In flavoured suspension base q.s</p>
47	<p>Each 5 ml suspension contains</p> <p>Magaldrate ip eq to Magaldrate anhydrous 400 mg Simethicone ip 20 mg Sorbitol sol.(70%)Non-crystalizing ip q.s Approved Colour Used</p>
48	<p>Each 5 ml Contains</p> <p>Cyproheptadine hydrochloride ip Eq to Anhydrous Cyproheptadine hydrochloride 2 mg Tricholine Citrate 65% 275 mg Sorbitol (70%) Non-crystallising ip q.s. Approved Colour Used</p>
49	<p>Each 5ml Contains</p> <p>Sodium alginate ip 250 mg Sodium bicarbonate ip 133.5 mg Calcium carbonate ip 80 mg In a flavour base q.s Approved Colour Used</p>
50	<p>Each 5 ml contains</p> <p>Ranitidine hydrochloride ip eq to Ranitidine 75 mg In a flavour base Approved Colour Used</p>
51	<p>Each 5 ml Contains</p> <p>Ambroxol hydrochloride IP 30 mg Loratadine ip 5 mg Guaiphenesin ip 50 mg Excipients q.s Approved Colour Used</p>

52	Each 5 ml Contains Aluminium hydroxide ip 250 mg Magnesium hydroxide ip 250 mg Simethicone ip 50 mg Excipients q.s Approved Colour Used
53	Each 5 ml Contains Aluminium hydroxide ip 200 mg Magnesium hydroxide ip 200 mg Simethicone ip 25 mg Excipients q.s Approved Colour Used
54	Each 5 ml Contains Liquid paraffin ip 1.25 ml Milk of Magnesia usp 3.75 ml Sodium picosulphate bp 3.33 mg Excipients q.s Approved Colour Used
55	Each 5 ml Contains Ambroxol hydrochloride ip 30 mg Levoetirizine hydrochloride ip 5 mg Excipients q.s Approved Colour Used
56	Each 5 ml Contains Ondansetron hydrochloride ip Eq to Ondansetron ip 2 mg Excipients q.s Approved Colour Used
57	Each 5 ml Contains Disodium hydrogen citrate IP 1.4 gm Excipients q.s Approved Colour Used
58	Each 5 ml Contains Levocetirizine hcl ip 2.5 mg Ambroxol hydrochloride IP 15 mg Guaiphenesin ip 50 mg Menthol ip 1 mg In a Flavoured base q.s Approved Colour Used
59	Composition:- Each 5 ml Contains: Hydrobromide IP 7.5 mg Chlorpheniramine Maleate IP 2.5 mg In a Flavoured Base Colour: Approved Colour Used q.s Dextromethorphan Sodium citrate ip 130 mg
60	Each 5 ml contains: Ambroxol hydrochloride IP 30 mg Terbutaline sulphate IP 1.5 mg Menthol ip 2.5 mg q.s. Approved Colour Used Guaiphenesin IP 100 mg In flavour Base

61	Composition:- Bromhexine Hydrochloride IP 4 mg Terbutaline Sulphate IP 1.50 mg In a Flavoured Base q.s Colour: Approved Colour Used	Each 5 ml Contains: Guaiphenesin IP 50 mg
62	Each 5 ml Contains: Phenylephrine Hydrochloride IP 5 mg 2 mg In a Flavoured Suspension Base q.s Colour: Approved Colour Used	Paracetamol ip 250 mg, Chlorpheniramine Maleate IP
63	Each ml Contains: ip 40 mg, Fennel oil usp 0.0007 ml In a Flavoured Suspension Base q.s Colour: Approved Colour Used	Simethicone Dill oil ip 0.005 ml,
64	Each 15 ml contains: Silymarin 35 mg Thiamine hydrochloride ip 1.5 mg Riboflavin phosphate ip eq to Riboflavin 1.5 mg Pyridoxine hydrochloride ip 1.5 mg Niacinamide ip 20 mg D-panthenol ip 5 mg Cyanocobalamin ip 1 mcg In a flavoured suspension base q.s Approved Colour Used	
65	Each 5 ml Contains Promethazine Hydrochloride ip 5 mg In a flavoured suspension base q.s Approved Colour Used	
66	Each ml Contains Cyproheptadine hydrochloride ip Eq to Anhydrous Cyproheptadine hydrochloride 1.5 mg Tricholine Citrate 65% 55 mg Sorbitol (70%) Non- crystallising ip q.s Approved Colour Used	
67	Each 5 ml Contains Zinc gluconate usp eq to elemental zinc 20 mg In a flavoured base q.s Approved Colour Used	
68	Each 5 ml Contains Carbonyl Iron Eq to Elemental Iron 50 mg Folic acid ip 500 mg Cyanocobalamin ip 6 mcg Zinc sulphate monohydrate ip EQ to Elemental Zinc 11 mg In a flavoured base q.s Approved Colour Used	

69	<p>Each 10 ml Contains</p> <p>Lycopene 10% usp 1000 mcg</p> <p>Vitamin A ip 1600 iu (as palmitate concentrated oily form)</p> <p>Vitamin E acetate ip 10 iu</p> <p>Vitamin C ip 50 mg</p> <p>Zinc sulphate monohydrate ip eq to Elemental Zinc ip 3 mg</p> <p>Sodium selenite pentahydrate EQ to Elemental Selenium 35 mcg</p> <p>Manganese chloride ip EQ to Elemental Manganese 3 mg</p> <p>Cupric sulphate ip EQ to Elemental copper 500 mcg</p> <p>Vitamin B1 ip 2mg</p> <p>Vitamin B6 ip 1.5 mg</p> <p>Vitamin B2 sodium phosphate ip 3 mg</p> <p>Potassium Iodide ip 100 mcg</p> <p>In a flavoured base ip q.s</p> <p>Approved Colour Used</p>
70	<p>Each ml Contains</p> <p>Paracetamol ip 125 mg</p> <p>Phenylephrine hydrochloride ip 2.5 mg</p> <p>Chlorpheniramine maleate ip 1 mg</p> <p>In a flavoured suspension base q.s</p> <p>Approved Colour Used</p>
71	<p>Each 10 ml suspension Contains</p> <p>Silymarin 80% 70 mg</p> <p>Tricholine citrate 210 mg</p> <p>Sorbitol 70%(Non- crystallising) ip 1000 mg</p> <p>In a flavoured Palpable base q.s</p> <p>Approved Colour Used</p>
72	<p>Each 5 ml Contains</p> <p>Ofloxacin ip 50 mg</p> <p>Simethicone ip 10 mg</p> <p>Metronidazole benzoate ip eq to Metronidazole 120 mg</p> <p>In a flavoured Palpable base q.s</p> <p>Approved Colour Used</p>
73	<p>Each 5ml Contains</p> <p>Ambroxol hydrochloride ip 30 mg</p> <p>Levocetirizine hydrochloride ip 2.5 mg</p> <p>In a flavoured base q.s</p> <p>Approved Colour Used</p>
74	<p>Each 5 ml suspension Contains</p> <p>Levofloxacin hemihydrate ip eq to Levofloxacin 125 mg</p> <p>Ornidazole ip 125 mg</p> <p>In a flavoured Palpable base q.s</p> <p>Approved Colour Used</p>
75	<p>Each 5 ml Contains</p> <p>Cetirizine hydrochloride ip 2.5 mg</p> <p>Ambroxol hydrochloride ip 30 mg</p>

	In a flavoured Palpable base q.s Approved Colour Used
76	Each 5 ml Contains Ofloxacin ip 100 mg In a flavoured Palpable base q.s Approved Colour Used
77	Each 5 ml Contains Paracetamol ip 125 mg In a flavoured Palpable base q.s. Approved Colour Used
78	Each 5ml Contains Paracetamol ip 125 mg Phenylephrine hydrochloride ip 2.5 mg Chlorpheniramine maleate ip 1 mg In a flavoured suspension base q.s Approved Colour Used
79	Each 5ml Contains Paracetamol ip 125 mg Ibuprofen ip 100 mg In a flavoured suspension base q.s Approved Colour Used
80	Each 5 ml Contains Paracetamol ip 250 mg Phenylephrine hydrochloride ip 5 mg Chlorpheniramine maleate ip 2 mg Sodium citrate ip 60 mg In a Flavour suspension base q.s. Approved Colour Used
81	Each 5 ml suspension Contains Rifaximin bp 100 mg In a flavoured Palpable base q.s Approved Colour Used
82	Each 5 ml suspension Contains Levofloxacin hemihydrate ip eq to Levofloxacin 50 m g Ornidazole ip 125 mg In a flavoured Palpable base q.s. Approved Colour Used
83	Each 5 ml contains Dextromethorphan hydrobromide IP 10 mg Chlorpheniramine maleate ip 4 mg In flavoured syrupy base q.s. Approved Colour Used
84	Each ml contains Vitamin D3 ip 800 iu In flavoured Syrupy base q.s Approved Colour Used
85	Each ml contains Levetiracetam ip 100 mg In flavoured Syrupy base q.s Approved Colour Used
86	Each 5 ml contains Sodium Valproate ip 200 mg

87	In flavoured Syrupy base q.s Approved Colour Used
87	Each 5 ml contains Diphenhydramine hydrochloride ip 14.08 mg Ammonium chloride ip 138 mg Sodium citrate ip 57.03 mg Menthol ip 1.14 mg In flavoured Syrupy base q.s Approved Colour Used
88	Each 5 ml contains Dicyclomine hydrochloride ip 2.5 mg Dried Aluminium hydroxide ip 200 mg Light Magnesium oxide ip 100 mg Simethicone ip 20 mg In flavoured palatable base q.s Approved Colour Used
89	Each 5 ml contains Dried Aluminium hydroxide gel ip 300 mg Magnesium hydroxide ip 250 mg Oxetacaine ip 10 mg Simethicone ip 50 mg In flavoured palatable base q.s Approved Colour Used
90	Each 10 ml contains Sucralfate ip 1.0 gm In flavoured palatable base q.s Approved Colour Used
91	Each 5 ml contains Fexofenadine hydrochloride ip 30 mg In flavoured palatable base q.s Approved Colour Used

OINTMENT AND CREAM SECTION

Sr No.	COMPOSITION
1	Beclomethasone Dipropionate 0.025%w/w Gentamycin 0.1%w/w Clotrimazole 1.0%w/w cream
2	Fusidic acid 2.0 %w/w, Mometasone Furoate 0.10% cream
3	Etoricoxib 10 mg Methyl salicylate 100mg, Linseed oil 30mg, Benzyl alcohol 10 mg Gel Menthol 50mg,
4	Gamma benzene hexachloride 1.0%w/v, Cetrimide 0.1% w/v chlorocresol 0.1%w/v lotion
5	Clindamycin 1.0%w/w, Nicotinamide 4.0%w/w gel
6	Clobetasol Propionate 0.050%w/w, Neomycin 0.5% w/w, Miconazole nitrate 2.0%w/w, Prservative chlorocresol ip 0.1% w/w, in a cream base. Q.s
7	Potassium nitrate 5.0%w/w, Sodium monfluorophosphate usp 0.7% w/w tooth paste
8	Luliconazole 1%w/w cream
9	Luliconazole 1%w/w lotion

10	Octinoxate 7.5%w/v Oxybenzone 3.0%w/v Zinc oxide 2%w/v lotion	Avobenzone 2%w/v Octocrylene 3%w/v
11	Ketoconazole 2%w/v+Zinc pyrithion 1%w/v	
12	Crotamiton 10%w/w+ Hydrocortisone 0.25%w/w cream	
13	Sertaconazole nitrate 2%w/w+ Beclomethasone dipropionate0.025%w/w, Benzyl alcohol ip 1% w/w (as preservative), cream base q.s	
14	Clotrimazole 1%w/w + Beclomethasone dipropionate 0.025% w/w, choline salicylate 9.0%w/w, Benzalkolium chloride ip 0.02%w/v (as preservative) Aqueous base q.s	
15	Chlorhexidine gluconate 0.25W/V+Sodium fluoride 0.05%w/v+Zinc chloride 0.09%w/v mouth wash	
16	Diclofenac diethylamine eq to Diclofenac sodium 1%w/w+ Linseed oil 3%w/w + Methyl salicylate10%w/w+ Menthol 5%w/w+ Benzyol alcohol 1%w/w GEL	
17	Miconazole nitrate 2%w/w	
18	Sertaconazole nitrate 2%w/w cream	
19	Diclofenac diethylamine ip 1.16%w/w eq to Diclofenac sodium 1%w/w+ Linseed oil 3%w/w + Methyl salicylate 10%w/w + Capsaicin 0.025%w/w Menthol 5%w/w + Benzyol alcohol 1%w/w GEL	
20	Amorolfine 2.5mg/gm cream	
21	Clotrimazole 1%w/v + selenium sulfide usp 2.5%w/v suspension base q.s	
22	Salicylic acid 10mg face wash	
23	Potassium Nitrate BP 5%w/w Sodium Monofluorophosphate USP 0.7%w/w Triclosan USP 0.3%w/w Gel base q.s	Approved Colour Used
24	Composition: 1.16%w/w Linseed oil bp 3.0%w/w, , Benzyl Alcohol (as preservative) ip 1.0%w/w	Diclofenac Diethylamine ip Eq to Diclofenac Sodium 1.0%w/w , Methyl Salicylate ip 10%w/w, Menthol ip 0.5%w/w, Gel base
25	Each gm Contains Sucralfate IP 70 MG Povidoneiodine IP 50 MG ointment base Q.S	
26	Composition Permethrin IP 5%w/v Cetrimide IP 0.01%w/v Lotion base Q.S	
27	Composition Permethrin IP 5%w/v Lotion base Q.S	
28	Composition Metronidazole ip 1.0 %w/w Sucralfate ip 7.0 %w/w Povidone Iodine ip 5.0%w/w (as available Iodine 0.5%w/w) ointment base Q.S	
	Composition	

29	<p>Acetofenac ip 1.5%w/w Capsaicin usp 0.01 %w/w Linseed oil ip 3.0%w/w Methyl Salicylate ip 10%w/w Menthol ip 5%w/w Benzyl Alcohol ip 1.0 %w/w (as preservative) Gel base q.s</p>
30	<p>Composition Ofloxacin ip 0.75 %w/w Ornidazole ip 2.0 %w/w Itraconazole ip 1.0%w/w Clobetasol propionate ip 0.05%w/w Cream base q.s</p>
31	<p>Composition Terbinafine hydrochloride ip 1%w/w Cream base q.s</p>
32	<p>Composition Silver sulphadiazine ip 0.5%w/w Chlorhexidine gluconate ip eq to Chlorhexidine gluconate 0.2%w/w Cream base q.s</p>
33	<p>Composition Hydroquinone usp 2%w/w Tretinoin usp 0.025%w/w Mometasone furoate ip 0.1%w/w Cream base q.s</p>
34	<p>Composition Clobetasol propionate ip 0.05%w/w Neomycin sulphate ip Eq. to Neomycin 0.1 %w/w Tolnaftate ip 1.0%w/w Iodochlorhydroxyquinolone ip 1.0%w/w Ketoconazole ip 2.0%w/w Cream base q.s</p>
35	<p>Composition Povidone Iodine ip 5%w/w (as avilable Iodine 0.5%w/w) Water soluble ointment base q.s</p>
36	<p>Composition Mupirocin ip 2%w/w ointment base q.s</p>
37	<p>Composition Itraconazole ip 1%w/v Lotion base q.s</p>
38	<p>Composition Eberconazole nitrate ip eq to Eberconazole 1%w/w Cream base q.s</p>
39	<p>Composition Eberconazole nitrate ip eq to Eberconazole 1%w/w Mometasone furoate ip 0.1%w/w Cream base q.s</p>
	<p>Composition</p>

40	<p>Calcium Dobesilate monohydrate ip eq to anhydrous Calcium Dobesilate 0.25%w/w Lignocaine hydrochloride ip 3%w/w Hydrocortisone acetate ip 0.25%w/w Zinc oxide ip 5%w/w Chlorocresol (as preservative) ip 0.1%w/w Cream base q.s</p>
41	<p>Composition Diclofenac diethylamine ip 2.32%w/w eq to Diclofenac sodium 2.0%w/w Linseed oil bp 3.0%w/w Methyl Salicylate ip 10%w/w Menthol ip 5%w/w Benzyl Alcohol 1.0 %w/w (as preservative) Gel base q.s</p>
42	<p>Composition Diclofenac diethylamine ip 1.16%w/w eq to Diclofenac sodium 1.0%w/w Linseed oil bp 3.0%w/w Thiocolchicoside ip 0.125%w/w Methyl Salicylate ip 10%w/w Menthol ip 5%w/w Benzyl Alcohol ip 1.0 %w/w (as preservative) Gel base q.s</p>
43	<p>Each sachet of 5 gm Contains Myo -Inositol ip 2000 mg D-chiroinositol ip 50 mg Vitamin D3 ip 1000 iu Excipients q.s Approved Colour Used</p>
44	<p>Composition Povidone Iodine ip 10%w/w (as available Iodine 1.0%w/w) Water soluble ointment base q.s</p>
45	<p>Composition Ketoconazole ip 2%w/w Talc ip q.s presevative and perfume qs</p>
46	<p>Composition Boric acid ip 6%w/w Starch IP 10%w/w Salicylic acid IP 2%w/w Zinc stearate IP 3%w/w Alum (Exsiccated) BP 1%w/w Talc IP Q.S presevative and perfume QS</p>
47	<p>Composition N , N-Diethyl benzamide 12%w/w Cream base Q.S</p>
48	<p>Composition Clotrimazole ip 1%w/w Talc ip q.s presevative and perfume q.s</p>

49	Composition Ketoconazole ip 2%w/w Salicylic acid ip 2%w/w Lotion base q.s Approved Colour Used qs
50	Composition Each sachet(21.80g)contains Sodium chloride ip 2.60g Potassium chloride ip 1.5g Sodium citrate ip 2.90g Dextrose anhydrous ip 13.5g Excipients q.s Approved Colour Used
51	Contains Chlorhexidine Gluconate solution ip 1.5%w/v Cetrimide ip 3.0%w/v In a aqueous base q.s Approved Colour Used
52	Composition Chlorhexidine Gluconate solution ip eq to Chlorhexidine Gluconate 0.2%w/v In a aqueous base q.s Approved Colour Used
53	Composition Clotrimazole ip 2%w/w Cream base q.s
54	Composition Luliconazole ip 1%w/w Beclomethasone Dipropionate ip 0.025%w/w Neomycin sulphate ip eq to Neomycin 0.5%w/w Cream base q.s
55	Composition Luliconazole ip 1%w/w Beclomethasone Dipropionate ip 0.025%w/w Cream base q.s